

Agronomic Samples
VOLUME SUMMARY-BY CROP
2004-2005

Crop Code	Crop Name	Count
1079	Brassicas	127
1069	Buckwheat	37
1042	Corn for Grain	2,353
1044	Corn for Grain (No-till)	1,038
1043	Corn for Silage	977
1045	Corn for Silage (No-till)	405
1054	CRP Cool Season Grass	1,504
1053	CRP Warm Season Grass	89
1800	Disturbed Lands	88
1001	Established Alfalfa	544
1072	Established Alfalfa Grass	650
1010	Established Bluegrass	16
1016	Established Bromegrass	21
1011	Established Crownvetch	4
1014	Established Ladino Clover	95
1019	Established Mixed Grasses	781
1017	Established Orchardgrass	241
1082	Established Pasture (with legume)	207
1081	Established Pasture (without legume)	376
1015	Established Red Clover	33
1074	Established Red Clover-Grass	125
1086	Established Reed Canarygrass	41
1076	Established Tall Fescue	13
1018	Established Timothy	179
1005	Established Trefoil	5
1006	Established Trefoil-grass	33
1078	Established Warm Season Grasses	88
1055	Horticultural Cover Crop	16
1059	Oats	222
1999	Other	1,287
1020	Planting Alfalfa	400
1035	Planting Alfalfa in Oats	145
1032	Planting Alfalfa in Wheat	15
1023	Planting Alfalfa (No Till)	98
1021	Planting Alfalfa-Grass	327
1022	Planting Alfalfa-Trefoil	23
1038	Planting Bluegrass	14
1039	Planting Bromegrass	4

Agronomic Samples
VOLUME SUMMARY-BY CROP
2004-2005

Crop Code	Crop Name	Count
1030	Planting Crownvetch	14
1031	Planting Crownvetch (no-till)	7
1029	Planting Ladino Clover	557
1062	Planting Mixed Grasses	266
1040	Planting Orchardgrass	66
1027	Planting Red Clover	139
1037	Planting Red Clover in Oats	39
1034	Planting Red Clover in Wheat	4
1028	Planting Red Clover (No-till)	58
1073	Planting Red Clover-Grass	79
1085	Planting Reed Canarygrass	31
1075	Planting Tall Fescue	12
1041	Planting Timothy	62
1024	Planting Trefoil	32
1036	Planting Trefoil in Oats	10
1033	Planting Trefoil in Wheat	1
1026	Planting Trefoil (No-till)	11
1025	Planting Trefoil-Grass	60
1077	Planting Warm Season Grasses	46
1080	Renovating Pasture (with legume)	128
1061	Rye	45
1063	Sorghum for Forage	25
1057	Sorghum for Grain	32
1067	Sorghum-Sudangrass	18
1064	Soybeans	1,205
1068	Spring Barley	12
1066	Sudangrass	6
1071	Sunflowers	18
1065	Tobacco	4
1058	Wheat	325
1060	Winter Barley	94
TOTAL:		16,027

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
ADAMS	112		
		Brassicas	1
		Corn for Grain	19
		Corn for Grain (No-till)	12
		Corn for Silage	2
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	8
		Established Alfalfa	1
		Established Mixed Grasses	10
		Established Orchardgrass	3
		Established Pasture (with legume)	1
		Established Pasture (without legume)	2
		Established Reed Canarygrass	1
		Established Timothy	6
		Established Warm Season Grasses	6
		Planting Ladino Clover	5
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Timothy	3
		Rye	3
		Sorghum for Grain	1
		Soybeans	20
		Wheat	4
ALLEGHENY	64		
		Corn for Grain	9
		Corn for Grain (No-till)	1
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	1
		Disturbed Lands	10
		Established Mixed Grasses	5
		Established Orchardgrass	3
		Established Pasture (with legume)	9
		Established Reed Canarygrass	1
		Established Timothy	2
		Oats	1
		Other	1
		Planting Alfalfa	1
		Planting Alfalfa in Wheat	2
		Planting Ladino Clover	3
		Planting Mixed Grasses	3

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover	2
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	3
		Sorghum for Forage	1
		Soybeans	2
ARMSTRONG	126		
		Corn for Grain	10
		Corn for Grain (No-till)	8
		Corn for Silage	5
		Corn for Silage (No-till)	3
		Established Alfalfa Grass	1
		Established Mixed Grasses	2
		Established Pasture (with legume)	1
		Established Pasture (without legume)	15
		Established Red Clover-Grass	1
		Established Timothy	6
		Horticultural Cover Crop	2
		Oats	2
		Other	11
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	1
		Planting Alfalfa-Trefoil	1
		Planting Bluegrass	1
		Planting Ladino Clover	16
		Planting Mixed Grasses	10
		Planting Red Clover (No-till)	1
		Planting Trefoil	4
		Planting Trefoil-Grass	21
		Renovating Pasture (with legume)	2
BEAVER	71		
		Brassicas	2
		Corn for Grain	10
		Corn for Silage	4
		Established Alfalfa Grass	13
		Established Ladino Clover	1
		Established Mixed Grasses	3
		Established Orchardgrass	7
		Established Pasture (without legume)	8
		Established Red Clover	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Timothy	2
		Planting Alfalfa	8
		Planting Alfalfa in Oats	3
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Planting Red Clover	2
BEDFORD	423		
		Brassicas	2
		Corn for Grain	56
		Corn for Grain (No-till)	27
		Corn for Silage	108
		Corn for Silage (No-till)	10
		CRP Cool Season Grass	5
		Established Alfalfa	29
		Established Alfalfa Grass	39
		Established Bromegrass	3
		Established Mixed Grasses	18
		Established Orchardgrass	3
		Established Pasture (with legume)	1
		Established Pasture (without legume)	6
		Established Red Clover-Grass	1
		Established Trefoil-grass	1
		Established Warm Season Grasses	4
		Horticultural Cover Crop	1
		Oats	5
		Other	1
		Planting Alfalfa	17
		Planting Alfalfa in Oats	9
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	15
		Planting Bromegrass	1
		Planting Ladino Clover	9
		Planting Mixed Grasses	10
		Planting Red Clover	5
		Planting Red Clover in Oats	1
		Planting Timothy	2
		Planting Trefoil-Grass	2
		Planting Warm Season Grasses	6
		Sorghum for Forage	3

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples	
BERKS	499	Sorghum-Sudangrass	4	
		Soybeans	16	
		Winter Barley	2	
			Brassicas	2
			Buckwheat	2
			Corn for Grain	153
			Corn for Grain (No-till)	9
			Corn for Silage	8
			CRP Cool Season Grass	15
			CRP Warm Season Grass	4
			Established Alfalfa	9
			Established Alfalfa Grass	18
			Established Ladino Clover	5
			Established Mixed Grasses	6
			Established Orchardgrass	10
			Established Pasture (with legume)	9
			Established Pasture (without legume)	10
			Established Reed Canarygrass	4
			Established Timothy	4
			Horticultural Cover Crop	2
			Oats	5
			Other	92
			Planting Alfalfa	1
			Planting Alfalfa (No Till)	3
			Planting Alfalfa-Grass	1
			Planting Bluegrass	1
			Planting Ladino Clover	40
			Planting Mixed Grasses	2
			Planting Orchardgrass	4
			Planting Red Clover	4
			Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	6	
		Planting Timothy	2	
		Renovating Pasture (with legume)	2	
		Sorghum for Grain	1	
		Soybeans	52	
		Sunflowers	1	
		Wheat	4	
		Winter Barley	7	

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
BLAIR	299		
		Brassicas	1
		Corn for Grain	59
		Corn for Grain (No-till)	7
		Corn for Silage	27
		Corn for Silage (No-till)	25
		CRP Cool Season Grass	12
		CRP Warm Season Grass	1
		Established Alfalfa	25
		Established Alfalfa Grass	39
		Established Mixed Grasses	13
		Established Orchardgrass	1
		Established Pasture (with legume)	4
		Established Pasture (without legume)	3
		Established Red Clover-Grass	2
		Established Reed Canarygrass	1
		Established Timothy	1
		Oats	4
		Planting Alfalfa	2
		Planting Alfalfa in Oats	2
		Planting Alfalfa in Wheat	2
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	24
		Planting Alfalfa-Trefoil	2
		Planting Ladino Clover	11
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover	3
		Planting Red Clover (No-till)	1
		Planting Reed Canarygrass	1
		Planting Tall Fescue	1
		Planting Timothy	3
		Renovating Pasture (with legume)	4
		Sorghum for Forage	4
		Sorghum-Sudangrass	1
		Soybeans	5
		Wheat	2
		Winter Barley	1
BRADFORD	743		
		Brassicas	6

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Buckwheat	4
		Corn for Grain	41
		Corn for Grain (No-till)	5
		Corn for Silage	88
		Corn for Silage (No-till)	19
		CRP Cool Season Grass	260
		CRP Warm Season Grass	1
		Established Alfalfa	1
		Established Alfalfa Grass	47
		Established Ladino Clover	1
		Established Mixed Grasses	64
		Established Orchardgrass	31
		Established Pasture (with legume)	13
		Established Pasture (without legume)	17
		Established Red Clover-Grass	18
		Established Timothy	2
		Established Trefoil-grass	3
		Other	4
		Planting Alfalfa	6
		Planting Alfalfa in Oats	6
		Planting Alfalfa-Grass	54
		Planting Alfalfa-Trefoil	9
		Planting Ladino Clover	10
		Planting Mixed Grasses	6
		Planting Orchardgrass	1
		Planting Red Clover	6
		Planting Red Clover in Oats	3
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	5
		Planting Timothy	1
		Planting Trefoil in Oats	3
		Rye	1
		Sorghum-Sudangrass	2
		Soybeans	4
BUCKS	134		
		Brassicas	3
		Corn for Grain	13
		Corn for Grain (No-till)	1
		Corn for Silage	3
		CRP Cool Season Grass	10

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		CRP Warm Season Grass	1
		Established Alfalfa Grass	1
		Established Ladino Clover	1
		Established Mixed Grasses	2
		Established Orchardgrass	2
		Established Pasture (with legume)	2
		Established Pasture (without legume)	14
		Established Timothy	3
		Oats	1
		Other	1
		Planting Alfalfa	2
		Planting Bluegrass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	11
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	5
		Planting Reed Canarygrass	25
		Planting Timothy	2
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Sorghum for Forage	1
		Sorghum for Grain	3
		Soybeans	2
		Wheat	7
		Winter Barley	2
BUTLER	289		
		Brassicas	1
		Buckwheat	1
		Corn for Grain	63
		Corn for Grain (No-till)	46
		Corn for Silage	8
		Corn for Silage (No-till)	18
		CRP Cool Season Grass	12
		CRP Warm Season Grass	1
		Established Alfalfa	11
		Established Alfalfa Grass	15
		Established Ladino Clover	2
		Established Mixed Grasses	25
		Established Orchardgrass	2
		Established Pasture (with legume)	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Pasture (without legume)	8
		Established Red Clover-Grass	5
		Established Tall Fescue	1
		Established Trefoil	3
		Established Warm Season Grasses	1
		Oats	5
		Planting Alfalfa	3
		Planting Alfalfa in Oats	4
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	9
		Planting Mixed Grasses	2
		Planting Orchardgrass	2
		Renovating Pasture (with legume)	3
		Soybeans	30
		Wheat	5
CAMBRIA	211		
		Brassicas	1
		Corn for Grain	31
		Corn for Silage	11
		CRP Cool Season Grass	71
		CRP Warm Season Grass	3
		Established Alfalfa	7
		Established Alfalfa Grass	20
		Established Mixed Grasses	1
		Established Red Clover-Grass	2
		Established Timothy	1
		Established Trefoil-grass	2
		Oats	21
		Planting Alfalfa	4
		Planting Alfalfa (No Till)	4
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	5
		Planting Mixed Grasses	4
		Planting Red Clover	2
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Planting Reed Canarygrass	1
		Planting Trefoil in Oats	1
		Planting Trefoil (No-till)	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
CAMERON	8	Soybeans	9
		Wheat	2
		Brassicas	1
		Corn for Grain	2
		Planting Ladino Clover	4
		Planting Orchardgrass	1
CARBON	37	Brassicas	1
		Corn for Grain	1
		CRP Cool Season Grass	16
		Established Ladino Clover	1
		Established Mixed Grasses	1
		Established Orchardgrass	1
		Established Pasture (without legume)	1
		Established Timothy	1
		Planting Alfalfa	1
		Planting Alfalfa in Oats	2
		Planting Ladino Clover	4
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	3
		Soybeans	1
		Wheat	1
CENTRE	2,141	Brassicas	6
		Buckwheat	1
		Corn for Grain	238
		Corn for Grain (No-till)	106
		Corn for Silage	49
		Corn for Silage (No-till)	42
		CRP Cool Season Grass	16
		Disturbed Lands	6
		Established Alfalfa	94
		Established Alfalfa Grass	49
		Established Bromegrass	1
		Established Ladino Clover	4
		Established Mixed Grasses	52
		Established Orchardgrass	6
		Established Pasture (with legume)	20

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Pasture (without legume)	59
		Established Red Clover	4
		Established Red Clover-Grass	28
		Established Tall Fescue	1
		Established Timothy	20
		Established Trefoil-grass	1
		Oats	19
		Other	775
		Planting Alfalfa	73
		Planting Alfalfa in Oats	7
		Planting Alfalfa (No Till)	10
		Planting Alfalfa-Grass	15
		Planting Crownvetch	3
		Planting Ladino Clover	45
		Planting Mixed Grasses	43
		Planting Orchardgrass	3
		Planting Red Clover	5
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	2
		Planting Trefoil	2
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	5
		Rye	2
		Sorghum for Forage	3
		Sorghum-Sudangrass	1
		Soybeans	272
		Sudangrass	1
		Sunflowers	2
		Wheat	40
		Winter Barley	6
CHESTER	180		
		Brassicas	1
		Corn for Grain	6
		Corn for Grain (No-till)	3
		CRP Cool Season Grass	5
		Established Alfalfa	2
		Established Alfalfa Grass	7
		Established Mixed Grasses	24
		Established Orchardgrass	1
		Established Pasture (with legume)	24

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Pasture (without legume)	23
		Established Red Clover-Grass	1
		Established Reed Canarygrass	11
		Established Warm Season Grasses	1
		Horticultural Cover Crop	1
		Oats	1
		Other	8
		Planting Alfalfa	3
		Planting Alfalfa in Oats	3
		Planting Alfalfa-Grass	4
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	6
		Planting Orchardgrass	8
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	3
		Planting Timothy	2
		Renovating Pasture (with legume)	7
		Rye	9
		Sorghum-Sudangrass	1
		Soybeans	6
CLARION	144		
		Buckwheat	1
		Corn for Grain	12
		Corn for Silage	8
		CRP Cool Season Grass	7
		Disturbed Lands	12
		Established Alfalfa Grass	6
		Established Mixed Grasses	6
		Established Pasture (with legume)	8
		Established Pasture (without legume)	1
		Established Reed Canarygrass	1
		Oats	15
		Other	50
		Planting Alfalfa	1
		Planting Ladino Clover	4
		Planting Mixed Grasses	2
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Sorghum for Grain	1
		Soybeans	1
		Wheat	2
		Winter Barley	2
CLEARFIELD	343		
		Buckwheat	2
		Corn for Grain	40
		Corn for Grain (No-till)	2
		Corn for Silage	27
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	28
		CRP Warm Season Grass	1
		Disturbed Lands	35
		Established Alfalfa	11
		Established Alfalfa Grass	59
		Established Ladino Clover	1
		Established Mixed Grasses	2
		Established Orchardgrass	6
		Established Pasture (with legume)	12
		Established Red Clover-Grass	1
		Established Reed Canarygrass	3
		Established Timothy	6
		Established Trefoil-grass	5
		Established Warm Season Grasses	1
		Oats	8
		Other	1
		Planting Alfalfa	3
		Planting Alfalfa in Oats	17
		Planting Alfalfa in Wheat	4
		Planting Alfalfa-Grass	15
		Planting Alfalfa-Trefoil	1
		Planting Bluegrass	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	6
		Planting Red Clover	4
		Planting Red Clover in Oats	3
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	2
		Planting Tall Fescue	1
		Planting Trefoil	12

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples	
CLINTON	137	Planting Trefoil (No-till)	4	
		Planting Trefoil-Grass	5	
		Renovating Pasture (with legume)	1	
		Rye	1	
			Brassicas	1
			Corn for Grain (No-till)	17
			Corn for Silage	3
			Corn for Silage (No-till)	33
			CRP Cool Season Grass	4
			Established Alfalfa	5
			Established Alfalfa Grass	7
			Established Mixed Grasses	4
			Established Pasture (with legume)	8
			Established Pasture (without legume)	8
			Planting Alfalfa	27
			Planting Alfalfa-Grass	3
			Planting Ladino Clover	2
			Planting Orchardgrass	1
			Planting Red Clover	2
			Sorghum-Sudangrass	1
		Soybeans	9	
		Tobacco	2	
COLUMBIA	239	Brassicas	3	
		Corn for Grain	81	
		Corn for Grain (No-till)	15	
		Corn for Silage	18	
		Corn for Silage (No-till)	2	
		CRP Cool Season Grass	22	
		Established Alfalfa	11	
		Established Alfalfa Grass	12	
		Established Bromegrass	1	
		Established Mixed Grasses	3	
		Established Pasture (with legume)	3	
		Established Pasture (without legume)	4	
		Established Red Clover	2	
		Horticultural Cover Crop	1	
		Planting Alfalfa	6	
		Planting Alfalfa in Oats	1	

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	1
		Planting Mixed Grasses	1
		Planting Red Clover	1
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	1
		Planting Tall Fescue	1
		Planting Timothy	4
		Soybeans	21
		Wheat	21
CRAWFORD	413		
		Buckwheat	2
		Corn for Grain	79
		Corn for Silage	21
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	5
		CRP Warm Season Grass	23
		Disturbed Lands	2
		Established Alfalfa	4
		Established Alfalfa Grass	1
		Established Ladino Clover	2
		Established Mixed Grasses	10
		Established Orchardgrass	2
		Established Pasture (without legume)	6
		Established Red Clover-Grass	4
		Established Timothy	6
		Established Trefoil-grass	1
		Established Warm Season Grasses	61
		Horticultural Cover Crop	1
		Oats	10
		Other	42
		Planting Alfalfa	9
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	1
		Planting Crownvetch	5
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	12
		Planting Mixed Grasses	4
		Planting Red Clover	4
		Planting Red Clover-Grass	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Timothy	3
		Planting Trefoil	3
		Planting Trefoil-Grass	5
		Planting Warm Season Grasses	34
		Rye	9
		Soybeans	27
		Sunflowers	2
CUMBERLAND	410		
		Corn for Grain	95
		Corn for Grain (No-till)	29
		Corn for Silage	17
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	21
		CRP Warm Season Grass	1
		Established Alfalfa	7
		Established Alfalfa Grass	3
		Established Bromegrass	6
		Established Ladino Clover	6
		Established Mixed Grasses	38
		Established Orchardgrass	9
		Established Pasture (without legume)	5
		Established Red Clover	1
		Established Red Clover-Grass	2
		Established Timothy	3
		Established Warm Season Grasses	3
		Horticultural Cover Crop	1
		Oats	9
		Other	16
		Planting Alfalfa	10
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	8
		Planting Mixed Grasses	1
		Planting Red Clover	5
		Renovating Pasture (with legume)	3
		Sorghum for Forage	3
		Sorghum-Sudangrass	3
		Soybeans	44
		Sudangrass	3
		Wheat	34

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
DAUPHIN	327	Winter Barley	15
		Brassicas	1
		Buckwheat	2
		Corn for Grain	50
		Corn for Grain (No-till)	67
		Corn for Silage	19
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	3
		Disturbed Lands	4
		Established Alfalfa	8
		Established Alfalfa Grass	20
		Established Ladino Clover	6
		Established Mixed Grasses	5
		Established Pasture (with legume)	1
		Established Pasture (without legume)	6
		Established Timothy	5
		Oats	1
		Other	2
		Planting Alfalfa	5
		Planting Alfalfa (No Till)	5
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	8
		Planting Mixed Grasses	18
		Planting Orchardgrass	6
		Planting Red Clover in Oats	1
		Planting Trefoil	1
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	2
		Rye	1
		Sorghum for Grain	2
		Soybeans	46
Tobacco	1		
Wheat	11		
Winter Barley	5		
DELAWARE	404	Corn for Grain	162
		Corn for Silage	52
		CRP Cool Season Grass	3

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Alfalfa	12
		Established Alfalfa Grass	17
		Established Mixed Grasses	18
		Established Orchardgrass	22
		Established Pasture (without legume)	4
		Established Red Clover-Grass	2
		Established Timothy	1
		Established Warm Season Grasses	2
		Oats	2
		Other	33
		Planting Ladino Clover	4
		Planting Mixed Grasses	1
		Planting Tall Fescue	1
		Soybeans	38
		Wheat	24
		Winter Barley	6
ELK	47		
		Corn for Grain	24
		Corn for Silage	1
		CRP Cool Season Grass	1
		Established Alfalfa	3
		Established Alfalfa Grass	5
		Established Orchardgrass	2
		Established Timothy	3
		Established Trefoil-grass	1
		Oats	1
		Planting Alfalfa	3
		Planting Alfalfa-Grass	1
		Planting Timothy	1
		Planting Trefoil in Oats	1
ERIE	261		
		Brassicas	10
		Buckwheat	3
		Corn for Grain	18
		Corn for Grain (No-till)	19
		Corn for Silage	18
		Corn for Silage (No-till)	23
		CRP Cool Season Grass	30
		CRP Warm Season Grass	1
		Disturbed Lands	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Alfalfa	3
		Established Alfalfa Grass	2
		Established Ladino Clover	11
		Established Mixed Grasses	10
		Established Pasture (with legume)	4
		Established Pasture (without legume)	8
		Established Red Clover-Grass	2
		Established Reed Canarygrass	4
		Established Tall Fescue	3
		Other	2
		Planting Alfalfa	3
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	22
		Planting Orchardgrass	1
		Planting Red Clover	3
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	2
		Planting Timothy	1
		Planting Trefoil in Oats	2
		Planting Trefoil in Wheat	1
		Planting Trefoil-Grass	4
		Renovating Pasture (with legume)	1
		Rye	3
		Sorghum for Forage	2
		Soybeans	36
		Sunflowers	1
		Wheat	2
FAYETTE	102		
		Corn for Grain	5
		Corn for Grain (No-till)	17
		Corn for Silage	7
		Corn for Silage (No-till)	8
		CRP Cool Season Grass	12
		Established Bluegrass	3
		Established Mixed Grasses	9
		Established Red Clover-Grass	1
		Established Timothy	2
		Oats	2
		Planting Alfalfa	3
		Planting Alfalfa in Oats	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	2
		Planting Bluegrass	2
		Planting Ladino Clover	2
		Planting Mixed Grasses	9
		Planting Red Clover	4
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Soybeans	7
FOREST	34		
		Corn for Grain	24
		Disturbed Lands	1
		Oats	5
		Planting Ladino Clover	3
		Planting Mixed Grasses	1
FRANKLIN	286		
		Buckwheat	1
		Corn for Grain	35
		Corn for Grain (No-till)	52
		Corn for Silage	16
		Corn for Silage (No-till)	18
		CRP Cool Season Grass	14
		Established Alfalfa	41
		Established Alfalfa Grass	1
		Established Bluegrass	1
		Established Bromegrass	1
		Established Mixed Grasses	9
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	5
		Established Warm Season Grasses	1
		Oats	1
		Planting Alfalfa	12
		Planting Alfalfa in Oats	4
		Planting Alfalfa (No Till)	4
		Planting Bluegrass	1
		Planting Ladino Clover	5
		Planting Mixed Grasses	5
		Planting Red Clover	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	6
		Planting Red Clover-Grass	1
		Planting Timothy	6
		Renovating Pasture (with legume)	1
		Sorghum for Grain	1
		Soybeans	13
		Spring Barley	2
		Sudangrass	1
		Wheat	14
		Winter Barley	7
FULTON	59		
		Corn for Grain	1
		Corn for Silage	12
		CRP Cool Season Grass	4
		Established Alfalfa	14
		Established Alfalfa Grass	3
		Established Mixed Grasses	4
		Established Timothy	3
		Planting Alfalfa	5
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Planting Timothy	1
		Soybeans	1
		Wheat	2
		Winter Barley	6
GREENE	38		
		Corn for Grain	1
		Disturbed Lands	2
		Established Alfalfa Grass	3
		Established Bromegrass	1
		Established Mixed Grasses	5
		Established Orchardgrass	2
		Established Pasture (with legume)	2
		Established Pasture (without legume)	2
		Established Red Clover-Grass	3
		Established Timothy	1
		Oats	1
		Other	3

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Alfalfa-Grass	1
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover	1
		Renovating Pasture (with legume)	6
HUNTINGDON	210		
		Brassicas	1
		Corn for Grain	24
		Corn for Grain (No-till)	22
		Corn for Silage	11
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	25
		Established Alfalfa	5
		Established Alfalfa Grass	4
		Established Ladino Clover	2
		Established Mixed Grasses	4
		Established Orchardgrass	2
		Established Pasture (with legume)	6
		Established Pasture (without legume)	2
		Established Timothy	13
		Established Trefoil-grass	2
		Oats	2
		Other	2
		Planting Alfalfa	7
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	6
		Planting Bluegrass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	10
		Planting Red Clover	24
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	3
		Soybeans	3
		Wheat	8
		Winter Barley	2
INDIANA	271		
		Buckwheat	1
		Corn for Grain	63

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Corn for Grain (No-till)	5
		Corn for Silage	29
		CRP Cool Season Grass	31
		Disturbed Lands	6
		Established Alfalfa Grass	31
		Established Bromegrass	2
		Established Crownvetch	4
		Established Ladino Clover	2
		Established Mixed Grasses	1
		Established Orchardgrass	3
		Established Pasture (with legume)	1
		Established Timothy	5
		Established Warm Season Grasses	1
		Oats	5
		Other	2
		Planting Alfalfa	7
		Planting Alfalfa in Oats	3
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	25
		Planting Ladino Clover	7
		Planting Mixed Grasses	9
		Planting Tall Fescue	2
		Renovating Pasture (with legume)	1
		Soybeans	13
		Wheat	9
JEFFERSON	247		
		Brassicas	1
		Corn for Grain	34
		Corn for Silage	13
		CRP Cool Season Grass	13
		Established Alfalfa	1
		Established Alfalfa Grass	43
		Established Bromegrass	1
		Established Mixed Grasses	6
		Established Orchardgrass	4
		Established Pasture (without legume)	3
		Established Red Clover-Grass	5
		Established Tall Fescue	6
		Established Timothy	2
		Established Trefoil-grass	8

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Oats	6
		Other	50
		Planting Alfalfa	3
		Planting Alfalfa in Oats	9
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	2
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	8
		Planting Red Clover	1
		Planting Red Clover-Grass	3
		Planting Tall Fescue	1
		Planting Timothy	3
		Planting Trefoil in Oats	1
		Planting Trefoil-Grass	1
		Rye	1
		Soybeans	10
		Wheat	2
		Winter Barley	3
JUNIATA	232		
		Buckwheat	1
		Corn for Grain	63
		Corn for Grain (No-till)	19
		Corn for Silage	2
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	9
		Established Alfalfa	7
		Established Alfalfa Grass	8
		Established Ladino Clover	1
		Established Mixed Grasses	4
		Established Orchardgrass	1
		Established Pasture (without legume)	4
		Established Red Clover	1
		Established Timothy	2
		Oats	1
		Planting Alfalfa	22
		Planting Alfalfa in Oats	11
		Planting Alfalfa-Grass	9
		Planting Crownvetch	1
		Planting Ladino Clover	5
		Planting Mixed Grasses	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover (No-till)	5
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	3
		Soybeans	42
		Wheat	6
		Winter Barley	2
LACKAWANNA	70		
		Brassicas	6
		Buckwheat	1
		Corn for Grain	3
		Corn for Silage	2
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	21
		Established Alfalfa	1
		Established Bluegrass	1
		Established Ladino Clover	5
		Established Mixed Grasses	5
		Established Pasture (without legume)	1
		Established Red Clover-Grass	2
		Established Trefoil-grass	2
		Oats	1
		Planting Alfalfa	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Planting Reed Canarygrass	2
		Planting Trefoil	1
LANCASTER	382		
		Brassicas	4
		Corn for Grain	64
		Corn for Grain (No-till)	24
		Corn for Silage	17
		Corn for Silage (No-till)	8
		CRP Cool Season Grass	15
		CRP Warm Season Grass	2
		Established Alfalfa	23
		Established Alfalfa Grass	6

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Ladino Clover	2
		Established Mixed Grasses	10
		Established Orchardgrass	6
		Established Pasture (with legume)	5
		Established Pasture (without legume)	18
		Established Red Clover	2
		Established Red Clover-Grass	1
		Established Timothy	3
		Established Warm Season Grasses	2
		Other	31
		Planting Alfalfa	12
		Planting Alfalfa-Grass	2
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	15
		Planting Mixed Grasses	5
		Planting Orchardgrass	4
		Planting Red Clover	2
		Planting Red Clover in Oats	4
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Planting Trefoil	1
		Renovating Pasture (with legume)	3
		Rye	2
		Soybeans	69
		Spring Barley	3
		Tobacco	1
		Wheat	7
		Winter Barley	2
LAWRENCE	110		
		Corn for Grain	36
		Corn for Grain (No-till)	3
		Corn for Silage	19
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	1
		Disturbed Lands	4
		Established Mixed Grasses	2
		Established Orchardgrass	1
		Established Pasture (with legume)	3
		Oats	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Alfalfa	4
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	3
		Planting Red Clover	2
		Planting Red Clover-Grass	1
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	1
		Rye	3
		Sorghum for Grain	1
		Soybeans	18
		Sunflowers	1
		Wheat	1
LEBANON	101		
		Corn for Grain	12
		Corn for Grain (No-till)	3
		CRP Cool Season Grass	3
		Established Alfalfa	4
		Established Alfalfa Grass	3
		Established Bluegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	1
		Established Orchardgrass	2
		Established Pasture (without legume)	1
		Established Reed Canarygrass	1
		Established Timothy	5
		Oats	1
		Other	4
		Planting Alfalfa	4
		Planting Alfalfa-Grass	4
		Planting Crownvetch	1
		Planting Ladino Clover	12
		Planting Mixed Grasses	7
		Planting Orchardgrass	2
		Planting Red Clover (No-till)	1
		Planting Timothy	1
		Renovating Pasture (with legume)	3
		Soybeans	19
		Sunflowers	2
		Wheat	3
LEHIGH	131		

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Corn for Grain	11
		Corn for Grain (No-till)	10
		CRP Cool Season Grass	2
		CRP Warm Season Grass	7
		Established Alfalfa	15
		Established Bluegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	2
		Established Orchardgrass	4
		Established Pasture (without legume)	4
		Established Reed Canarygrass	4
		Established Timothy	10
		Oats	1
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Trefoil	1
		Planting Bluegrass	2
		Planting Ladino Clover	6
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Timothy	2
		Soybeans	31
		Wheat	9
LUZERNE	127		
		Corn for Grain	18
		Corn for Grain (No-till)	5
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	42
		CRP Warm Season Grass	2
		Disturbed Lands	3
		Established Alfalfa	1
		Established Alfalfa Grass	1
		Established Bromegrass	1
		Established Mixed Grasses	3
		Established Pasture (with legume)	1
		Established Pasture (without legume)	1
		Established Timothy	5
		Oats	3
		Other	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Alfalfa	1
		Planting Alfalfa in Oats	8
		Planting Alfalfa-Grass	1
		Planting Bromegrass	2
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	15
		Planting Mixed Grasses	1
		Planting Red Clover	1
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Rye	1
		Soybeans	2
LYCOMING	297		
		Brassicas	21
		Corn for Grain	43
		Corn for Grain (No-till)	23
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	90
		CRP Warm Season Grass	1
		Established Alfalfa	7
		Established Alfalfa Grass	1
		Established Ladino Clover	9
		Established Mixed Grasses	5
		Established Orchardgrass	9
		Established Pasture (without legume)	1
		Established Red Clover	3
		Established Red Clover-Grass	1
		Established Timothy	2
		Oats	2
		Other	3
		Planting Alfalfa	4
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	22
		Planting Mixed Grasses	1
		Planting Orchardgrass	2
		Planting Red Clover	3
		Planting Red Clover in Oats	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover-Grass	6
		Renovating Pasture (with legume)	2
		Sorghum for Grain	6
		Sorghum-Sudangrass	1
		Soybeans	12
		Sunflowers	5
		Wheat	2
MCKEAN	58		
		Brassicas	1
		Corn for Silage	3
		CRP Cool Season Grass	32
		Planting Alfalfa	1
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	1
		Planting Red Clover	2
		Renovating Pasture (with legume)	15
MERCER	409		
		Buckwheat	3
		Corn for Grain	91
		Corn for Grain (No-till)	61
		Corn for Silage	38
		CRP Cool Season Grass	5
		Established Alfalfa	11
		Established Alfalfa Grass	6
		Established Bromegrass	1
		Established Ladino Clover	2
		Established Mixed Grasses	19
		Established Orchardgrass	9
		Established Pasture (with legume)	7
		Established Pasture (without legume)	3
		Established Red Clover	4
		Established Red Clover-Grass	3
		Established Timothy	1
		Established Trefoil-grass	1
		Oats	14
		Other	3
		Planting Alfalfa	5
		Planting Alfalfa in Oats	4
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Mixed Grasses	2
		Planting Orchardgrass	5
		Planting Red Clover	7
		Planting Red Clover in Oats	3
		Planting Red Clover-Grass	2
		Planting Reed Canarygrass	1
		Planting Timothy	3
		Planting Trefoil in Oats	1
		Sorghum-Sudangrass	4
		Soybeans	80
		Sunflowers	1
		Wheat	4
MIFFLIN	69		
		Brassicas	1
		Corn for Grain (No-till)	5
		Corn for Silage	3
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	29
		CRP Warm Season Grass	1
		Established Alfalfa Grass	3
		Established Bluegrass	1
		Established Pasture (with legume)	1
		Established Timothy	1
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	10
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	4
		Planting Orchardgrass	1
		Planting Red Clover-Grass	2
MONROE	36		
		Corn for Grain	5
		CRP Cool Season Grass	2
		Established Mixed Grasses	1
		Established Pasture (with legume)	2
		Established Pasture (without legume)	2
		Established Timothy	5
		Other	1
		Planting Alfalfa	2
		Planting Alfalfa in Wheat	1
		Planting Ladino Clover	5

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Mixed Grasses	1
		Planting Red Clover in Oats	1
		Planting Timothy	3
		Renovating Pasture (with legume)	4
		Soybeans	1
MONTGOMERY	194		
		Brassicas	8
		Corn for Grain	36
		Corn for Grain (No-till)	11
		Corn for Silage	4
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	3
		CRP Warm Season Grass	20
		Established Alfalfa	3
		Established Alfalfa Grass	3
		Established Ladino Clover	4
		Established Mixed Grasses	11
		Established Orchardgrass	8
		Established Pasture (with legume)	9
		Established Pasture (without legume)	5
		Established Timothy	1
		Other	9
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	1
		Planting Alfalfa-Trefoil	4
		Planting Ladino Clover	14
		Planting Mixed Grasses	5
		Planting Orchardgrass	2
		Planting Red Clover	5
		Planting Red Clover (No-till)	7
		Planting Red Clover-Grass	3
		Planting Tall Fescue	1
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	5
		Rye	1
		Soybeans	1
		Wheat	3
MONTOUR	148		
		Buckwheat	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Corn for Grain	20
		Corn for Grain (No-till)	27
		Corn for Silage	2
		CRP Cool Season Grass	8
		Established Alfalfa	8
		Established Mixed Grasses	6
		Established Orchardgrass	1
		Established Pasture (without legume)	1
		Established Timothy	3
		Oats	5
		Planting Alfalfa	14
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	2
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	1
		Soybeans	24
		Wheat	16
		Winter Barley	3
NORTHAMPTON	56		
		Brassicas	3
		Corn for Grain	15
		Corn for Grain (No-till)	3
		Corn for Silage	1
		CRP Cool Season Grass	3
		Established Mixed Grasses	1
		Established Orchardgrass	1
		Established Pasture (without legume)	2
		Established Red Clover	3
		Oats	1
		Planting Alfalfa	5
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	5
		Planting Mixed Grasses	5
		Planting Red Clover	1
		Planting Red Clover (No-till)	1
		Planting Timothy	1
		Renovating Pasture (with legume)	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Sorghum for Forage	1
		Soybeans	2
NORTHUMBERLAND	312		
		Corn for Grain	45
		Corn for Grain (No-till)	99
		Corn for Silage	10
		CRP Cool Season Grass	14
		Established Alfalfa	6
		Established Alfalfa Grass	9
		Established Mixed Grasses	4
		Established Orchardgrass	3
		Established Pasture (with legume)	2
		Established Pasture (without legume)	5
		Established Red Clover	3
		Oats	1
		Planting Alfalfa	4
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	7
		Planting Mixed Grasses	4
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Tall Fescue	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Sorghum for Grain	14
		Soybeans	66
		Winter Barley	3
PERRY	569		
		Corn for Grain	47
		Corn for Grain (No-till)	136
		Corn for Silage	9
		Corn for Silage (No-till)	74
		CRP Cool Season Grass	3
		Established Alfalfa	95
		Established Alfalfa Grass	34
		Established Bluegrass	1
		Established Bromegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	13

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Established Orchardgrass	12
		Established Pasture (without legume)	9
		Established Red Clover-Grass	2
		Established Timothy	7
		Oats	5
		Planting Alfalfa	14
		Planting Alfalfa in Oats	1
		Planting Alfalfa in Wheat	1
		Planting Alfalfa (No Till)	23
		Planting Alfalfa-Grass	14
		Planting Ladino Clover	6
		Planting Mixed Grasses	1
		Planting Orchardgrass	7
		Planting Red Clover	2
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	2
		Planting Timothy	2
		Renovating Pasture (with legume)	5
		Sorghum for Forage	1
		Soybeans	21
		Wheat	9
		Winter Barley	10
PHILADELPHIA	11		
		Brassicas	1
		Corn for Grain	1
		Established Pasture (without legume)	4
		Other	1
		Planting Bluegrass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	1
PIKE	10		
		Established Mixed Grasses	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	1
		Planting Red Clover	1
		Sorghum for Forage	1
POTTER	152		
		Brassicas	1
		Buckwheat	2
		Corn for Grain	5

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Corn for Grain (No-till)	1
		Corn for Silage	27
		CRP Cool Season Grass	37
		Established Alfalfa Grass	8
		Established Mixed Grasses	26
		Established Pasture (with legume)	1
		Established Red Clover	1
		Established Red Clover-Grass	10
		Established Trefoil-grass	1
		Oats	4
		Planting Alfalfa	1
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	10
		Planting Ladino Clover	6
		Planting Mixed Grasses	1
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	1
		Planting Trefoil (No-till)	1
		Rye	1
		Spring Barley	1
		Wheat	3
SCHUYLKILL	303		
		Brassicas	6
		Corn for Grain	86
		Corn for Grain (No-till)	21
		Corn for Silage	10
		CRP Cool Season Grass	7
		Established Alfalfa	8
		Established Alfalfa Grass	1
		Established Ladino Clover	1
		Established Mixed Grasses	10
		Established Orchardgrass	2
		Established Pasture (with legume)	2
		Established Pasture (without legume)	9
		Established Red Clover	1
		Established Red Clover-Grass	1
		Established Tall Fescue	1
		Established Timothy	6
		Established Warm Season Grasses	2
		Oats	13

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Other	23
		Planting Alfalfa	5
		Planting Alfalfa in Wheat	1
		Planting Alfalfa-Grass	1
		Planting Bluegrass	1
		Planting Crownvetch	3
		Planting Ladino Clover	8
		Planting Mixed Grasses	4
		Planting Orchardgrass	2
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	2
		Sorghum for Grain	1
		Soybeans	28
		Wheat	30
SNYDER	150		
		Corn for Grain	37
		Corn for Grain (No-till)	11
		Corn for Silage	6
		CRP Cool Season Grass	17
		Established Alfalfa	1
		Established Alfalfa Grass	8
		Established Ladino Clover	1
		Established Mixed Grasses	4
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	1
		Established Timothy	6
		Oats	1
		Planting Alfalfa	7
		Planting Alfalfa in Oats	5
		Planting Alfalfa in Wheat	2
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	4
		Planting Mixed Grasses	7
		Planting Red Clover	3

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Planting Warm Season Grasses	1
		Soybeans	13
		Wheat	1
		Winter Barley	4
SOMERSET	295		
		Buckwheat	1
		Corn for Grain	16
		Corn for Grain (No-till)	2
		Corn for Silage	35
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	42
		Established Alfalfa	3
		Established Alfalfa Grass	35
		Established Ladino Clover	7
		Established Mixed Grasses	37
		Established Orchardgrass	2
		Established Pasture (with legume)	3
		Established Pasture (without legume)	19
		Established Red Clover	2
		Established Red Clover-Grass	13
		Established Reed Canarygrass	1
		Established Timothy	3
		Established Trefoil-grass	2
		Established Warm Season Grasses	2
		Horticultural Cover Crop	7
		Oats	15
		Other	3
		Planting Alfalfa in Oats	8
		Planting Alfalfa in Wheat	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	7
		Planting Red Clover-Grass	1
		Planting Reed Canarygrass	1
		Planting Timothy	2
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	7
		Soybeans	6
		Spring Barley	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
SULLIVAN	62		
		Brassicas	8
		Corn for Grain	5
		CRP Cool Season Grass	4
		Established Alfalfa	2
		Established Ladino Clover	8
		Established Mixed Grasses	3
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Trefoil	1
		Other	2
		Planting Alfalfa	1
		Planting Alfalfa in Oats	2
		Planting Bluegrass	1
		Planting Ladino Clover	9
		Planting Red Clover	1
		Planting Red Clover in Oats	6
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	3
		Soybeans	2
		Sunflowers	1
SUSQUEHANNA	320		
		Brassicas	13
		Corn for Grain	15
		Corn for Silage	38
		Corn for Silage (No-till)	24
		CRP Cool Season Grass	45
		Established Alfalfa	12
		Established Alfalfa Grass	5
		Established Bluegrass	5
		Established Ladino Clover	5
		Established Mixed Grasses	76
		Established Orchardgrass	1
		Established Pasture (with legume)	4
		Established Pasture (without legume)	9
		Established Red Clover-Grass	1
		Established Reed Canarygrass	6
		Established Timothy	1
		Oats	1
		Other	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	7
		Planting Alfalfa-Trefoil	2
		Planting Ladino Clover	31
		Planting Mixed Grasses	1
		Planting Red Clover	2
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	4
		Planting Timothy	1
		Planting Trefoil	2
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2
		Rye	1
TIOGA	622		
		Brassicas	6
		Buckwheat	2
		Corn for Grain	47
		Corn for Grain (No-till)	7
		Corn for Silage	47
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	290
		CRP Warm Season Grass	14
		Established Alfalfa	1
		Established Alfalfa Grass	16
		Established Mixed Grasses	38
		Established Pasture (with legume)	2
		Established Pasture (without legume)	4
		Established Red Clover-Grass	6
		Established Reed Canarygrass	1
		Established Timothy	2
		Established Trefoil-grass	2
		Oats	2
		Planting Alfalfa	5
		Planting Alfalfa in Oats	14
		Planting Alfalfa-Grass	41
		Planting Bromegrass	1
		Planting Ladino Clover	28
		Planting Mixed Grasses	4
		Planting Red Clover	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover in Oats	5
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	7
		Planting Timothy	1
		Planting Trefoil in Oats	1
		Planting Trefoil (No-till)	2
		Planting Trefoil-Grass	7
		Renovating Pasture (with legume)	4
		Rye	1
		Sorghum for Forage	1
		Soybeans	2
		Spring Barley	3
		Sunflowers	1
		Wheat	2
UNION	306		
		Corn for Grain	26
		Corn for Grain (No-till)	39
		Corn for Silage	7
		Corn for Silage (No-till)	12
		CRP Cool Season Grass	9
		CRP Warm Season Grass	2
		Established Alfalfa	13
		Established Alfalfa Grass	2
		Established Mixed Grasses	8
		Established Orchardgrass	6
		Established Pasture (with legume)	2
		Established Pasture (without legume)	1
		Established Reed Canarygrass	1
		Oats	1
		Other	105
		Planting Alfalfa	15
		Planting Alfalfa in Oats	3
		Planting Alfalfa in Wheat	1
		Planting Alfalfa (No Till)	7
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	10
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	1
		Rye	3

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Soybeans	15
		Sudangrass	1
		Wheat	5
		Winter Barley	3
VENANGO	102		
		Corn for Grain	17
		Corn for Grain (No-till)	17
		Corn for Silage	1
		Corn for Silage (No-till)	16
		Established Alfalfa Grass	15
		Established Ladino Clover	1
		Established Mixed Grasses	3
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3
		Established Reed Canarygrass	1
		Established Trefoil	1
		Oats	5
		Planting Alfalfa	4
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	1
		Planting Orchardgrass	2
		Planting Red Clover	1
		Sorghum for Grain	1
		Soybeans	5
WARREN	69		
		Brassicas	1
		Corn for Grain	14
		Corn for Silage	8
		Established Alfalfa Grass	2
		Established Mixed Grasses	4
		Established Pasture (with legume)	1
		Established Red Clover	1
		Established Red Clover-Grass	1
		Oats	2
		Planting Alfalfa	2
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	8
		Planting Mixed Grasses	2
		Planting Orchardgrass	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover	5
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	1
		Rye	1
		Sorghum for Forage	3
		Sunflowers	1
		Wheat	3
WASHINGTON	202		
		Corn for Grain	15
		Corn for Grain (No-till)	6
		Corn for Silage	24
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	30
		Established Alfalfa	15
		Established Alfalfa Grass	1
		Established Bromegrass	2
		Established Mixed Grasses	29
		Established Orchardgrass	9
		Established Pasture (without legume)	14
		Established Red Clover-Grass	3
		Established Timothy	1
		Oats	1
		Planting Alfalfa	14
		Planting Alfalfa in Oats	8
		Planting Alfalfa (No Till)	6
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	1
		Planting Mixed Grasses	4
		Planting Orchardgrass	4
		Planting Red Clover	2
		Planting Tall Fescue	1
		Planting Timothy	2
		Sorghum for Forage	1
		Winter Barley	1
WAYNE	95		
		Corn for Grain	1
		Corn for Grain (No-till)	3
		Corn for Silage	2

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	13
		Established Mixed Grasses	38
		Established Orchardgrass	1
		Established Pasture (with legume)	1
		Established Pasture (without legume)	11
		Established Red Clover	2
		Established Timothy	2
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	3
		Planting Red Clover	1
		Planting Red Clover-Grass	2
		Wheat	1
WESTMORELAND	237		
		Brassicas	1
		Corn for Grain	33
		Corn for Grain (No-till)	5
		Corn for Silage	40
		CRP Cool Season Grass	11
		CRP Warm Season Grass	1
		Disturbed Lands	2
		Established Alfalfa	3
		Established Alfalfa Grass	5
		Established Ladino Clover	1
		Established Mixed Grasses	17
		Established Orchardgrass	12
		Established Pasture (with legume)	6
		Established Pasture (without legume)	6
		Oats	6
		Other	2
		Planting Alfalfa	10
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	4
		Planting Crownvetch	1
		Planting Crownvetch (no-till)	3
		Planting Ladino Clover	14
		Planting Mixed Grasses	6
		Planting Orchardgrass	1

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Planting Trefoil	6
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	3
		Renovating Pasture (with legume)	5
		Soybeans	18
		Spring Barley	1
		Wheat	9
WYOMING	191		
		Brassicas	1
		Buckwheat	1
		Corn for Grain	3
		Corn for Silage	32
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	51
		Established Alfalfa	1
		Established Alfalfa Grass	11
		Established Bluegrass	2
		Established Mixed Grasses	30
		Established Orchardgrass	16
		Established Pasture (with legume)	2
		Established Pasture (without legume)	2
		Established Red Clover-Grass	3
		Established Timothy	6
		Established Trefoil-grass	1
		Oats	1
		Planting Alfalfa	5
		Planting Alfalfa-Grass	5
		Planting Ladino Clover	4
		Planting Mixed Grasses	4
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	3
		Planting Timothy	1
		Renovating Pasture (with legume)	1
YORK	290		
		Buckwheat	5
		Corn for Grain	64
		Corn for Grain (No-till)	27

SUMMARY REPORT- Crop

Agronomic Samples

2004-2005

County	Total Samples	Crop	# of Samples
		Corn for Silage	5
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	12
		CRP Warm Season Grass	2
		Established Alfalfa Grass	1
		Established Mixed Grasses	10
		Established Orchardgrass	5
		Established Pasture (with legume)	20
		Established Pasture (without legume)	15
		Established Tall Fescue	1
		Established Timothy	9
		Established Warm Season Grasses	1
		Oats	1
		Other	2
		Planting Alfalfa	10
		Planting Alfalfa-Grass	1
		Planting Alfalfa-Trefoil	1
		Planting Bluegrass	1
		Planting Ladino Clover	8
		Planting Mixed Grasses	3
		Planting Red Clover	8
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Tall Fescue	2
		Planting Timothy	3
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	9
		Rye	1
		Soybeans	40
		Wheat	17
		Winter Barley	2
		TOTAL:	<hr/> 16,027