HEMP, FOR SEED PRODUCTION Crop Code: 1002

Standard Message:

Apply up to 50 lbs of N at planting and the remainder about 30 days later. You must account for residual N from previous legumes in the rotation or manure applications, if any.

We have limited experience with hemp production in our region. These recommendations are based on the most current information available. As we learn more about nutrient needs of hemp, recommendations will be revised as-needed.

Lime and Magnesium Recommendation:

pH Goal: 6.5 See Table 1 for lime recommendations based on target pH

Opt soil test Mg (ppm): 60 See Table 2 for Mg recommendations based on optimum soil test Mg

Nitrogen Recommendation (lb N/A):

Yield Goal (lbs/A)								
1000	1250	1500	1750	2000				
150	150	150	150	150				

Phosphorus Recommendation (lb P2O5/A):

(Optimum soil test P: 30 - 50 ppm)

Soil test P	Yield Goal (lbs/A)					
(ppm)	1000	1250	1500	1750	2000	
0	190	190	190	190	190	
5	160	160	160	160	160	
10	130	130	140	140	140	
15	100	110	110	110	110	
20	80	80	80	90	90	
25	50	50	60	60	60	
30	20	20	30	30	40	
35	10	20	20	30	30	
40	10	10	10	20	20	
45	0	10	10	10	10	
50	0	0	0	0	0	

Phosphorus Message(s)

When soil test P is greater than or equal to 300 ppm:

Very high P may lead to crop production problems and may result in P loss to the environment.

HEMP, FOR SEED PRODUCTION Crop Code: 1002

Potassium Recommendation (lb K2O/A):

(Optimum soil test K: 100 - 150 ppm)

	Yield Goal (lbs/A)						
Soil test K (ppm)	1000	1250	1500	1750	2000		
0	200	200	200	200	200		
10	180	180	180	180	180		
20	160	160	160	160	160		
30	140	140	140	150	150		
40	120	130	130	130	130		
50	110	110	110	110	110		
60	90	90	90	90	90		
70	70	70	70	70	70		
80	50	50	50	50	60		
90	30	30	30	40	40		
100	10	10	20	20	20		
110	10	10	10	10	10		
120	10	10	10	10	10		
130	0	10	10	10	10		
140	0	0	0	0	0		
150	0	0	0	0	0		
160	0	0	0	0	0		
170	0	0	0	0	0		
180	0	0	0	0	0		
190	0	0	0	0	0		
200	0	0	0	0	0		

Potassium Message(s):

When soil test K is greater than 200 ppm:

Very high K can lead to imbalances in forage crops grown later in the rotation which can cause serious health problems in animals (See Back)