Agronomic Samples

VOLUME SUMMARY-BY CROP

2001-2002

Crop Code	Crop Name		Count
		TOTAL:	20.500
		IUIAL:	20.599

County	Total Samp	les Crop	# of Samples
ADAMS	157		
		Corn for Grain	16
		Corn for Grain (No-till)	14
		Corn for Silage	3
		CRP Cool Season Grass	15
		Established Alfalfa	3
		Established Bluegrass	1
		Established Bromegrass	1
		Established Mixed Grasses	12
		Established Orchardgrass	14
		Established Pasture (without legume)	2
		Established Timothy	4
		Oats	1
		Planting Alfalfa	1
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	2
		Planting Mixed Grasses	9
		Planting Orchardgrass	17
		Planting Red Clover	1
		Planting Red Clover in Wheat	2
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Planting Timothy	1
		Planting Trefoil	1
		Renovating Pasture (with legume)	1
		Rye	1
		Soybeans	27
		Wheat	2
ALLEGHENY	284		
		Corn for Grain	53
		Corn for Silage	7
		Disturbed Lands	107
		Established Alfalfa	3
		Established Alfalfa Grass	2
		Established Mixed Grasses	1
		Established Orchardgrass	4
		Established Red Clover-Grass	1
		Horticultural Cover Crop	7
		Oats	4

County	Total Samples	Сгор	# of Samples
	Othe	er	1
	Plan	ting Alfalfa	9
	Plan	ting Alfalfa-Grass	1
	Plan	ting Bluegrass	1
	Plan	ting Ladino Clover	2
	Plan	ting Mixed Grasses	3
	Plan	ting Orchardgrass	3
	Plan	ting Red Clover	2
	Plan	ting Red Clover-Grass	2
	Plan	ting Timothy	1
	Plan	ting Trefoil-Grass	1
	Plan	ting Warm Season Grasses	10
	Ren	ovating Pasture (with legume)	5
	Sorg	hum for Forage	1
	Soyl	peans	42
	Whe	eat	9
	Wint	er Barley	2
ARMSTRONG	127		
	Corr	n for Grain	19
	Corr	n for Grain (No-till)	5
	Corr	n for Silage	9
	Dist	urbed Lands	1
	Esta	blished Alfalfa	2
	Esta	blished Alfalfa Grass	1
	Esta	blished Bromegrass	1
	Esta	blished Mixed Grasses	16
	Esta	blished Orchardgrass	1
	Esta	blished Pasture (without legume)	2
	Esta	blished Red Clover-Grass	7
	Esta	blished Timothy	1
	Esta	blished Trefoil-grass	2
	Oats	3	3
	Plan	ting Alfalfa	1
	Plan	ting Alfalfa in Oats	2
		ting Alfalfa-Grass	2
		ting Ladino Clover	4
		ting Mixed Grasses	7
		ting Timothy	2
		ting Trefoil-Grass	9
	Ren	ovating Pasture (with legume)	16

County	Total San	nples Crop	# of Samples
		Wheat	14
BEAVER	74		
		Corn for Grain	11
		Corn for Grain (No-till)	2
		Corn for Silage	1
		Disturbed Lands	1
		Established Alfalfa	1
		Established Ladino Clover	1
		Established Mixed Grasses	8
		Established Orchardgrass	1
		Established Pasture (with legume)	2
		Established Timothy	1
		Horticultural Cover Crop	1
		Planting Alfalfa	2
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	6
		Planting Mixed Grasses	8
		Planting Red Clover	2
		Planting Red Clover-Grass	1
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	12
		Sorghum-Sudangrass	1
		Soybeans	5
		Wheat	1
BEDFORD	503		
		Buckwheat	4
		Corn for Grain	80
		Corn for Grain (No-till)	17
		Corn for Silage	68
		Corn for Silage (No-till)	24
		CRP Cool Season Grass	14
		Disturbed Lands	1
		Established Alfalfa	16
		Established Alfalfa Grass	37
		Established Mixed Grasses	41
		Established Orchardgrass	1
		Established Red Clover-Grass	34
		Established Timothy	3
		Oats	8
		Planting Alfalfa	25

County	Total Sample	S Crop	# of Samples
	PI	anting Alfalfa in Oats	7
		anting Alfalfa in Wheat	2
	PI	anting Alfalfa (No Till)	1
	PI	anting Alfalfa-Grass	11
	PI	anting Bromegrass	5
	PI	anting Ladino Clover	4
	PI	anting Mixed Grasses	11
	PI	anting Orchardgrass	3
	PI	anting Red Clover	1
	PI	anting Red Clover in Oats	7
	PI	anting Red Clover in Wheat	5
	PI	anting Red Clover (No-till)	1
	PI	anting Red Clover-Grass	1
	PI	anting Timothy	3
	PI	anting Trefoil in Oats	2
	PI	anting Trefoil (No-till)	1
	PI	anting Trefoil-Grass	8
	PI	anting Warm Season Grasses	1
	Re	enovating Pasture (with legume)	10
	Sc	pybeans	41
	Sp	oring Barley	2
	W	heat	1
	W	inter Barley	2
BERKS	222		
	Co	orn for Grain	32
	Co	orn for Grain (No-till)	3
	Co	orn for Silage	2
	CI	RP Cool Season Grass	28
	CI	RP Warm Season Grass	5
	Es	stablished Alfalfa	3
	Es	stablished Alfalfa Grass	8
	Es	stablished Bromegrass	2
	Es	stablished Ladino Clover	2
	Es	stablished Mixed Grasses	16
	Es	stablished Orchardgrass	4
		stablished Pasture (with legume)	17
		stablished Pasture (without legume)	8
		stablished Timothy	2
		stablished Trefoil-grass	4
	Oa	ats	4

County	Total Samp	les Crop	# of Samples
		Other	2
		Planting Alfalfa	5
		Planting Alfalfa in Oats	4
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	7
		Planting Mixed Grasses	8
		Planting Orchardgrass	6
		Planting Red Clover	8
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	5
		Planting Tall Fescue	1
		Planting Timothy	1
		Planting Trefoil	1
		Renovating Pasture (with legume)	2
		Soybeans	20
		Sudangrass	1
		Sunflowers	1
		Wheat	2
		Winter Barley	2
BLAIR	427		
		Buckwheat	1
		Corn for Grain	61
		Corn for Grain (No-till)	16
		Corn for Silage	67
		Corn for Silage (No-till)	12
		CRP Cool Season Grass	3
		Established Alfalfa	37
		Established Alfalfa Grass	15
		Established Ladino Clover	2
		Established Mixed Grasses	23
		Established Orchardgrass	1
		Established Pasture (without legume)	9
		Established Red Clover	2
		Established Red Clover-Grass	1
		Established Reed Canarygrass	2
		Established Timothy	14
		Established Warm Season Grasses	4
		Oats	1
		Other	13

County	Total Samp	oles Crop	# of Samples
		Planting Alfalfa	19
		Planting Alfalfa (No Till)	4
		Planting Alfalfa-Grass	40
		Planting Ladino Clover	12
		Planting Mixed Grasses	14
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	9
		Planting Timothy	2
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	4
		Rye	2
		Soybeans	22
		Tobacco	2
		Wheat	6
		Winter Barley	3
BRADFORD	920		
		Brassicas	3
		Buckwheat	12
		Corn for Grain	100
		Corn for Grain (No-till)	12
		Corn for Silage	231
		Established Alfalfa	18
		Established Alfalfa Grass	145
		Established Bromegrass	6
		Established Ladino Clover	5
		Established Mixed Grasses	106
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Pasture (without legume)	23
		Established Red Clover	9
		Established Red Clover-Grass	8
		Established Reed Canarygrass	1
		Established Tall Fescue	6
		Established Timothy	9
		Established Trefoil-grass	2
		Established Warm Season Grasses	2
		Oats	6
		Other	7

County	Total Samp	oles Crop	# of Samples
		Planting Alfalfa	13
		Planting Alfalfa in Oats	28
		Planting Alfalfa (No Till)	5
		Planting Alfalfa-Grass	82
		Planting Bromegrass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	12
		Planting Orchardgrass	1
		Planting Red Clover	12
		Planting Red Clover in Oats	4
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	10
		Planting Trefoil	1
		Planting Trefoil in Oats	2
		Planting Trefoil-Grass	4
		Planting Warm Season Grasses	2
		Renovating Pasture (with legume)	2
		Rye	2
		Sorghum for Grain	2
		Sorghum-Sudangrass	8
		Soybeans	2
		Sudangrass	1
		Winter Barley	3
BUCKS	304		
		Buckwheat	1
		Corn for Grain	64
		Corn for Grain (No-till)	20
		Corn for Silage	6
		CRP Cool Season Grass	3
		CRP Warm Season Grass	2
		Established Alfalfa	5
		Established Alfalfa Grass	2
		Established Ladino Clover	5
		Established Mixed Grasses	11
		Established Orchardgrass	9
		Established Pasture (with legume)	4
		Established Pasture (without legume)	17
		Established Red Clover-Grass	5
		Established Tall Fescue	1
		Established Timothy	8

County	Total Samp	les Crop	# of Samples
		Oats	1
		Other	2
		Planting Alfalfa	3
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	7
		Planting Bromegrass	1
		Planting Ladino Clover	8
		Planting Mixed Grasses	7
		Planting Orchardgrass	2
		Planting Red Clover	3
		Planting Red Clover-Grass	6
		Planting Timothy	7
		Renovating Pasture (with legume)	9
		Rye	8
		Sorghum for Forage	4
		Soybeans	51
		Tobacco	2
		Wheat	13
		Winter Barley	1
BUTLER	370		
		Corn for Grain	48
		Corn for Grain (No-till)	56
		Corn for Silage	23
		Corn for Silage (No-till)	1
		Established Alfalfa	2
		Established Alfalfa Grass	30
		Established Mixed Grasses	52
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Red Clover-Grass	2
		Established Tall Fescue	1
		Established Timothy	1
		Oats	28
		Other	5
		Planting Alfalfa	8
		Planting Alfalfa in Oats	6
		Planting Alfalfa (No Till)	1

County	Total Samples	Сгор	# of Samples
	Pla	inting Alfalfa-Grass	3
	Pla	inting Ladino Clover	6
	Pla	inting Mixed Grasses	6
	Pla	inting Orchardgrass	5
	Pla	inting Red Clover	1
	Pla	inting Red Clover in Oats	1
	Pla	inting Red Clover-Grass	1
	Pla	inting Timothy	2
	Re	novating Pasture (with legume)	22
	Ry	e	1
	So	ybeans	37
	Wh	neat	14
CAMBRIA	266		
	Bra	assicas	4
	Со	rn for Grain	79
	Co	rn for Grain (No-till)	6
		rn for Silage	35
		P Cool Season Grass	1
	Est	tablished Alfalfa	8
	Est	tablished Alfalfa Grass	36
	Est	tablished Crownvetch	3
	Est	tablished Mixed Grasses	5
	Est	tablished Red Clover-Grass	5
	Est	tablished Timothy	3
	Est	tablished Trefoil-grass	2
	Oa	ts	18
	Pla	inting Alfalfa	9
	Pla	inting Alfalfa in Oats	8
	Pla	inting Alfalfa (No Till)	1
	Pla	inting Alfalfa-Grass	8
	Pla	inting Ladino Clover	2
	Pla	inting Orchardgrass	1
	Pla	inting Red Clover in Oats	1
	Pla	inting Red Clover-Grass	1
	Pla	inting Timothy	2
	Pla	inting Trefoil	1
	Re	novating Pasture (with legume)	5
	Ry	е	1
	So	rghum-Sudangrass	1
	So	ybeans	10

County	Total Sam	ples Crop	# of Samples
		Wheat	10
CAMERON	8		
		Buckwheat	1
		Corn for Grain	1
		Planting Alfalfa	1
		Planting Ladino Clover	2
		Planting Timothy	1
		Sorghum for Forage	1
		Soybeans	1
CARBON	50		
		Corn for Grain	3
		Corn for Silage	8
		Established Alfalfa	1
		Established Alfalfa Grass	6
		Established Bluegrass	1
		Established Mixed Grasses	7
		Established Orchardgrass	2
		Established Red Clover	2
		Oats	2
		Planting Alfalfa	7
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	2
		Sorghum-Sudangrass	1
CENTRE	1,785		
		Brassicas	6
		Buckwheat	2
		Corn for Grain	342
		Corn for Grain (No-till)	105
		Corn for Silage	75
		Corn for Silage (No-till)	48
		Disturbed Lands	1
		Established Alfalfa	181
		Established Alfalfa Grass	61
		Established Bluegrass	3
		Established Bromegrass	1
		Established Ladino Clover	6

County	Total Samples	Сгор	# of Samples
	Establis	shed Mixed Grasses	103
	Establis	shed Orchardgrass	4
	Establis	shed Pasture (with legume)	31
	Establis	shed Pasture (without legume)	17
	Establis	shed Red Clover	6
	Establis	shed Red Clover-Grass	28
	Establis	shed Reed Canarygrass	2
	Establis	shed Tall Fescue	2
	Establis	shed Timothy	2
	Establis	shed Trefoil-grass	1
	Establis	shed Warm Season Grasses	10
	Horticul	tural Cover Crop	2
	Oats		32
	Other		284
	Planting	g Alfalfa	104
	Planting	g Alfalfa in Oats	2
	Planting	g Alfalfa in Wheat	3
	Planting	g Alfalfa (No Till)	27
	Planting	g Alfalfa-Grass	22
	Planting	g Alfalfa-Trefoil	1
	Planting	g Ladino Clover	10
	Planting	g Mixed Grasses	16
	Planting	g Orchardgrass	9
	Planting	g Red Clover	5
	Planting	g Red Clover (No-till)	1
	Planting	g Red Clover-Grass	12
	Planting	g Tall Fescue	15
	Planting	g Timothy	1
	Planting	g Trefoil	1
	Planting	g Trefoil-Grass	1
	Planting	g Warm Season Grasses	1
	Renova	iting Pasture (with legume)	8
	Rye		2
	Sorghu	m for Forage	5
	Soybea	ns	118
	Spring	Barley	2
	Sudang		1
	Sunflov		1
	Tobacc	0	5
	Wheat		51

County	Total Sam	oles Crop	# of Samples
		Winter Barley	6
CHESTER	290	,	•
		Corn for Grain	37
		Corn for Grain (No-till)	7
		Corn for Silage	33
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	7
		CRP Warm Season Grass	6
		Established Alfalfa	25
		Established Alfalfa Grass	4
		Established Mixed Grasses	32
		Established Orchardgrass	18
		Established Pasture (with legume)	2
		Established Pasture (without legume)	20
		Established Timothy	2
		Established Warm Season Grasses	7
		Horticultural Cover Crop	1
		Other	3
		Planting Alfalfa	20
		Planting Alfalfa-Grass	4
		Planting Bluegrass	2
		Planting Ladino Clover	8
		Planting Mixed Grasses	4
		Planting Orchardgrass	4
		Planting Red Clover	2
		Planting Timothy	2
		Planting Trefoil	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	14
		Rye	1
		Soybeans	9
		Spring Barley	1
		Wheat	1
		Winter Barley	4
CLARION	94		
		Corn for Grain	14
		Corn for Grain (No-till)	2
		Corn for Silage	6
		Disturbed Lands	24

County	Total Samples	Сгор	# of Samples
	Established .	Alfalfa Grass	2
	Established	Bluegrass	1
	Established	Mixed Grasses	4
	Established	Orchardgrass	1
	Established ¹	Timothy	3
	Established	Warm Season Grasses	4
	Oats		7
	Planting Alfa	ılfa	3
	Planting Alfa	ılfa in Oats	1
	Planting Alfa	ılfa-Grass	3
	Planting Lad	ino Clover	1
	Planting Mix	ed Grasses	2
	Planting Orc	hardgrass	4
	Planting Red	d Clover in Oats	3
	Planting Tim	othy	1
	Planting War	rm Season Grasses	3
	Renovating I	Pasture (with legume)	2
	Wheat		2
	Winter Barle	y	1
CLEARFIELD	451		
	Buckwheat		1
	Corn for Gra	iin	58
	Corn for Gra	in (No-till)	7
	Corn for Sila	ge	29
	CRP Cool Se	eason Grass	3
	Disturbed La	ands	28
	Established A	Alfalfa	8
	Established A	Alfalfa Grass	49
	Established	Ladino Clover	2
	Established	Mixed Grasses	66
	Established	Orchardgrass	36
	Established	Red Clover-Grass	2
	Established	Timothy	11
	Established	Trefoil	1
	Established	Trefoil-grass	18
	Oats		8
	Planting Alfa	ılfa	8
	Planting Alfa	ılfa in Oats	19
	Planting Alfa	ılfa-Grass	28
	Planting Cro	wnvetch	3

County	Total Samp	les Crop	# of Samples
		Planting Ladino Clover	4
		Planting Mixed Grasses	3
		Planting Orchardgrass	13
		Planting Red Clover	3
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	3
		Planting Red Clover-Grass	2
		Planting Timothy	3
		Planting Trefoil	2
		Planting Trefoil in Wheat	7
		Planting Trefoil-Grass	5
		Renovating Pasture (with legume)	8
		Sorghum for Forage	1
		Soybeans	2
		Spring Barley	1
		Wheat	7
		Winter Barley	1
CLINTON	184		
		Corn for Grain	52
		Corn for Grain (No-till)	5
		Corn for Silage	8
		Corn for Silage (No-till)	6
		CRP Cool Season Grass	2
		Established Alfalfa	12
		Established Alfalfa Grass	2
		Established Ladino Clover	2
		Established Mixed Grasses	6
		Established Orchardgrass	4
		Established Pasture (with legume)	2
		Established Pasture (without legume)	13
		Established Reed Canarygrass	1
		Established Timothy	1
		Planting Alfalfa	21
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	9
		Planting Mixed Grasses	4
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Timothy	2
		Renovating Pasture (with legume)	1

County	Total Sample	es Crop	# of Samples
	S	orghum-Sudangrass	4
	S	oybeans	14
	Т	obacco	6
	٧	/heat	1
	V	/inter Barley	2
COLUMBIA	422		
	C	orn for Grain	99
	C	orn for Grain (No-till)	74
	C	orn for Silage	2
	C	RP Cool Season Grass	53
	C	RP Warm Season Grass	3
	E	stablished Alfalfa	16
	E	stablished Alfalfa Grass	9
	E	stablished Mixed Grasses	7
	E	stablished Orchardgrass	2
	E	stablished Pasture (with legume)	2
	E	stablished Pasture (without legume)	3
	E	stablished Red Clover-Grass	1
	E	stablished Timothy	13
	C	pats	24
	Р	lanting Alfalfa	3
	Р	lanting Alfalfa in Oats	4
	Р	lanting Alfalfa-Grass	1
		lanting Ladino Clover	5
		lanting Orchardgrass	1
		lanting Red Clover	1
		lanting Timothy	3
		enovating Pasture (with legume)	2
		ye	3
		orghum for Grain	6
		oybeans	54
		/heat	27
		/inter Barley	4
CRAWFORD	564		
		uckwheat	3
		orn for Grain	100
		orn for Grain (No-till)	19
		orn for Silage	28
		orn for Silage (No-till)	41
		isturbed Lands	3
		iota. 200 Lando	3

County	Total Samp	oles Crop	# of Samples
		Established Alfalfa	36
		Established Alfalfa Grass	7
		Established Bluegrass	1
		Established Bromegrass	1
		Established Crownvetch	1
		Established Ladino Clover	2
		Established Mixed Grasses	21
		Established Orchardgrass	1
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Timothy	8
		Established Trefoil	3
		Established Trefoil-grass	4
		Established Warm Season Grasses	94
		Horticultural Cover Crop	1
		Oats	16
		Other	12
		Planting Alfalfa	15
		Planting Alfalfa in Oats	3
		Planting Alfalfa-Grass	8
		Planting Alfalfa-Trefoil	3
		Planting Bluegrass	2
		Planting Ladino Clover	4
		Planting Mixed Grasses	7
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	5
		Planting Timothy	5
		Planting Trefoil in Oats	1
		Planting Trefoil-Grass	8
		Planting Warm Season Grasses	32
		Renovating Pasture (with legume)	3
		Rye	6
		Sorghum for Forage	1
		Soybeans	50
		Wheat	1
		Winter Barley	1
CUMBERLAND	488		
		Buckwheat	2

County	Total Samples	Crop	# of Samples
	Corn for	Crain	04
	Corn for	Grain (No-till)	94 61
	Corn for	, ,	53
		Silage (No-till)	5
		ol Season Grass	48
		rm Season Grass	1
		ini Season Grass ied Alfalfa	18
		ed Alfalfa Grass	12
		ed Bromegrass	2
		ed Mixed Grasses	41
		ed Pasture (with legume)	2
		led Pasture (without legume)	2
		ed Red Clover-Grass	1
		ed Timothy	1
		led Trefoil-grass	1
		led Treioli-grass led Warm Season Grasses	2
		ural Cover Crop	9
	Oats	diai Cover Crop	6
	Other		5
		Alfalfa	7
	Planting	Alfalfa in Oats	3
	_		13
	_	Alfalfa (No Till)	13
	_	Alfalfa-Grass	1
	_	Alfalfa-Trefoil	2
	_	Bromegrass Ladino Clover	8
	J		_
	•	Mixed Grasses	9
	_	Red Clover	4 2
	_	Red Clover in Oats	_
	•	Red Clover in Wheat	1
	_	Red Clover (No-till)	
	_	Red Clover-Grass	1
	_	Tall Fescue	1
	Planting		
	_	Trefoil-Grass	1
	_	Warm Season Grasses	1
		ng Pasture (with legume)	2
	_	for Forage	1
	_	for Grain	1
	Soybean	S	29

County	Total Samples	Сгор	# of Samples
	Spr	ing Barley	1
	Wh	eat	21
	Wir	nter Barley	8
DAUPHIN	441		
	Bra	ssicas	1
	Bud	ckwheat	1
	Cor	n for Grain	75
	Cor	n for Grain (No-till)	30
	Cor	n for Silage	16
	Cor	n for Silage (No-till)	2
	CR	P Cool Season Grass	23
	Dis	turbed Lands	2
	Est	ablished Alfalfa	14
	Est	ablished Alfalfa Grass	2
	Est	ablished Bromegrass	1
	Est	ablished Ladino Clover	1
	Est	ablished Mixed Grasses	8
	Est	ablished Orchardgrass	48
	Est	ablished Pasture (without legume)	8
	Est	ablished Red Clover	4
	Est	ablished Red Clover-Grass	1
	Est	ablished Timothy	9
	Oat		10
	Oth		24
		nting Alfalfa	19
		nting Alfalfa in Oats	1
		nting Alfalfa-Grass	1
		nting Ladino Clover	10
		nting Mixed Grasses	16
		nting Orchardgrass	1
		nting Red Clover	3
		nting Red Clover-Grass	4
		nting Timothy	7
		nting Trefoil	3
		novating Pasture (with legume)	3
	Rye		2
		/beans	69
		nflowers	1
		pacco	1
	Wh	eat	18

County	Total Samp	les Crop	# of Samples
		Winter Barley	2
DELAWARE	187		
		Corn for Grain	107
		Corn for Silage	5
		CRP Cool Season Grass	1
		CRP Warm Season Grass	1
		Established Alfalfa	6
		Established Alfalfa Grass	2
		Established Ladino Clover	1
		Established Mixed Grasses	3
		Established Orchardgrass	4
		Established Pasture (with legume)	2
		Established Pasture (without legume)	5
		Established Tall Fescue	1
		Established Timothy	4
		Oats	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	1
		Planting Red Clover (No-till)	1
		Planting Tall Fescue	1
		Planting Timothy	1
		Planting Warm Season Grasses	1
		Rye	2
		Soybeans	12
		Wheat	13
		Winter Barley	11
ELK	81		
		Buckwheat	2
		Corn for Grain	5
		Corn for Grain (No-till)	1
		Corn for Silage	4
		Established Alfalfa Grass	10
		Established Ladino Clover	3
		Established Mixed Grasses	3
		Established Orchardgrass	3
		Established Red Clover-Grass	3
		Established Reed Canarygrass	1
		Established Timothy	3
		Established Trefoil-grass	2
		Horticultural Cover Crop	1

County	Total Samp	les Crop	# of Samples
		Oats	3
		Planting Alfalfa	3
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	2
		Planting Mixed Grasses	1
		Planting Red Clover	6
		Planting Red Clover in Oats	1
		Planting Timothy	3
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	5
		Sorghum for Forage	3
		Sorghum for Grain	1
		Spring Barley	2
		Wheat	1
ERIE	280		
		Corn for Grain	85
		Corn for Silage	30
		Established Alfalfa	3
		Established Alfalfa Grass	9
		Established Bluegrass	1
		Established Mixed Grasses	13
		Established Orchardgrass	2
		Established Pasture (without legume)	1
		Established Red Clover-Grass	2
		Established Reed Canarygrass	2
		Established Timothy	4
		Established Trefoil-grass	1
		Oats	15
		Other	6
		Planting Alfalfa	1
		Planting Alfalfa in Oats	3
		Planting Ladino Clover	3
		Planting Mixed Grasses	9
		Planting Red Clover	3
		Planting Red Clover in Oats	3
		Planting Red Clover-Grass	8
		Planting Timothy	3

County	Total Sar	nples Crop	# of Samples
		Sorghum-Sudangrass	2
		Soybeans	69
		Winter Barley	2
FAYETTE	230	·	
	200	Brassicas	1
		Buckwheat	2
		Corn for Grain	26
		Corn for Grain (No-till)	28
		Corn for Silage	25
		CRP Cool Season Grass	6
		Disturbed Lands	10
		Established Alfalfa	1
		Established Alfalfa Grass	3
		Established Bromegrass	3
		Established Ladino Clover	1
		Established Mixed Grasses	16
		Established Pasture (with legume)	3
		Established Pasture (without legume)	3
		Established Timothy	5
		Oats	5
		Planting Alfalfa	32
		Planting Alfalfa in Oats	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	8
		Planting Mixed Grasses	14
		Planting Red Clover	1
		Planting Red Clover-Grass	3
		Planting Timothy	2
		Planting Trefoil (No-till)	3
		Renovating Pasture (with legume)	7
		Soybeans	14
		Winter Barley	1
FOREST	30		
		Corn for Grain	9
		Corn for Silage	2
		Established Alfalfa	2
		Established Alfalfa Grass	1
		Established Mixed Grasses	1
		Oats	4

County	Total Samp	les Crop	# of Samples
		Planting Alfalfa in Oats	1
		Planting Red Clover	9
		Sorghum for Grain	1
FRANKLIN	647		
FRANKLIN		Brassicas	2
		Corn for Grain	63
		Corn for Grain (No-till)	74
		Corn for Silage	34
		Corn for Silage (No-till)	34
		CRP Cool Season Grass	50
		Established Alfalfa	29
		Established Alfalfa Grass	72
		Established Bluegrass	2
		Established Bromegrass	12
		Established Ladino Clover	3
		Established Mixed Grasses	26
		Established Orchardgrass	10
		Established Pasture (with legume)	1
		Established Pasture (without legume)	5
		Established Red Clover-Grass	1
		Established Tall Fescue	2
		Established Timothy	9
		Established Warm Season Grasses	2
		Oats	4
		Other	11
		Planting Alfalfa	35
		Planting Alfalfa (No Till)	7
		Planting Alfalfa-Grass	12
		Planting Bluegrass	1
		Planting Ladino Clover	11
		Planting Mixed Grasses	10
		Planting Red Clover	6
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	4
		Planting Timothy	10
		Planting Trefoil in Wheat	1
		Planting Warm Season Grasses	2
		Renovating Pasture (with legume)	5
		Sorghum for Forage	3
		Soybeans	46

County	Total San	nples Crop	# of Samples
		Sunflowers	2
		Wheat	14
		Winter Barley	31
FULTON	214		•
TULION	214	Corn for Grain	20
		Corn for Grain (No-till)	7
		Corn for Silage	20
		Corn for Silage (No-till)	10
		CRP Cool Season Grass	18
		CRP Warm Season Grass	3
		Established Alfalfa	10
		Established Alfalfa Grass	5
		Established Bromegrass	15
		Established Mixed Grasses	13
		Established Orchardgrass	15
		Established Pasture (without legume)	5
		Established Red Clover	1
		Established Red Clover-Grass	1
		Established Timothy	17
		Established Trefoil-grass	2
		Horticultural Cover Crop	1
		Oats	3
		Planting Alfalfa	10
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	6
		Planting Orchardgrass	3
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	3
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	1
		Rye	1
		Sorghum for Grain	3
		Soybeans	2
		Wheat	3

County	Total Samp	oles Crop	# of Samples
		Winter Barley	6
GREENE	71		
		Corn for Grain	4
		Established Alfalfa	1
		Established Alfalfa Grass	1
		Established Mixed Grasses	8
		Established Orchardgrass	17
		Established Pasture (with legume)	1
		Established Pasture (without legume)	20
		Established Red Clover	1
		Established Red Clover-Grass	5
		Established Timothy	1
		Planting Alfalfa	2
		Planting Mixed Grasses	6
		Planting Red Clover	1
		Renovating Pasture (with legume)	2
		Wheat	1
HUNTINGDON	488		
		Brassicas	1
		Corn for Grain	130
		Corn for Grain (No-till)	3
		Corn for Silage	76
		Corn for Silage (No-till)	34
		Established Alfalfa	53
		Established Alfalfa Grass	40
		Established Bluegrass	1
		Established Mixed Grasses	29
		Established Orchardgrass	4
		Established Pasture (without legume)	5
		Established Red Clover	1
		Established Reed Canarygrass	1
		Established Timothy	3
		Established Warm Season Grasses	1
		Oats	4
		Planting Alfalfa	27
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	12
		Planting Ladino Clover	6
		Planting Mixed Grasses	3

County	Total Sample	es Crop	# of Samples
	Р	lanting Orchardgrass	1
	Р	lanting Red Clover	8
	Р	lanting Red Clover-Grass	3
	Р	lanting Timothy	3
	Р	lanting Trefoil	2
	Р	lanting Trefoil (No-till)	1
	Р	lanting Warm Season Grasses	1
	R	Rye	4
	S	orghum for Forage	2
	S	oybeans	8
	V	Vheat	13
	V	Vinter Barley	1
INDIANA	299		
	C	orn for Grain	88
	C	orn for Grain (No-till)	1
	C	orn for Silage	32
	D	histurbed Lands	2
	E	stablished Alfalfa	14
	E	stablished Alfalfa Grass	40
	E	stablished Bromegrass	2
	E	stablished Crownvetch	4
	E	stablished Mixed Grasses	6
	E	stablished Orchardgrass	5
	E	stablished Pasture (without legume)	1
	E	stablished Red Clover-Grass	1
	E	stablished Timothy	6
	C	oats ()	4
	C	Other	11
	Р	lanting Alfalfa	15
	Р	lanting Alfalfa in Oats	19
	Р	lanting Alfalfa (No Till)	1
	Р	lanting Alfalfa-Grass	4
	Р	lanting Bromegrass	1
	Р	lanting Ladino Clover	1
	Р	lanting Mixed Grasses	4
	Р	lanting Orchardgrass	1
	Р	lanting Red Clover	1
	Р	lanting Red Clover in Oats	1
	Р	lanting Timothy	1
	Р	lanting Trefoil-Grass	2

County	Total Sample	es Crop	# of Samples
	F	Renovating Pasture (with legume)	5
		Soybeans	22
	S	Spring Barley	2
	V	Vinter Barley	2
JEFFERSON	171		
	C	Corn for Grain	43
	C	Corn for Silage	23
		Disturbed Lands	3
	E	stablished Alfalfa	8
	E	stablished Alfalfa Grass	29
	E	stablished Bromegrass	2
	E	stablished Mixed Grasses	1
	E	stablished Orchardgrass	6
	E	stablished Red Clover-Grass	1
	E	stablished Timothy	1
	E	stablished Trefoil-grass	1
	C	Pats	3
	P	Planting Alfalfa	4
	P	Planting Alfalfa in Oats	16
	P	Planting Alfalfa-Grass	8
		Planting Ladino Clover	1
	P	Planting Mixed Grasses	5
	P	Planting Orchardgrass	4
	P	Planting Trefoil-Grass	1
		Rye	1
		Soybeans	4
		sudangrass	2
		Vheat	2
	V	Vinter Barley	2
JUNIATA	325		
	C	Corn for Grain	78
	C	Corn for Grain (No-till)	9
		Corn for Silage	13
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	58
		CRP Warm Season Grass	4
		stablished Alfalfa	2
		stablished Alfalfa Grass	8
		stablished Ladino Clover	1
	E	stablished Mixed Grasses	10

County	Total Sample	s Crop	# of Samples
	Es	stablished Orchardgrass	2
	Es	stablished Pasture (without legume)	2
	0	ther	4
	PI	anting Alfalfa	9
	PI	anting Alfalfa in Oats	35
	PI	anting Alfalfa in Wheat	4
	PI	anting Alfalfa-Grass	11
	PI	anting Ladino Clover	9
	PI	anting Mixed Grasses	16
	PI	anting Orchardgrass	2
	PI	anting Red Clover	1
	PI	anting Red Clover (No-till)	1
	PI	anting Red Clover-Grass	1
	PI	anting Reed Canarygrass	1
	PI	anting Trefoil-Grass	1
	PI	anting Warm Season Grasses	1
	So	orghum for Forage	2
	So	pybeans	30
	W	heat	7
LACKAWANNA	188		
	Br	rassicas	6
	C	orn for Grain	39
	C	orn for Silage	6
	C	orn for Silage (No-till)	21
	Es	stablished Alfalfa	4
	Es	stablished Alfalfa Grass	4
	Es	stablished Mixed Grasses	43
	Es	stablished Orchardgrass	2
	Es	stablished Pasture (with legume)	1
	Es	stablished Pasture (without legume)	5
	Es	stablished Red Clover-Grass	2
	Es	stablished Timothy	2
	0	ther	1
	PI	anting Alfalfa	3
	PI	anting Alfalfa (No Till)	9
	PI	anting Alfalfa-Grass	2
	PI	anting Crownvetch	1
	PI	anting Ladino Clover	7
	PI	anting Mixed Grasses	4
	PI	anting Red Clover	1

County	Total Sample	es Crop	# of Samples
	F	Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	5
		Renovating Pasture (with legume)	4
		Rye	1
		Sorghum for Forage	1
		Sorghum-Sudangrass	11
	S	Soybeans	1
LANCASTER	462		
	E	Brassicas	1
	Е	Buckwheat	1
	C	Corn for Grain	132
	C	Corn for Grain (No-till)	19
	C	Corn for Silage	68
	C	Corn for Silage (No-till)	5
	C	CRP Cool Season Grass	7
	C	CRP Warm Season Grass	1
		Disturbed Lands	1
	E	stablished Alfalfa	41
	E	stablished Alfalfa Grass	1
	E	stablished Ladino Clover	3
	E	stablished Mixed Grasses	10
	E	stablished Orchardgrass	7
	E	stablished Pasture (with legume)	1
	E	stablished Timothy	1
	C	Other	40
	F	Planting Alfalfa	21
	F	Planting Alfalfa in Wheat	2
	F	Planting Alfalfa (No Till)	2
	F	Planting Alfalfa-Grass	3
	F	Planting Bromegrass	1
		Planting Crownvetch	1
	F	Planting Crownvetch (no-till)	1
	F	Planting Ladino Clover	11
		Planting Mixed Grasses	1
		Planting Orchardgrass	3
		Planting Red Clover	5
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	3
	F	Planting Timothy	3

County	Total Samp	les Crop	# of Samples
	1	Planting Trefoil	2
	I	Planting Warm Season Grasses	1
	1	Renovating Pasture (with legume)	1
	1	Rye	4
	;	Sorghum for Grain	1
	;	Soybeans	35
	-	Tobacco	4
	,	Wheat	14
	,	Winter Barley	3
LAWRENCE	154		
		Corn for Grain	42
		Corn for Grain (No-till)	4
		Corn for Silage	9
		Corn for Silage (No-till)	41
		Disturbed Lands	2
		Established Alfalfa	2
		Established Alfalfa Grass	3
		Established Mixed Grasses	3
		Established Orchardgrass	1
		Established Red Clover-Grass	2
		Established Timothy	3
		Planting Alfalfa	3
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	3
		Planting Bluegrass	2
		Planting Ladino Clover	1
		Planting Mixed Grasses	3
		Planting Timothy	1
		Planting Warm Season Grasses	1
		Rye	1
		Soybeans Wheat	17
LEDANON		wneat	8
LEBANON	278	Corn for Grain	82
			15
		Corn for Grain (No-till) Corn for Silage	22
		Corn for Silage (No-till)	22
		Established Alfalfa	15
		Established Alfalfa Grass	7
		Established Ladino Clover	1
	!	LOTADIIOTICA LAAITIO OIOVEI	ı

County	Total Samp	oles Crop	# of Samples
		Established Mixed Grasses	5
		Established Orchardgrass	1
		Established Pasture (with legume)	3
		Established Pasture (without legume)	6
		Established Timothy	2
		Established Trefoil-grass	1
		Established Warm Season Grasses	5
		Oats	1
		Other	14
		Planting Alfalfa	7
		Planting Alfalfa in Oats	5
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	16
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Renovating Pasture (with legume)	2
		Rye	1
		Sorghum-Sudangrass	1
		Soybeans	32
		Sunflowers	1
		Wheat	11
		Winter Barley	9
LEHIGH	116		
		Brassicas	1
		Corn for Grain	27
		Corn for Grain (No-till)	4
		Established Alfalfa	6
		Established Bluegrass	2
		Established Mixed Grasses	2
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Timothy	7
		Established Trefoil-grass	1
		Planting Alfalfa	2
		Planting Ladino Clover	11
		Planting Mixed Grasses	5
		Planting Orchardgrass	4

County	Total Samp	les Crop	# of Samples
		Planting Red Clover	4
		Planting Red Clover in Oats	1
		Planting Trefoil in Oats	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Soybeans	25
	,	Wheat	6
LUZERNE	115		
		Brassicas	6
		Corn for Grain	42
		Corn for Silage	1
		CRP Cool Season Grass	3
		Established Alfalfa	4
		Established Alfalfa Grass	1
		Established Mixed Grasses	6
		Established Red Clover	3
		Established Timothy	5
		Oats	1
		Planting Alfalfa	3
		Planting Alfalfa in Oats	2
		Planting Ladino Clover	13
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Oats	3
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	3
		Planting Timothy	2
		Planting Trefoil in Oats	3
		Renovating Pasture (with legume)	2
		Rye	2
	,	Wheat	1
LYCOMING	351		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	102
		Corn for Grain (No-till)	23
		Corn for Silage	5
		Corn for Silage (No-till)	4
	1	CRP Cool Season Grass	5

County	Total Samp	les Crop	# of Samples
		Established Alfalfa	29
		Established Alfalfa Grass	25
		Established Bromegrass	1
		Established Ladino Clover	4
		Established Mixed Grasses	12
		Established Orchardgrass	20
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3
		Established Red Clover-Grass	6
		Established Warm Season Grasses	1
		Oats	2
		Planting Alfalfa	15
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	26
		Planting Mixed Grasses	4
		Planting Orchardgrass	3
		Planting Red Clover	4
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Planting Timothy	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	1
		Soybeans	36
		Sunflowers	2
		Tobacco	2
		Wheat	4
MCKEAN	14		
		Corn for Grain	1
		Established Mixed Grasses	2
		Established Pasture (without legume)	1
		Planting Alfalfa	4
		Planting Ladino Clover	1
		Planting Red Clover in Oats	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	3
MERCER	493		
		Buckwheat	1
		Corn for Grain	164
		Corn for Grain (No-till)	33

County	Total Samp	les Crop	# of Samples
		Corn for Silage	65
		Corn for Silage (No-till)	2
		CRP Warm Season Grass	1
		Established Alfalfa	11
		Established Alfalfa Grass	31
		Established Mixed Grasses	26
		Established Orchardgrass	16
		Established Pasture (without legume)	3
		Established Red Clover-Grass	4
		Established Timothy	2
		Oats	17
		Planting Alfalfa	3
		Planting Alfalfa in Oats	3
		Planting Alfalfa-Grass	6
		Planting Crownvetch	1
		Planting Ladino Clover	3
		Planting Mixed Grasses	5
		Planting Red Clover in Oats	4
		Planting Red Clover-Grass	1
		Planting Reed Canarygrass	1
		Planting Timothy	3
		Soybeans	68
		Wheat	19
MIFFLIN	45		
		Corn for Grain	3
		Corn for Grain (No-till)	4
		Corn for Silage	8
		Corn for Silage (No-till)	1
		CRP Warm Season Grass	1
		Established Alfalfa	1
		Established Alfalfa Grass	5
		Established Orchardgrass	1
		Established Pasture (with legume)	1
		Established Tall Fescue	1
		Established Warm Season Grasses	1
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	6
		Planting Red Clover	1
		Planting Red Clover (No-till)	3

County	Total Sample	es Crop	# of Samples
	R	enovating Pasture (with legume)	2
		oybeans	1
	V	/heat	1
	V	/inter Barley	2
MONROE	57		
	C	orn for Grain	7
	C	RP Cool Season Grass	2
	E	stablished Bromegrass	1
	E	stablished Mixed Grasses	5
	E	stablished Pasture (with legume)	1
	E	stablished Pasture (without legume)	3
	E	stablished Timothy	2
	C	Pats	2
	Р	lanting Crownvetch	1
	Р	lanting Ladino Clover	11
	Р	lanting Mixed Grasses	8
	Р	lanting Orchardgrass	3
	Р	lanting Red Clover	1
	Р	lanting Red Clover-Grass	8
	Р	lanting Trefoil-Grass	1
	R	ye	1
MONTGOMERY	217		
	C	orn for Grain	34
	C	orn for Grain (No-till)	18
	C	orn for Silage	13
	E	stablished Alfalfa	1
	E	stablished Alfalfa Grass	4
	E	stablished Ladino Clover	1
	E	stablished Mixed Grasses	3
	E	stablished Pasture (with legume)	7
	E	stablished Pasture (without legume)	6
	E	stablished Tall Fescue	1
	E	stablished Timothy	3
	E	stablished Warm Season Grasses	1
	C	pats	1
	C	other	1
	Р	lanting Alfalfa	20
	Р	lanting Alfalfa in Wheat	1
	Р	lanting Alfalfa (No Till)	2
	Р	lanting Alfalfa-Grass	6

County	Total Samp	les Crop	# of Samples
	I	Planting Ladino Clover	12
	I	Planting Mixed Grasses	7
	i	Planting Orchardgrass	6
	i	Planting Red Clover	5
	Ī	Planting Red Clover in Oats	1
	Í	Planting Red Clover in Wheat	4
	i	Planting Red Clover-Grass	4
	I	Planting Timothy	8
	I	Planting Trefoil	1
	I	Planting Trefoil (No-till)	1
	I	Planting Trefoil-Grass	3
	I	Renovating Pasture (with legume)	17
	ı	Rye	1
	;	Sorghum-Sudangrass	3
	;	Soybeans	8
	,	Wheat	13
MONTOUR	268		
	(Corn for Grain	17
	(Corn for Grain (No-till)	80
	(CRP Cool Season Grass	11
	ı	Established Alfalfa	6
	I	Established Alfalfa Grass	5
	I	Established Mixed Grasses	11
	ĺ	Established Timothy	2
	(Oats	7
	(Other	1
	Ī	Planting Alfalfa	6
	I	Planting Alfalfa (No Till)	1
	I	Planting Alfalfa-Grass	2
	I	Planting Mixed Grasses	2
	I	Planting Orchardgrass	1
	I	Planting Red Clover in Oats	1
	I	Planting Red Clover-Grass	1
	I	Planting Timothy	1
	I	Planting Warm Season Grasses	1
	;	Soybeans	85
	,	Wheat	20
	,	Winter Barley	7
NORTHAMPTON	520		
	(Corn for Grain	299

County	Total Sam	ples Crop	# of Samples
		Corn for Grain (No-till)	135
		Corn for Silage	5
		Established Alfalfa	3
		Established Mixed Grasses	5
		Established Orchardgrass	3
		Established Pasture (without legume)	2
		Oats	1
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	8
		Planting Mixed Grasses	3
		Planting Red Clover	1
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	1
		Planting Timothy	2
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	1
		Rye	1
		Soybeans	26
		Wheat	12
		Winter Barley	2
NORTHUMBERLAND	453		
		Corn for Grain	63
		Corn for Grain (No-till)	89
		Corn for Silage	7
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	73
		Established Alfalfa	12
		Established Alfalfa Grass	2
		Established Mixed Grasses	11
		Established Orchardgrass	2
		Established Pasture (with legume)	4
		Established Pasture (without legume)	2
		Established Red Clover-Grass	3
		Established Reed Canarygrass	4
		Established Timothy	2
		Oats	3
		Other	3
		Planting Alfalfa	19
		- J	. 3

County	Total Sample	es Crop	# of Samples
	F	lanting Alfalfa (No Till)	2
	F	lanting Alfalfa-Grass	9
	F	lanting Bromegrass	1
	F	lanting Ladino Clover	3
	F	lanting Mixed Grasses	5
	F	lanting Orchardgrass	1
	F	lanting Red Clover-Grass	1
	F	lanting Timothy	6
	F	lanting Trefoil-Grass	2
	F	lanting Warm Season Grasses	3
	F	Rye	1
	S	orghum for Forage	2
	S	orghum-Sudangrass	2
	S	oybeans	80
	V	Vheat	30
	V	Vinter Barley	3
PERRY	845		
	В	uckwheat	3
	C	Corn for Grain	59
	C	Corn for Grain (No-till)	177
	C	Corn for Silage	40
	C	Corn for Silage (No-till)	105
	C	RP Cool Season Grass	63
	E	stablished Alfalfa	121
	E	stablished Alfalfa Grass	72
	E	stablished Bluegrass	3
	E	stablished Bromegrass	4
	E	stablished Ladino Clover	2
	E	stablished Mixed Grasses	11
	E	stablished Orchardgrass	8
	E	stablished Pasture (with legume)	4
	E	stablished Pasture (without legume)	2
	E	stablished Timothy	5
	C	9ats	12
	F	lanting Alfalfa	43
	F	lanting Alfalfa in Oats	2
	F	lanting Alfalfa (No Till)	11
	F	lanting Alfalfa-Grass	34
	F	lanting Ladino Clover	4
	F	lanting Mixed Grasses	3

County	Total Sam _l	oles Crop	# of Samples
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Planting Timothy	2
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Sorghum for Forage	1
		Soybeans	26
		Sunflowers	1
		Wheat	13
		Winter Barley	2
PHILADELPHIA	14		
		Established Ladino Clover	4
		Other	1
		Planting Ladino Clover	1
		Planting Red Clover-Grass	1
		Planting Warm Season Grasses	1
		Sorghum for Forage	2
		Sorghum for Grain	1
		Soybeans	2
		Wheat	1
PIKE	1		
		Established Alfalfa Grass	1
POTTER	165		
		Brassicas	4
		Corn for Grain	4
		Corn for Silage	32
		Established Alfalfa	7
		Established Alfalfa Grass	7
		Established Mixed Grasses	21
		Established Orchardgrass	3
		Established Pasture (without legume)	1
		Established Red Clover-Grass	2
		Established Trefoil-grass	7
		Planting Alfalfa	10
		Planting Alfalfa-Grass	33
		Planting Ladino Clover	13
		Planting Mixed Grasses	3

County	Total Sam	oles Crop	# of Samples
		Planting Red Clover	4
		Planting Red Clover-Grass	11
		Sorghum-Sudangrass	3
RESEARCH	2		
	-	Corn for Grain	1
		Other	1
SCHUYLKILL	405		
SCHUILKILL	403	Brassicas	2
		Buckwheat	1
		Corn for Grain	77
		Corn for Grain (No-till)	44
		Corn for Silage	2
		CRP Cool Season Grass	41
		CRP Warm Season Grass	19
		Disturbed Lands	18
		Established Alfalfa	2
		Established Alfalfa Grass	3
		Established Ladino Clover	2
		Established Mixed Grasses	4
		Established Orchardgrass	2
		Established Pasture (without legume)	4
		Established Timothy	5
		Established Trefoil-grass	1
		Established Warm Season Grasses	1
		Oats	7
		Planting Alfalfa	20
		Planting Alfalfa-Grass	4
		Planting Bluegrass	4
		Planting Crownvetch	1
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	11
		Planting Mixed Grasses	9
		Planting Orchardgrass	2
		Planting Red Clover-Grass	2
		Planting Tall Fescue	1
		Planting Timothy	4
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	8
		Sorghum for Grain	4
		Sorghum-Sudangrass	1

County	Total Sam	ples Crop	# of Samples
		Soybeans	55
		Wheat	41
		Winter Barley	1
SNYDER	318		
		Corn for Grain	78
		Corn for Grain (No-till)	22
		Corn for Silage	15
		CRP Cool Season Grass	38
		CRP Warm Season Grass	4
		Established Alfalfa	6
		Established Alfalfa Grass	22
		Established Mixed Grasses	7
		Established Orchardgrass	8
		Established Pasture (without legume)	4
		Established Timothy	10
		Oats	7
		Planting Alfalfa	4
		Planting Alfalfa in Oats	10
		Planting Alfalfa in Wheat	2
		Planting Alfalfa-Grass	13
		Planting Ladino Clover	4
		Planting Mixed Grasses	4
		Planting Orchardgrass	5
		Planting Red Clover	3
		Planting Red Clover in Oats	2
		Planting Red Clover in Wheat	3
		Planting Red Clover-Grass	1
		Planting Reed Canarygrass	1
		Planting Timothy	5
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Sorghum for Forage	1
		Soybeans	18
		Wheat	4
		Winter Barley	12
SOMERSET	310		
		Brassicas	1
		Corn for Grain	31
		Corn for Grain (No-till)	13
		Corn for Silage	28

County	Total Sampl	es Crop	# of Samples
	(Corn for Silage (No-till)	1
	(CRP Cool Season Grass	58
	į.	Established Alfalfa	10
	į.	Established Alfalfa Grass	14
	E	Established Mixed Grasses	35
	E	Established Orchardgrass	9
	E	Established Pasture (without legume)	1
	E	Established Red Clover-Grass	6
	E	Established Tall Fescue	3
	E	Established Timothy	7
	E	Established Trefoil-grass	19
	ŀ	Horticultural Cover Crop	2
	(Dats	10
	i	Planting Alfalfa	17
	i	Planting Alfalfa in Oats	8
	i	Planting Alfalfa-Grass	5
	i	Planting Mixed Grasses	16
	i	Planting Orchardgrass	1
	F	Planting Red Clover	5
	i	Renovating Pasture (with legume)	6
	\$	Sorghum-Sudangrass	1
	\$	Soybeans	1
	1	Vinter Barley	2
SULLIVAN	33		
	i i	Buckwheat	3
	(Corn for Grain	5
	(Corn for Grain (No-till)	3
	(Corn for Silage	2
	i i	Established Alfalfa	2
	i i	Established Mixed Grasses	2
	i	Planting Alfalfa (No Till)	1
	i	Planting Alfalfa-Grass	1
	i	Planting Ladino Clover	3
	i	Planting Mixed Grasses	1
	i	Planting Red Clover	2
	i	Planting Red Clover in Wheat	5
	i	Planting Timothy	1
	ſ	Planting Trefoil-Grass	2
SUSQUEHANNA	523		
	i	Buckwheat	3

County	Total Sam	ples Crop	# of Samples
		Corn for Grain	18
		Corn for Grain (No-till)	1
		Corn for Silage	111
		Corn for Silage (No-till)	10
		Established Alfalfa	2
		Established Alfalfa Grass	13
		Established Bluegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	245
		Established Orchardgrass	8
		Established Pasture (with legume)	2
		Established Pasture (without legume)	8
		Established Red Clover-Grass	9
		Established Timothy	2
		Established Trefoil	1
		Established Trefoil-grass	3
		Oats	4
		Other	1
		Planting Alfalfa	3
		Planting Alfalfa-Grass	11
		Planting Bluegrass	1
		Planting Ladino Clover	20
		Planting Mixed Grasses	14
		Planting Orchardgrass	1
		Planting Red Clover	7
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	16
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	2
		Sorghum for Forage	1
		Wheat	1
TIOGA	531		
		Buckwheat	1
		Corn for Grain	106
		Corn for Grain (No-till)	10
		Corn for Silage	117
		Established Alfalfa	10
		Established Alfalfa Grass	29
		Established Ladino Clover	1
		Established Mixed Grasses	55

County	Total Sam	ples	Crop	# of Samples
		Established Pa	sture (without legume)	1
		Established R	, ,	1
		Established R	ed Clover-Grass	3
		Established Tir	nothy	2
		Established Ti	· ·	1
		Established Ti	efoil-grass	6
		Oats	· ·	1
		Planting Alfalfa		3
		Planting Alfalfa	in Oats	11
		Planting Alfalfa	(No Till)	2
		Planting Alfalfa	-Grass	91
		Planting Alfalfa	-Trefoil	1
		Planting Lading	Clover	7
		Planting Mixed	Grasses	14
		Planting Orcha	rdgrass	2
		Planting Red C	lover	6
		Planting Red C	lover in Oats	2
		Planting Red C	lover in Wheat	1
		Planting Red C	lover (No-till)	1
		Planting Red C	lover-Grass	9
		Planting Timot	ıy	4
		Planting Trefoi	-Grass	5
		Renovating Pa	sture (with legume)	6
		Sorghum for Fo	orage	2
		Soybeans		13
		Wheat		7
UNION	438			
		Corn for Grain		40
		Corn for Grain	(No-till)	43
		Corn for Silage		35
		Corn for Silage	(No-till)	4
		CRP Cool Sea	son Grass	76
		CRP Warm Se	ason Grass	2
		Established Alf	alfa	38
		Established Alf	alfa Grass	37
		Established Mi	xed Grasses	19
		Established Or	chardgrass	1
		Established Pa	sture (without legume)	4
		Established R	ed Clover-Grass	1
		Established Tir	nothy	5

County	Total Samples	Crop	# of Samples
	Est	ablished Warm Season Grasses	1
	Oa	ts	1
	Pla	nting Alfalfa	13
	Pla	nting Alfalfa in Oats	2
	Pla	nting Alfalfa in Wheat	2
	Pla	nting Alfalfa (No Till)	5
	Pla	nting Alfalfa-Grass	24
	Pla	nting Ladino Clover	4
	Pla	nting Orchardgrass	5
	Pla	nting Red Clover	2
	Pla	nting Red Clover in Oats	3
	Pla	nting Red Clover in Wheat	2
	Pla	nting Red Clover (No-till)	1
	Pla	nting Red Clover-Grass	2
	Pla	nting Timothy	3
	Pla	nting Trefoil-Grass	2
	Pla	nting Warm Season Grasses	1
	Son	rghum-Sudangrass	1
	So	ybeans	47
	Wh	eat	12
VENANGO	76		
	Bu	ckwheat	1
	Co	rn for Grain	20
	Co	rn for Silage	6
	Co	rn for Silage (No-till)	1
	Dis	turbed Lands	2
	Est	ablished Bluegrass	8
	Est	ablished Mixed Grasses	1
	Est	ablished Orchardgrass	1
	Est	ablished Timothy	2
	Est	ablished Trefoil-grass	1
	Но	rticultural Cover Crop	1
	Oa	ts	10
	Pla	nting Alfalfa-Grass	1
	Pla	nting Alfalfa-Trefoil	1
	Pla	nting Ladino Clover	1
	Pla	nting Mixed Grasses	3
	Pla	nting Red Clover	1
	Pla	nting Red Clover in Wheat	1
	Pla	nting Tall Fescue	1

Total Samples	Стор	# of Samples
Pla	anting Timothy	1
Pla	anting Trefoil	1
Pla	anting Warm Season Grasses	1
Re	enovating Pasture (with legume)	3
Wi	neat	5
Wi	nter Barley	2
113		
Co	orn for Grain	30
Co	orn for Silage	46
Es	tablished Alfalfa	1
Es	tablished Mixed Grasses	2
Es	tablished Pasture (without legume)	1
Es	tablished Timothy	2
Oa	ats	4
Ot	her	2
Pla	anting Alfalfa	1
Pla	anting Alfalfa in Oats	2
Pla	anting Alfalfa-Grass	4
Pla	anting Orchardgrass	1
Pla	anting Red Clover in Oats	3
Pla	anting Red Clover-Grass	14
254		
Bra	assicas	1
Co	orn for Grain	26
Co	orn for Grain (No-till)	4
Co	orn for Silage	20
CF	RP Cool Season Grass	4
Es	tablished Alfalfa	15
Es	tablished Alfalfa Grass	23
Es	tablished Bluegrass	2
Es	tablished Ladino Clover	1
Es	tablished Mixed Grasses	53
Es	tablished Orchardgrass	8
Es	tablished Timothy	5
Oa	ats	8
Pla	anting Alfalfa	29
Pla	anting Alfalfa in Oats	10
Pla	anting Alfalfa (No Till)	4
Pla	anting Alfalfa-Grass	10
Pla	anting Bromegrass	1
	Plane	Planting Timothy Planting Trefoil Planting Warm Season Grasses Renovating Pasture (with legume) Wheat Winter Barley 113 Corn for Grain Corn for Silage Established Alfalfa Established Mixed Grasses Established Pasture (without legume) Established Timothy Oats Other Planting Alfalfa Planting Alfalfa in Oats Planting Alfalfa-Grass Planting Orchardgrass Planting Red Clover in Oats Planting Red Clover-Grass

County	Total Samp	les Crop	# of Samples
	1	Planting Ladino Clover	5
		Planting Mixed Grasses	3
	I	Planting Orchardgrass	2
	ļ	Planting Red Clover in Oats	1
	İ	Planting Red Clover-Grass	5
	İ	Planting Timothy	1
	I	Planting Warm Season Grasses	1
	!	Renovating Pasture (with legume)	2
	;	Sorghum for Grain	2
	;	Soybeans	8
WAYNE	141		
	ĺ	Brassicas	1
	(Corn for Grain	1
	(Corn for Grain (No-till)	1
	(Corn for Silage	1
	(Corn for Silage (No-till)	1
		Disturbed Lands	2
	I	Established Alfalfa Grass	11
	İ	Established Mixed Grasses	39
	İ	Established Orchardgrass	14
	İ	Established Pasture (with legume)	5
	I	Established Red Clover-Grass	11
	I	Established Timothy	20
	I	Planting Alfalfa (No Till)	6
	!	Planting Ladino Clover	9
	!	Planting Mixed Grasses	1
	ļ	Planting Orchardgrass	3
	l	Planting Red Clover	5
	l	Planting Red Clover in Oats	1
	ļ	Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	3
	İ	Planting Trefoil-Grass	2
	I	Renovating Pasture (with legume)	2
WESTMORELAND	318		
	1	Brassicas	1
	I	Buckwheat	1
	(Corn for Grain	38
	(Corn for Silage	26
		CRP Cool Season Grass	4
	I	Disturbed Lands	9

County	Total Samp	les Crop	# of Samples
		Established Alfalfa Grass	24
	1	Established Bluegrass	2
	I	Established Mixed Grasses	41
	I	Established Orchardgrass	20
	I	Established Pasture (with legume)	1
	I	Established Pasture (without legume)	7
	1	Established Red Clover-Grass	1
	1	Established Timothy	3
		Oats	6
		Other	8
	ĺ	Planting Alfalfa	10
	ĺ	Planting Alfalfa in Oats	1
	I	Planting Alfalfa (No Till)	1
	I	Planting Alfalfa-Grass	9
	I	Planting Ladino Clover	12
	1	Planting Mixed Grasses	8
	1	Planting Red Clover	4
	1	Planting Red Clover (No-till)	2
	1	Planting Red Clover-Grass	7
	1	Planting Timothy	7
	1	Planting Trefoil	2
	1	Planting Trefoil-Grass	5
	1	Planting Warm Season Grasses	6
	I	Renovating Pasture (with legume)	6
	I	Rye	1
	;	Sorghum for Forage	3
	;	Soybeans	7
	;	Sunflowers	1
	,	Wheat	28
	,	Winter Barley	6
WYOMING	406		
	I	Buckwheat	1
	•	Corn for Grain	39
		Corn for Grain (No-till)	8
	(Corn for Silage	124
	(Corn for Silage (No-till)	9
	(CRP Cool Season Grass	1
	1	Established Alfalfa	8
	I	Established Alfalfa Grass	46
	1	Established Bluegrass	2

County	Total Sam	ples Crop	# of Samples
	Established Bromegrass		1
		Established Mixed Grasses	85
		Established Orchardgrass	15
		Established Pasture (with legume)	1
		Established Red Clover-Grass	3
		Established Timothy	7
		Established Trefoil-grass	3
		Oats	5
		Other	1
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	15
		Planting Ladino Clover	5
		Planting Mixed Grasses	9
		Planting Orchardgrass	3
		Planting Red Clover	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	3
		Planting Timothy	4
		Planting Trefoil-Grass	1
YORK	521	·	
		Corn for Grain	104
		Corn for Grain (No-till)	120
		Corn for Silage	10
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	36
		CRP Warm Season Grass	6
		Disturbed Lands	2
		Established Alfalfa	2
		Established Alfalfa Grass	6
		Established Bluegrass	1
		Established Mixed Grasses	22
		Established Orchardgrass	4
		Established Pasture (with legume)	2
		Established Pasture (without legume)	6
		Established Timothy	6
		Oats	9
		Other	1
		Planting Alfalfa	8
		Planting Alfalfa in Oats	4

County	Total Samples	Crop	# of Samples
	Planting A	lfalfa (No Till)	2
	Planting L	adino Clover	11
	Planting M	lixed Grasses	14
	Planting C	rchardgrass	3
	Planting R	led Clover	8
	Planting R	led Clover-Grass	1
	Planting T	imothy	15
	Planting V	Varm Season Grasses	3
	Renovating Pasture (with legume)		6
	Soybeans	Soybeans	
	Wheat	Wheat	
		TOTAL:	20,599