

**Agronomic Samples**  
**VOLUME SUMMARY-BY CROP**  
**2003-2004**

<b>Crop Code</b>	<b>Crop Name</b>	<b>Count</b>
1079	Brassicas	113
1069	Buckwheat	41
1042	Corn for Grain	2,601
1044	Corn for Grain (No-till)	1,249
1043	Corn for Silage	1,302
1045	Corn for Silage (No-till)	470
1054	CRP Cool Season Grass	966
1053	CRP Warm Season Grass	171
1800S	Disturbed Lands	94
1001	Established Alfalfa	612
1072	Established Alfalfa Grass	778
1010	Established Bluegrass	38
1016	Established Bromegrass	26
1011	Established Crownvetch	16
1014	Established Ladino Clover	106
1019	Established Mixed Grasses	1,041
1017	Established Orchardgrass	259
1082	Established Pasture (with legume)	201
1081	Established Pasture (without legume)	432
1015	Established Red Clover	27
1074	Established Red Clover-Grass	137
1086	Established Reed Canarygrass	35
1076	Established Tall Fescue	11
1018	Established Timothy	222
1005	Established Trefoil	4
1006	Established Trefoil-grass	51
1078	Established Warm Season Grasses	74
1055	Horticultural Cover Crop	23
1059	Oats	275
1999	Other	1,283
1020	Planting Alfalfa	360
1035	Planting Alfalfa in Oats	131
1032	Planting Alfalfa in Wheat	22
1023	Planting Alfalfa (No Till)	95
1021	Planting Alfalfa-Grass	336
1022	Planting Alfalfa-Trefoil	10
1038	Planting Bluegrass	9
1039	Planting Bromegrass	18

**Agronomic Samples**  
**VOLUME SUMMARY-BY CROP**  
**2003-2004**

<b>Crop Code</b>	<b>Crop Name</b>	<b>Count</b>
1030	Planting Crownvetch	3
1031	Planting Crownvetch (no-till)	5
1029	Planting Ladino Clover	422
1062	Planting Mixed Grasses	341
1040	Planting Orchardgrass	114
1027	Planting Red Clover	99
1037	Planting Red Clover in Oats	37
1034	Planting Red Clover in Wheat	22
1028	Planting Red Clover (No-till)	79
1073	Planting Red Clover-Grass	80
1085	Planting Reed Canarygrass	6
1075	Planting Tall Fescue	19
1041	Planting Timothy	113
1024	Planting Trefoil	21
1036	Planting Trefoil in Oats	13
1033	Planting Trefoil in Wheat	1
1026	Planting Trefoil (No-till)	17
1025	Planting Trefoil-Grass	54
1077	Planting Warm Season Grasses	35
1080	Renovating Pasture (with legume)	143
1061	Rye	59
1063	Sorghum for Forage	25
1057	Sorghum for Grain	19
1067	Sorghum-Sudangrass	22
1064	Soybeans	1,115
1068	Spring Barley	10
1071	Sunflowers	22
1065	Tobacco	5
1058	Wheat	338
1060	Winter Barley	86
	<b>TOTAL:</b>	<b>16,964</b>

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>ADAMS</b>	<b>115</b>		
		Corn for Grain	7
		Corn for Grain (No-till)	1
		Corn for Silage	6
		CRP Cool Season Grass	22
		CRP Warm Season Grass	1
		Established Alfalfa	2
		Established Ladino Clover	2
		Established Mixed Grasses	1
		Established Pasture (with legume)	1
		Established Pasture (without legume)	14
		Established Red Clover	3
		Established Timothy	6
		Planting Alfalfa	1
		Planting Orchardgrass	1
		Planting Red Clover-Grass	1
		Planting Timothy	11
		Soybeans	31
		Wheat	4
<b>ALLEGHENY</b>	<b>242</b>		
		Brassicas	1
		Buckwheat	3
		Corn for Grain	26
		Corn for Silage	10
		Corn for Silage (No-till)	6
		Disturbed Lands	21
		Established Alfalfa	16
		Established Alfalfa Grass	1
		Established Mixed Grasses	13
		Established Pasture (without legume)	1
		Established Timothy	1
		Horticultural Cover Crop	4
		Other	13
		Planting Alfalfa	6
		Planting Alfalfa in Wheat	1
		Planting Alfalfa (No Till)	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	93
		Planting Orchardgrass	4
		Planting Trefoil-Grass	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>ARMSTRONG</b>	<b>115</b>	Renovating Pasture (with legume)	6
		Wheat	6
		Brassicas	3
		Buckwheat	1
		Corn for Grain	17
		Corn for Grain (No-till)	9
		Corn for Silage	2
		CRP Cool Season Grass	2
		Established Alfalfa Grass	3
		Established Ladino Clover	1
		Established Mixed Grasses	5
		Established Pasture (without legume)	15
		Oats	2
		Planting Alfalfa	2
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	3
		Planting Orchardgrass	1
		Planting Red Clover	4
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	1
		Planting Timothy	3
		Planting Trefoil	4
		Planting Trefoil in Wheat	1
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	16
		Renovating Pasture (with legume)	3
Sorghum for Grain	4		
Soybeans	5		
Wheat	1		
<b>BEAVER</b>	<b>88</b>	Corn for Grain	12
		Corn for Silage	5
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	11
		Established Alfalfa Grass	1
		Established Ladino Clover	1
		Established Mixed Grasses	3
		Established Orchardgrass	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Pasture (with legume)	1
		Established Pasture (without legume)	6
		Oats	7
		Planting Alfalfa	2
		Planting Alfalfa in Oats	3
		Planting Alfalfa in Wheat	1
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	3
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover (No-till)	2
		Renovating Pasture (with legume)	5
		Rye	3
		Soybeans	6
		Wheat	1
		Winter Barley	1
<b>BEDFORD</b>	<b>499</b>		
		Corn for Grain	45
		Corn for Grain (No-till)	39
		Corn for Silage	135
		Corn for Silage (No-till)	35
		CRP Cool Season Grass	2
		Established Alfalfa	29
		Established Alfalfa Grass	23
		Established Mixed Grasses	51
		Established Orchardgrass	5
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3
		Established Red Clover-Grass	3
		Established Timothy	1
		Oats	12
		Planting Alfalfa	12
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	5
		Planting Alfalfa-Grass	3
		Planting Crownvetch	1
		Planting Ladino Clover	3
		Planting Mixed Grasses	19
		Planting Orchardgrass	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Red Clover	4
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	3
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	4
		Planting Trefoil (No-till)	2
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	4
		Rye	2
		Sorghum-Sudangrass	1
		Soybeans	37
		Wheat	6
		Winter Barley	2
<b>BERKS</b>	<b>276</b>		
		Brassicas	3
		Buckwheat	1
		Corn for Grain	46
		Corn for Grain (No-till)	18
		Corn for Silage	21
		CRP Cool Season Grass	10
		Disturbed Lands	7
		Established Alfalfa	12
		Established Alfalfa Grass	4
		Established Ladino Clover	2
		Established Mixed Grasses	4
		Established Orchardgrass	8
		Established Pasture (with legume)	1
		Established Pasture (without legume)	14
		Established Reed Canarygrass	1
		Established Timothy	7
		Established Warm Season Grasses	1
		Oats	3
		Other	3
		Planting Alfalfa	7
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	3
		Planting Bluegrass	1
		Planting Ladino Clover	13
		Planting Mixed Grasses	8
		Planting Orchardgrass	5

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Red Clover	5
		Planting Red Clover (No-till)	5
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	6
		Rye	1
		Soybeans	42
		Sunflowers	2
		Wheat	6
		Winter Barley	4
<b>BLAIR</b>	<b>259</b>		
		Brassicas	2
		Corn for Grain	27
		Corn for Silage	44
		Corn for Silage (No-till)	33
		CRP Cool Season Grass	9
		CRP Warm Season Grass	3
		Established Alfalfa	21
		Established Alfalfa Grass	12
		Established Ladino Clover	3
		Established Mixed Grasses	9
		Established Pasture (with legume)	4
		Established Pasture (without legume)	6
		Established Reed Canarygrass	1
		Established Timothy	14
		Established Trefoil	2
		Other	1
		Planting Alfalfa	2
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	9
		Planting Alfalfa-Grass	24
		Planting Ladino Clover	11
		Planting Mixed Grasses	3
		Planting Red Clover	1
		Planting Red Clover in Wheat	2
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	2
		Soybeans	7
		Wheat	2
		Winter Barley	3

**BRADFORD**                      **990**

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Brassicas	2
		Buckwheat	3
		Corn for Grain	89
		Corn for Grain (No-till)	8
		Corn for Silage	195
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	134
		Disturbed Lands	1
		Established Alfalfa	5
		Established Alfalfa Grass	119
		Established Bromegrass	9
		Established Mixed Grasses	158
		Established Orchardgrass	19
		Established Pasture (with legume)	8
		Established Pasture (without legume)	27
		Established Red Clover-Grass	10
		Established Reed Canarygrass	4
		Established Tall Fescue	6
		Established Timothy	24
		Established Trefoil-grass	7
		Established Warm Season Grasses	5
		Oats	4
		Other	3
		Planting Alfalfa	8
		Planting Alfalfa in Oats	22
		Planting Alfalfa-Grass	50
		Planting Alfalfa-Trefoil	3
		Planting Bromegrass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	15
		Planting Orchardgrass	5
		Planting Red Clover in Oats	4
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	5
		Planting Timothy	2
		Planting Trefoil in Oats	4
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	5
		Rye	1



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Sorghum for Forage	6
		Sorghum-Sudangrass	2
		Soybeans	3
<b>BUCKS</b>	<b>377</b>		
		Brassicas	5
		Corn for Grain	202
		Corn for Grain (No-till)	4
		Corn for Silage	3
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	4
		CRP Warm Season Grass	1
		Established Alfalfa	6
		Established Alfalfa Grass	1
		Established Crownvetch	1
		Established Ladino Clover	1
		Established Mixed Grasses	11
		Established Orchardgrass	2
		Established Pasture (with legume)	6
		Established Pasture (without legume)	20
		Established Timothy	12
		Established Trefoil-grass	1
		Oats	2
		Other	11
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Bluegrass	2
		Planting Ladino Clover	3
		Planting Mixed Grasses	11
		Planting Orchardgrass	8
		Planting Red Clover	3
		Planting Red Clover (No-till)	3
		Planting Tall Fescue	2
		Planting Timothy	2
		Renovating Pasture (with legume)	6
		Rye	3
		Sorghum for Grain	6
		Sorghum-Sudangrass	1
		Soybeans	17
		Sunflowers	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>BUTLER</b>	<b>291</b>	Wheat	7
		Winter Barley	2
		Brassicas	1
		Buckwheat	1
		Corn for Grain	69
		Corn for Grain (No-till)	17
		Corn for Silage	25
		Corn for Silage (No-till)	1
		Disturbed Lands	3
		Established Alfalfa Grass	38
		Established Ladino Clover	2
		Established Mixed Grasses	15
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Pasture (without legume)	4
		Established Red Clover	2
		Established Red Clover-Grass	6
		Established Reed Canarygrass	1
		Established Timothy	2
		Established Trefoil-grass	1
		Oats	9
		Other	4
		Planting Alfalfa	8
		Planting Alfalfa in Oats	2
		Planting Alfalfa in Wheat	2
		Planting Alfalfa (No Till)	2
		Planting Bromegrass	6
		Planting Ladino Clover	7
		Planting Mixed Grasses	2
		Planting Orchardgrass	3
		Planting Red Clover	1
Planting Timothy	2		
Renovating Pasture (with legume)	1		
Soybeans	37		
Spring Barley	2		
Wheat	10		
Winter Barley	2		
<b>CAMBRIA</b>	<b>198</b>	Corn for Grain	34

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain (No-till)	5
		Corn for Silage	21
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	27
		CRP Warm Season Grass	2
		Disturbed Lands	4
		Established Alfalfa	6
		Established Alfalfa Grass	25
		Established Ladino Clover	1
		Established Mixed Grasses	1
		Established Pasture (with legume)	4
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Red Clover-Grass	3
		Established Trefoil-grass	1
		Oats	20
		Planting Alfalfa	10
		Planting Alfalfa in Oats	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	3
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	6
		Planting Red Clover-Grass	2
		Planting Trefoil-Grass	1
		Soybeans	8
<b>CAMERON</b>	<b>5</b>		
		Planting Red Clover in Wheat	4
		Rye	1
<b>CARBON</b>	<b>26</b>		
		Corn for Grain	5
		CRP Cool Season Grass	6
		CRP Warm Season Grass	1
		Established Orchardgrass	2
		Established Timothy	1
		Oats	2
		Planting Ladino Clover	5
		Planting Mixed Grasses	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	1
<b>CENTRE</b>	<b>2,806</b>		
		Brassicas	1
		Corn for Grain	486
		Corn for Grain (No-till)	326
		Corn for Silage	67
		Corn for Silage (No-till)	60
		CRP Cool Season Grass	24
		CRP Warm Season Grass	7
		Disturbed Lands	4
		Established Alfalfa	92
		Established Alfalfa Grass	77
		Established Bluegrass	3
		Established Ladino Clover	7
		Established Mixed Grasses	55
		Established Orchardgrass	3
		Established Pasture (with legume)	42
		Established Pasture (without legume)	64
		Established Red Clover-Grass	24
		Established Tall Fescue	1
		Established Timothy	5
		Established Trefoil-grass	2
		Established Warm Season Grasses	41
		Horticultural Cover Crop	3
		Oats	43
		Other	1,007
		Planting Alfalfa	73
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	5
		Planting Alfalfa-Grass	25
		Planting Ladino Clover	41
		Planting Mixed Grasses	10
		Planting Orchardgrass	1
		Planting Red Clover	4
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	3
		Planting Timothy	2
		Planting Warm Season Grasses	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Renovating Pasture (with legume)	1
		Rye	3
		Sorghum for Forage	1
		Soybeans	148
		Wheat	37
		Winter Barley	4
<b>CHESTER</b>	<b>154</b>		
		Corn for Grain	17
		Corn for Grain (No-till)	5
		Corn for Silage	22
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	1
		CRP Warm Season Grass	2
		Established Alfalfa Grass	4
		Established Bluegrass	4
		Established Ladino Clover	1
		Established Mixed Grasses	11
		Established Orchardgrass	20
		Established Pasture (without legume)	11
		Established Reed Canarygrass	12
		Established Timothy	2
		Other	2
		Planting Alfalfa	3
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	9
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Tall Fescue	2
		Planting Timothy	1
		Renovating Pasture (with legume)	5
		Rye	1
		Soybeans	11
		Sunflowers	1
		Winter Barley	1
<b>CLARION</b>	<b>118</b>		
		Corn for Grain	19
		Corn for Grain (No-till)	1
		Corn for Silage	9
		Corn for Silage (No-till)	7
		Disturbed Lands	8

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa	6
		Established Alfalfa Grass	4
		Established Mixed Grasses	9
		Established Pasture (with legume)	1
		Established Pasture (without legume)	2
		Established Timothy	2
		Established Warm Season Grasses	2
		Oats	8
		Other	13
		Planting Alfalfa	2
		Planting Bluegrass	1
		Planting Ladino Clover	5
		Planting Mixed Grasses	4
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	1
		Planting Trefoil in Oats	3
		Planting Trefoil-Grass	3
		Renovating Pasture (with legume)	3
		Rye	1
		Soybeans	2
<b>CLEARFIELD</b>	<b>241</b>		
		Brassicas	1
		Buckwheat	2
		Corn for Grain	37
		Corn for Grain (No-till)	8
		Corn for Silage	11
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	2
		Disturbed Lands	32
		Established Alfalfa	5
		Established Alfalfa Grass	26
		Established Bromegrass	1
		Established Ladino Clover	3
		Established Mixed Grasses	4
		Established Orchardgrass	5
		Established Red Clover	5
		Established Red Clover-Grass	13
		Established Timothy	12
		Established Trefoil-grass	6

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Oats	4
		Planting Alfalfa	4
		Planting Alfalfa in Oats	6
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	14
		Planting Ladino Clover	12
		Planting Mixed Grasses	3
		Planting Red Clover	2
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	3
		Planting Reed Canarygrass	1
		Planting Tall Fescue	4
		Planting Trefoil in Oats	1
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	3
		Soybeans	1
		Winter Barley	3
<b>CLINTON</b>	<b>126</b>		
		Brassicas	1
		Corn for Grain	26
		Corn for Grain (No-till)	1
		Corn for Silage	8
		Corn for Silage (No-till)	18
		CRP Cool Season Grass	12
		CRP Warm Season Grass	1
		Established Alfalfa	8
		Established Alfalfa Grass	10
		Established Ladino Clover	2
		Established Mixed Grasses	3
		Established Orchardgrass	1
		Established Pasture (with legume)	2
		Established Pasture (without legume)	6
		Oats	1
		Planting Alfalfa	11
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	1
		Planting Mixed Grasses	5
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	1
		Sorghum for Forage	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>COLUMBIA</b>	<b>307</b>	Sunflowers	1
		Corn for Grain	31
		Corn for Grain (No-till)	55
		Corn for Silage	10
		CRP Cool Season Grass	20
		CRP Warm Season Grass	2
		Established Alfalfa	35
		Established Alfalfa Grass	16
		Established Bluegrass	5
		Established Mixed Grasses	18
		Established Orchardgrass	2
		Established Pasture (with legume)	4
		Established Pasture (without legume)	3
		Established Red Clover-Grass	1
		Established Timothy	18
		Oats	11
		Other	1
		Planting Alfalfa	2
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	2
		Planting Mixed Grasses	1
		Planting Orchardgrass	5
		Planting Timothy	1
		Renovating Pasture (with legume)	9
		Rye	1
Sorghum for Grain	2		
Soybeans	28		
Wheat	18		
<b>CRAWFORD</b>	<b>392</b>	Brassicas	2
		Buckwheat	1
		Corn for Grain	48
		Corn for Grain (No-till)	18
		Corn for Silage	49
		CRP Cool Season Grass	4
		CRP Warm Season Grass	55
		Disturbed Lands	1



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa Grass	4
		Established Crownvetch	15
		Established Mixed Grasses	21
		Established Orchardgrass	6
		Established Pasture (without legume)	8
		Established Red Clover-Grass	1
		Established Timothy	6
		Established Warm Season Grasses	13
		Horticultural Cover Crop	9
		Oats	6
		Other	31
		Planting Alfalfa	2
		Planting Alfalfa in Oats	4
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	2
		Planting Orchardgrass	2
		Planting Red Clover	2
		Planting Red Clover in Oats	2
		Planting Red Clover in Wheat	1
		Planting Timothy	27
		Planting Warm Season Grasses	5
		Renovating Pasture (with legume)	4
		Rye	6
		Soybeans	35
		Wheat	1
<b>CUMBERLAND</b>	<b>446</b>		
		Corn for Grain	95
		Corn for Grain (No-till)	29
		Corn for Silage	34
		Corn for Silage (No-till)	8
		CRP Cool Season Grass	18
		Established Alfalfa	20
		Established Alfalfa Grass	12
		Established Bluegrass	3
		Established Bromegrass	3
		Established Ladino Clover	1
		Established Mixed Grasses	53
		Established Orchardgrass	2
		Established Pasture (with legume)	11
		Established Pasture (without legume)	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Red Clover	3
		Established Red Clover-Grass	2
		Established Timothy	8
		Established Warm Season Grasses	1
		Oats	4
		Other	13
		Planting Alfalfa	11
		Planting Alfalfa in Oats	1
		Planting Alfalfa in Wheat	2
		Planting Alfalfa-Grass	7
		Planting Bromegrass	1
		Planting Ladino Clover	4
		Planting Mixed Grasses	6
		Planting Orchardgrass	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	9
		Planting Red Clover-Grass	7
		Planting Timothy	4
		Planting Trefoil	1
		Soybeans	28
		Wheat	27
		Winter Barley	14
<b>DAUPHIN</b>	<b>390</b>		
		Brassicas	2
		Corn for Grain	30
		Corn for Grain (No-till)	48
		Corn for Silage	16
		Corn for Silage (No-till)	10
		CRP Cool Season Grass	38
		CRP Warm Season Grass	1
		Established Alfalfa	9
		Established Alfalfa Grass	11
		Established Mixed Grasses	14
		Established Orchardgrass	38
		Established Pasture (with legume)	3
		Established Pasture (without legume)	8
		Established Timothy	10
		Established Warm Season Grasses	1
		Oats	13
		Other	16

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa	11
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	17
		Planting Orchardgrass	2
		Planting Red Clover (No-till)	2
		Planting Tall Fescue	3
		Planting Timothy	10
		Renovating Pasture (with legume)	4
		Rye	1
		Sorghum for Forage	2
		Sorghum-Sudangrass	2
		Soybeans	38
		Wheat	12
		Winter Barley	4
<b>DELAWARE</b>	<b>174</b>		
		Corn for Grain	74
		Corn for Silage	19
		CRP Cool Season Grass	4
		Established Alfalfa	5
		Established Alfalfa Grass	1
		Established Mixed Grasses	2
		Established Pasture (with legume)	16
		Established Pasture (without legume)	5
		Established Warm Season Grasses	4
		Oats	3
		Planting Crownvetch (no-till)	4
		Planting Ladino Clover	2
		Planting Timothy	1
		Rye	2
		Sorghum for Forage	3
		Soybeans	24
		Wheat	4
		Winter Barley	1
<b>ELK</b>	<b>32</b>		
		Buckwheat	1
		Corn for Grain	8
		Established Alfalfa	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa Grass	9
		Established Ladino Clover	1
		Established Mixed Grasses	3
		Established Orchardgrass	1
		Established Pasture (without legume)	1
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	1
		Sunflowers	2
<b>ERIE</b>	<b>208</b>		
		Brassicas	3
		Buckwheat	2
		Corn for Grain	43
		Corn for Grain (No-till)	18
		Corn for Silage	8
		Corn for Silage (No-till)	1
		Established Alfalfa	9
		Established Alfalfa Grass	1
		Established Ladino Clover	1
		Established Mixed Grasses	11
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Trefoil-grass	1
		Oats	7
		Other	6
		Planting Alfalfa	1
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Alfalfa-Trefoil	2
		Planting Ladino Clover	12
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Oats	4
		Planting Tall Fescue	2
		Planting Trefoil	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	1
		Rye	1
		Soybeans	53

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Spring Barley	1
		Sunflowers	1
		Wheat	6
		Winter Barley	2
<b>FAYETTE</b>	<b>86</b>		
		Brassicas	1
		Corn for Grain	15
		Corn for Grain (No-till)	5
		Corn for Silage	2
		Established Alfalfa Grass	1
		Established Mixed Grasses	8
		Established Orchardgrass	1
		Established Red Clover-Grass	7
		Oats	2
		Planting Alfalfa	3
		Planting Alfalfa in Oats	4
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	1
		Planting Mixed Grasses	12
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	3
		Planting Timothy	2
		Planting Trefoil (No-till)	3
		Planting Trefoil-Grass	1
		Rye	1
		Soybeans	3
<b>FOREST</b>	<b>25</b>		
		Corn for Grain	12
		Established Bromegrass	1
		Established Pasture (without legume)	2
		Established Red Clover	2
		Oats	2
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	2
		Planting Trefoil	2
		Renovating Pasture (with legume)	1
<b>FRANKLIN</b>	<b>534</b>		

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Brassicas	1
		Corn for Grain	70
		Corn for Grain (No-till)	56
		Corn for Silage	35
		Corn for Silage (No-till)	50
		CRP Cool Season Grass	41
		CRP Warm Season Grass	2
		Established Alfalfa	49
		Established Alfalfa Grass	68
		Established Bluegrass	10
		Established Bromegrass	5
		Established Ladino Clover	1
		Established Mixed Grasses	13
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Pasture (without legume)	11
		Established Red Clover-Grass	4
		Established Reed Canarygrass	2
		Established Timothy	3
		Established Trefoil	1
		Oats	1
		Planting Alfalfa	9
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	12
		Planting Bluegrass	1
		Planting Bromegrass	1
		Planting Ladino Clover	9
		Planting Mixed Grasses	5
		Planting Orchardgrass	2
		Planting Red Clover	3
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Renovating Pasture (with legume)	2
		Sorghum for Forage	1
		Soybeans	30
		Spring Barley	3
		Wheat	14
		Winter Barley	11
<b>FULTON</b>	<b>146</b>		
		Corn for Grain	10

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain (No-till)	22
		Corn for Silage	5
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	16
		Established Alfalfa	6
		Established Alfalfa Grass	7
		Established Bluegrass	3
		Established Bromegrass	3
		Established Mixed Grasses	16
		Established Orchardgrass	5
		Established Pasture (without legume)	1
		Established Red Clover-Grass	4
		Established Timothy	6
		Oats	3
		Planting Alfalfa	2
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	1
		Planting Mixed Grasses	13
		Planting Timothy	1
		Wheat	8
		Winter Barley	1
<b>GREENE</b>	<b>27</b>		
		Corn for Silage	2
		CRP Warm Season Grass	2
		Established Alfalfa	1
		Established Alfalfa Grass	1
		Established Mixed Grasses	4
		Established Pasture (without legume)	1
		Established Timothy	3
		Other	1
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	1
		Rye	1
<b>HUNTINGDON</b>	<b>217</b>		
		Brassicas	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Buckwheat	1
		Corn for Grain	7
		Corn for Grain (No-till)	3
		Corn for Silage	23
		Corn for Silage (No-till)	49
		CRP Cool Season Grass	39
		Established Alfalfa	15
		Established Alfalfa Grass	11
		Established Bluegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	12
		Established Orchardgrass	5
		Established Pasture (without legume)	3
		Established Reed Canarygrass	1
		Established Trefoil-grass	2
		Other	2
		Planting Alfalfa	4
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	15
		Planting Mixed Grasses	5
		Planting Red Clover in Oats	1
		Planting Timothy	5
		Planting Trefoil	2
		Sorghum for Forage	4
		Sorghum-Sudangrass	1
		Soybeans	2
<b>INDIANA</b>	<b>231</b>		
		Brassicas	5
		Corn for Grain	82
		Corn for Silage	29
		CRP Cool Season Grass	11
		Disturbed Lands	2
		Established Alfalfa	2
		Established Alfalfa Grass	10
		Established Mixed Grasses	1
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Pasture (without legume)	1
		Established Timothy	1



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Oats	8
		Planting Alfalfa in Oats	13
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	18
		Planting Ladino Clover	2
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover	8
		Planting Timothy	2
		Planting Trefoil-Grass	8
		Soybeans	21
		Wheat	1
<b>JEFFERSON</b>	<b>172</b>		
		Brassicas	1
		Corn for Grain	32
		Corn for Grain (No-till)	1
		Corn for Silage	25
		CRP Cool Season Grass	2
		Disturbed Lands	1
		Established Alfalfa Grass	31
		Established Bromegrass	2
		Established Mixed Grasses	21
		Established Orchardgrass	2
		Established Red Clover-Grass	2
		Established Timothy	2
		Established Trefoil-grass	4
		Oats	2
		Planting Alfalfa	1
		Planting Alfalfa in Oats	9
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	4
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	2
		Planting Trefoil	3
		Planting Trefoil-Grass	2
		Rye	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Sorghum for Forage	1
		Soybeans	2
		Wheat	1
		Winter Barley	3
<b>JUNIATA</b>	<b>262</b>		
		Buckwheat	5
		Corn for Grain	38
		Corn for Grain (No-till)	24
		Corn for Silage	2
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	40
		CRP Warm Season Grass	9
		Established Alfalfa	21
		Established Alfalfa Grass	9
		Established Ladino Clover	2
		Established Mixed Grasses	11
		Established Orchardgrass	7
		Established Red Clover-Grass	1
		Established Timothy	4
		Oats	1
		Other	2
		Planting Alfalfa	1
		Planting Alfalfa in Oats	9
		Planting Alfalfa in Wheat	4
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	12
		Planting Mixed Grasses	1
		Planting Orchardgrass	6
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Sorghum-Sudangrass	1
		Soybeans	34
		Wheat	4
<b>LACKAWANNA</b>	<b>79</b>		
		Brassicas	6
		Corn for Grain	19
		Corn for Grain (No-till)	3
		Corn for Silage	6
		Established Ladino Clover	7
		Established Mixed Grasses	11

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Pasture (without legume)	1
		Established Timothy	1
		Oats	2
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	8
		Planting Red Clover	2
		Planting Red Clover in Wheat	3
		Planting Red Clover (No-till)	1
		Planting Timothy	1
		Planting Trefoil	1
		Planting Trefoil (No-till)	2
		Soybeans	1
<b>LANCASTER</b>	<b>487</b>		
		Brassicas	14
		Buckwheat	3
		Corn for Grain	85
		Corn for Grain (No-till)	31
		Corn for Silage	42
		Corn for Silage (No-till)	17
		CRP Cool Season Grass	11
		CRP Warm Season Grass	1
		Established Alfalfa	18
		Established Alfalfa Grass	9
		Established Ladino Clover	4
		Established Mixed Grasses	2
		Established Orchardgrass	4
		Established Pasture (with legume)	4
		Established Pasture (without legume)	17
		Established Red Clover	1
		Established Red Clover-Grass	1
		Oats	1
		Other	97
		Planting Alfalfa	9
		Planting Alfalfa in Wheat	1
		Planting Alfalfa-Grass	2
		Planting Crownvetch	1
		Planting Ladino Clover	13
		Planting Mixed Grasses	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Orchardgrass	3
		Planting Red Clover	1
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	1
		Planting Timothy	5
		Planting Trefoil	2
		Planting Trefoil (No-till)	1
		Planting Warm Season Grasses	8
		Renovating Pasture (with legume)	4
		Rye	5
		Sorghum-Sudangrass	1
		Soybeans	41
		Sunflowers	1
		Tobacco	5
		Wheat	12
		Winter Barley	6
<b>LAWRENCE</b>	<b>172</b>		
		Corn for Grain	24
		Corn for Grain (No-till)	2
		Corn for Silage	54
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	6
		Established Alfalfa	8
		Established Alfalfa Grass	10
		Established Mixed Grasses	6
		Established Orchardgrass	1
		Established Red Clover	1
		Established Timothy	1
		Established Trefoil-grass	3
		Oats	5
		Planting Alfalfa	4
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	3
		Planting Bromegrass	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Planting Red Clover in Wheat	2
		Planting Reed Canarygrass	1
		Planting Timothy	2
		Planting Trefoil (No-till)	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>	
<b>LEBANON</b>	<b>186</b>	Planting Trefoil-Grass	3	
		Soybeans	23	
		Wheat	3	
			Brassicas	1
			Corn for Grain	40
			Corn for Grain (No-till)	15
			Corn for Silage (No-till)	2
			CRP Cool Season Grass	2
			Established Alfalfa	2
			Established Mixed Grasses	7
			Established Orchardgrass	1
			Established Pasture (with legume)	4
			Established Pasture (without legume)	2
			Established Timothy	2
			Oats	1
			Other	18
			Planting Alfalfa	9
			Planting Alfalfa in Oats	3
			Planting Alfalfa (No Till)	4
			Planting Alfalfa-Grass	11
			Planting Ladino Clover	2
			Planting Mixed Grasses	1
			Planting Orchardgrass	5
		Planting Red Clover (No-till)	1	
		Soybeans	37	
		Wheat	10	
		Winter Barley	6	
<b>LEHIGH</b>	<b>228</b>			
		Corn for Grain	64	
		Corn for Grain (No-till)	3	
		Established Alfalfa	19	
		Established Alfalfa Grass	1	
		Established Bluegrass	1	
		Established Ladino Clover	3	
		Established Mixed Grasses	4	
		Established Orchardgrass	4	
		Established Pasture (without legume)	4	
		Established Red Clover	1	
		Established Timothy	19	

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Oats	7
		Planting Alfalfa	11
		Planting Alfalfa (No Till)	19
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	5
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Red Clover (No-till)	2
		Renovating Pasture (with legume)	6
		Sorghum for Forage	1
		Soybeans	40
		Sunflowers	2
		Wheat	8
<b>LUZERNE</b>	<b>195</b>		
		Brassicas	14
		Buckwheat	4
		Corn for Grain	30
		Corn for Silage	9
		Corn for Silage (No-till)	6
		CRP Cool Season Grass	14
		CRP Warm Season Grass	3
		Established Alfalfa	2
		Established Bromegrass	1
		Established Ladino Clover	8
		Established Mixed Grasses	19
		Established Orchardgrass	2
		Established Pasture (without legume)	4
		Established Red Clover-Grass	2
		Established Reed Canarygrass	1
		Established Timothy	2
		Established Trefoil-grass	1
		Established Warm Season Grasses	1
		Oats	5
		Other	1
		Planting Alfalfa	4
		Planting Bromegrass	4
		Planting Ladino Clover	18
		Planting Mixed Grasses	1
		Planting Red Clover	5
		Planting Red Clover in Wheat	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	1
		Planting Timothy	3
		Planting Trefoil in Oats	1
		Planting Warm Season Grasses	8
		Renovating Pasture (with legume)	5
		Rye	2
		Soybeans	6
		Sunflowers	1
		Wheat	2
<b>LYCOMING</b>	<b>342</b>		
		Brassicas	2
		Buckwheat	2
		Corn for Grain	64
		Corn for Grain (No-till)	13
		Corn for Silage	4
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	86
		CRP Warm Season Grass	2
		Established Alfalfa	9
		Established Alfalfa Grass	22
		Established Bromegrass	1
		Established Ladino Clover	5
		Established Mixed Grasses	3
		Established Orchardgrass	5
		Established Pasture (with legume)	7
		Established Pasture (without legume)	11
		Established Red Clover	3
		Established Red Clover-Grass	3
		Established Timothy	1
		Established Trefoil-grass	1
		Horticultural Cover Crop	1
		Oats	5
		Other	2
		Planting Alfalfa	9
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	11
		Planting Mixed Grasses	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	7
		Planting Timothy	2
		Planting Trefoil in Oats	1
		Renovating Pasture (with legume)	2
		Rye	7
		Soybeans	36
<b>MCKEAN</b>	<b>20</b>		
		Corn for Grain	4
		CRP Cool Season Grass	7
		Established Pasture (without legume)	1
		Planting Ladino Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	5
		Soybeans	1
<b>MERCER</b>	<b>280</b>		
		Buckwheat	1
		Corn for Grain	57
		Corn for Grain (No-till)	26
		Corn for Silage	16
		Corn for Silage (No-till)	33
		CRP Cool Season Grass	1
		Established Alfalfa	10
		Established Alfalfa Grass	14
		Established Mixed Grasses	7
		Established Orchardgrass	3
		Established Pasture (with legume)	2
		Established Pasture (without legume)	6
		Established Red Clover-Grass	3
		Established Reed Canarygrass	1
		Established Timothy	2
		Established Trefoil-grass	1
		Oats	13
		Planting Alfalfa	3
		Planting Alfalfa in Oats	7
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	3



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Ladino Clover	1
		Planting Mixed Grasses	2
		Planting Orchardgrass	7
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Timothy	4
		Renovating Pasture (with legume)	2
		Sorghum-Sudangrass	5
		Soybeans	43
		Wheat	1
		Winter Barley	1
<b>MIFFLIN</b>	<b>40</b>		
		Corn for Grain	3
		Corn for Grain (No-till)	5
		Corn for Silage	1
		CRP Cool Season Grass	7
		Established Alfalfa Grass	2
		Established Ladino Clover	6
		Established Pasture (with legume)	3
		Established Timothy	1
		Other	3
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Red Clover	2
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Reed Canarygrass	1
		Rye	1
		Sunflowers	1
<b>MONROE</b>	<b>50</b>		
		Brassicas	1
		Corn for Grain	5
		Established Alfalfa	2
		Established Mixed Grasses	6
		Established Pasture (without legume)	6
		Established Warm Season Grasses	1
		Oats	1
		Planting Alfalfa	2
		Planting Bluegrass	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Ladino Clover	10
		Planting Mixed Grasses	3
		Planting Orchardgrass	2
		Planting Red Clover	4
		Planting Red Clover-Grass	3
		Planting Timothy	1
		Wheat	2
		<b>MONTGOMERY</b>	<b>202</b>
		Brassicas	6
		Corn for Grain	23
		Corn for Grain (No-till)	9
		Corn for Silage	13
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	14
		CRP Warm Season Grass	24
		Established Alfalfa	5
		Established Alfalfa Grass	4
		Established Ladino Clover	3
		Established Mixed Grasses	7
		Established Orchardgrass	1
		Established Pasture (with legume)	7
		Established Pasture (without legume)	6
		Established Red Clover-Grass	1
		Established Tall Fescue	1
		Established Timothy	4
		Oats	1
		Other	5
		Planting Alfalfa	3
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	18
		Planting Mixed Grasses	4
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	2
		Planting Timothy	3
		Planting Trefoil	2
		Renovating Pasture (with legume)	8
		Soybeans	14
		Wheat	6
<b>MONTOUR</b>	<b>165</b>		

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain	13
		Corn for Grain (No-till)	48
		Corn for Silage	5
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	6
		CRP Warm Season Grass	3
		Established Alfalfa	4
		Established Alfalfa Grass	2
		Established Mixed Grasses	1
		Planting Alfalfa	10
		Planting Alfalfa in Oats	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Planting Orchardgrass	4
		Planting Timothy	1
		Renovating Pasture (with legume)	3
		Rye	1
		Soybeans	34
		Wheat	25
<b>NORTHAMPTON</b>	<b>125</b>		
		Corn for Grain	33
		Corn for Grain (No-till)	4
		Corn for Silage	7
		Established Alfalfa	3
		Established Alfalfa Grass	2
		Established Mixed Grasses	9
		Established Orchardgrass	9
		Established Pasture (with legume)	10
		Established Pasture (without legume)	7
		Established Timothy	1
		Oats	1
		Other	1
		Planting Alfalfa	6
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	2
		Planting Red Clover	5
		Planting Red Clover-Grass	1
		Planting Warm Season Grasses	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Renovating Pasture (with legume)	2
		Soybeans	11
		Wheat	6
<b>NORTHUMBERLAND</b>	<b>324</b>		
		Brassicas	2
		Corn for Grain	75
		Corn for Grain (No-till)	47
		Corn for Silage	6
		CRP Cool Season Grass	34
		CRP Warm Season Grass	10
		Established Alfalfa	8
		Established Alfalfa Grass	7
		Established Mixed Grasses	4
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3
		Established Timothy	3
		Oats	5
		Planting Alfalfa	10
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	3
		Planting Mixed Grasses	16
		Planting Orchardgrass	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	2
		Renovating Pasture (with legume)	2
		Sorghum for Grain	4
		Soybeans	54
		Sunflowers	1
		Wheat	16
<b>PERRY</b>	<b>577</b>		
		Corn for Grain	37
		Corn for Grain (No-till)	125
		Corn for Silage	8
		Corn for Silage (No-till)	47
		CRP Cool Season Grass	36
		CRP Warm Season Grass	7

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa	91
		Established Alfalfa Grass	65
		Established Ladino Clover	1
		Established Mixed Grasses	29
		Established Orchardgrass	2
		Established Pasture (with legume)	2
		Established Pasture (without legume)	6
		Established Red Clover-Grass	3
		Established Timothy	5
		Established Warm Season Grasses	1
		Oats	11
		Other	2
		Planting Alfalfa	10
		Planting Alfalfa (No Till)	9
		Planting Alfalfa-Grass	18
		Planting Bromegrass	3
		Planting Ladino Clover	6
		Planting Mixed Grasses	7
		Planting Orchardgrass	7
		Planting Red Clover	1
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	2
		Planting Timothy	1
		Renovating Pasture (with legume)	2
		Rye	1
		Sorghum for Grain	1
		Sorghum-Sudangrass	1
		Soybeans	29
<b>PIKE</b>	<b>17</b>		
		Brassicas	1
		Established Pasture (with legume)	3
		Other	1
		Planting Ladino Clover	5
		Planting Red Clover	5
		Planting Red Clover (No-till)	2
<b>POTTER</b>	<b>121</b>		
		Buckwheat	2
		Corn for Grain	7
		Corn for Silage	10
		CRP Cool Season Grass	14

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		CRP Warm Season Grass	2
		Established Alfalfa Grass	6
		Established Ladino Clover	3
		Established Mixed Grasses	11
		Established Orchardgrass	2
		Established Pasture (with legume)	3
		Established Pasture (without legume)	2
		Established Red Clover-Grass	10
		Established Reed Canarygrass	4
		Oats	2
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	4
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	14
		Planting Mixed Grasses	2
		Planting Orchardgrass	6
		Planting Red Clover	7
		Planting Red Clover-Grass	1
		Planting Trefoil in Oats	3
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	1
		Rye	1
		Wheat	1
<b>SCHUYLKILL</b>	<b>277</b>		
		Brassicas	1
		Corn for Grain	45
		Corn for Grain (No-till)	26
		Corn for Silage	10
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	12
		CRP Warm Season Grass	2
		Disturbed Lands	6
		Established Alfalfa	6
		Established Alfalfa Grass	1
		Established Ladino Clover	1
		Established Mixed Grasses	4
		Established Orchardgrass	9
		Established Pasture (with legume)	6
		Established Pasture (without legume)	4
		Established Timothy	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Trefoil	1
		Oats	2
		Other	10
		Planting Alfalfa	13
		Planting Ladino Clover	4
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	1
		Planting Tall Fescue	1
		Planting Timothy	3
		Planting Trefoil	2
		Planting Trefoil (No-till)	2
		Renovating Pasture (with legume)	7
		Rye	8
		Sorghum for Grain	1
		Soybeans	38
		Wheat	36
<b>SNYDER</b>	<b>178</b>		
		Corn for Grain	27
		Corn for Grain (No-till)	12
		Corn for Silage	20
		CRP Cool Season Grass	29
		CRP Warm Season Grass	4
		Established Alfalfa	8
		Established Alfalfa Grass	11
		Established Mixed Grasses	10
		Established Orchardgrass	6
		Established Pasture (with legume)	1
		Established Pasture (without legume)	4
		Established Red Clover-Grass	1
		Established Timothy	3
		Oats	3
		Planting Alfalfa in Oats	2
		Planting Alfalfa in Wheat	10
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	2
		Planting Orchardgrass	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Tall Fescue	1
		Sorghum for Forage	1
		Soybeans	8
		Spring Barley	1
		Winter Barley	7
<b>SOMERSET</b>	<b>238</b>		
		Corn for Grain	9
		Corn for Grain (No-till)	5
		Corn for Silage	29
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	44
		CRP Warm Season Grass	1
		Disturbed Lands	4
		Established Alfalfa	4
		Established Alfalfa Grass	14
		Established Mixed Grasses	30
		Established Orchardgrass	6
		Established Pasture (with legume)	3
		Established Pasture (without legume)	21
		Established Red Clover	1
		Established Red Clover-Grass	4
		Established Reed Canarygrass	1
		Established Tall Fescue	2
		Established Timothy	5
		Established Trefoil-grass	7
		Oats	8
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	9
		Planting Mixed Grasses	10
		Planting Orchardgrass	1
		Planting Timothy	2
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	1
		Sorghum for Forage	1
		Sorghum-Sudangrass	1
		Spring Barley	2
<b>SULLIVAN</b>	<b>60</b>		
		Brassicas	2



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain	4
		Corn for Silage	12
		CRP Cool Season Grass	13
		CRP Warm Season Grass	7
		Established Mixed Grasses	13
		Established Red Clover-Grass	1
		Oats	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	1
<b>SUSQUEHANNA</b>	<b>289</b>		
		Brassicas	16
		Buckwheat	2
		Corn for Grain	7
		Corn for Grain (No-till)	2
		Corn for Silage	43
		Corn for Silage (No-till)	22
		CRP Cool Season Grass	8
		Established Alfalfa	6
		Established Alfalfa Grass	2
		Established Bluegrass	1
		Established Ladino Clover	7
		Established Mixed Grasses	83
		Established Orchardgrass	6
		Established Pasture (with legume)	2
		Established Pasture (without legume)	3
		Established Red Clover	2
		Established Red Clover-Grass	2
		Established Reed Canarygrass	1
		Oats	2
		Planting Alfalfa	2
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	3
		Planting Bluegrass	1
		Planting Ladino Clover	32
		Planting Mixed Grasses	3
		Planting Red Clover	5
		Planting Red Clover in Oats	3
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	8
		Planting Reed Canarygrass	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	4
		Renovating Pasture (with legume)	1
		Rye	1
<b>TIOGA</b>	<b>308</b>		
		Brassicas	5
		Buckwheat	2
		Corn for Grain	16
		Corn for Grain (No-till)	7
		Corn for Silage	42
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	57
		CRP Warm Season Grass	12
		Established Alfalfa Grass	2
		Established Ladino Clover	10
		Established Mixed Grasses	48
		Established Orchardgrass	12
		Established Pasture (with legume)	2
		Established Pasture (without legume)	5
		Established Red Clover-Grass	2
		Established Timothy	6
		Established Trefoil-grass	6
		Horticultural Cover Crop	2
		Oats	5
		Other	1
		Planting Alfalfa	2
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	19
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	9
		Planting Mixed Grasses	4
		Planting Orchardgrass	2
		Planting Red Clover in Oats	3
		Planting Red Clover in Wheat	2
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	4
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Renovating Pasture (with legume)	3
		Soybeans	1
		Sunflowers	1
		Wheat	1
<b>UNION</b>	<b>161</b>		
		Corn for Grain	31
		Corn for Grain (No-till)	14
		Corn for Silage	5
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	10
		CRP Warm Season Grass	2
		Established Alfalfa	18
		Established Alfalfa Grass	8
		Established Ladino Clover	2
		Established Mixed Grasses	3
		Established Pasture (with legume)	4
		Established Pasture (without legume)	3
		Established Trefoil-grass	3
		Horticultural Cover Crop	4
		Planting Alfalfa	5
		Planting Alfalfa in Oats	1
		Planting Alfalfa in Wheat	1
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	2
		Planting Mixed Grasses	2
		Planting Orchardgrass	2
		Planting Red Clover-Grass	1
		Planting Timothy	2
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2
		Soybeans	19
		Wheat	1
<b>VENANGO</b>	<b>143</b>		
		Brassicas	1
		Corn for Grain	14
		Corn for Grain (No-till)	95
		Corn for Silage	1
		Established Ladino Clover	3
		Established Mixed Grasses	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Orchardgrass	1
		Established Pasture (without legume)	4
		Established Tall Fescue	1
		Established Timothy	2
		Established Trefoil-grass	1
		Planting Alfalfa	3
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	3
		Planting Bluegrass	2
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Sunflowers	2
		Wheat	3
<b>WARREN</b>	<b>68</b>		
		Buckwheat	1
		Corn for Grain	6
		Corn for Silage	17
		Corn for Silage (No-till)	4
		Established Alfalfa	1
		Established Alfalfa Grass	3
		Established Ladino Clover	1
		Established Mixed Grasses	8
		Established Orchardgrass	2
		Established Pasture (without legume)	5
		Established Red Clover-Grass	2
		Established Timothy	1
		Oats	2
		Planting Alfalfa	1
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	1
		Planting Red Clover	1
		Planting Red Clover in Oats	5
		Planting Trefoil-Grass	1
<b>WASHINGTON</b>	<b>185</b>		
		Corn for Grain	13
		Corn for Silage	9
		Established Alfalfa	1
		Established Alfalfa Grass	7
		Established Bluegrass	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Mixed Grasses	21
		Established Orchardgrass	1
		Established Pasture (with legume)	6
		Established Pasture (without legume)	33
		Established Reed Canarygrass	3
		Established Timothy	1
		Established Trefoil-grass	2
		Established Warm Season Grasses	1
		Oats	2
		Other	1
		Planting Alfalfa	24
		Planting Alfalfa in Oats	13
		Planting Alfalfa (No Till)	8
		Planting Alfalfa-Grass	7
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	9
		Planting Orchardgrass	3
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	3
		Rye	1
		Soybeans	2
		Spring Barley	1
<b>WAYNE</b>	<b>140</b>		
		Brassicas	1
		Corn for Grain	3
		Corn for Silage	14
		Corn for Silage (No-till)	1
		Established Alfalfa Grass	12
		Established Ladino Clover	3
		Established Mixed Grasses	39
		Established Orchardgrass	1
		Established Pasture (with legume)	15
		Established Pasture (without legume)	2
		Established Red Clover-Grass	12
		Established Timothy	1
		Oats	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	9

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Mixed Grasses	8
		Planting Orchardgrass	2
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	1
		Planting Trefoil	1
		Planting Trefoil (No-till)	3
		Renovating Pasture (with legume)	2
		Sorghum for Forage	2
		Sorghum for Grain	1
		Sunflowers	1
		Winter Barley	1
<b>WESTMORELAND</b>	<b>227</b>		
		Brassicas	1
		Corn for Grain	38
		Corn for Grain (No-till)	1
		Corn for Silage	21
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	1
		Established Alfalfa	1
		Established Alfalfa Grass	13
		Established Ladino Clover	3
		Established Mixed Grasses	13
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	8
		Established Red Clover-Grass	1
		Oats	6
		Other	12
		Planting Alfalfa	7
		Planting Alfalfa in Oats	3
		Planting Alfalfa-Grass	2
		Planting Alfalfa-Trefoil	2
		Planting Crownvetch	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	3
		Planting Orchardgrass	2
		Planting Red Clover	5
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	4
		Planting Tall Fescue	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Timothy	4
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	6
		Rye	1
		Sorghum-Sudangrass	2
		Soybeans	9
		Sunflowers	1
		Wheat	23
		Winter Barley	7
<b>WYOMING</b>	<b>302</b>		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	10
		Corn for Grain (No-till)	5
		Corn for Silage	44
		Corn for Silage (No-till)	11
		CRP Cool Season Grass	38
		CRP Warm Season Grass	1
		Established Alfalfa	2
		Established Alfalfa Grass	21
		Established Mixed Grasses	68
		Established Orchardgrass	22
		Established Pasture (with legume)	3
		Established Pasture (without legume)	8
		Established Red Clover	2
		Established Red Clover-Grass	8
		Established Reed Canarygrass	2
		Established Timothy	5
		Established Trefoil-grass	1
		Established Warm Season Grasses	2
		Oats	1
		Planting Alfalfa	4
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	6
		Planting Mixed Grasses	4
		Planting Orchardgrass	4
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	7
		Planting Red Clover-Grass	5
		Planting Timothy	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2003-2004**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Trefoil-Grass	3
		Sorghum-Sudangrass	4
<b>YORK</b>	<b>203</b>		
		Brassicas	1
		Buckwheat	2
		Corn for Grain	36
		Corn for Grain (No-till)	30
		Corn for Silage	11
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	17
		CRP Warm Season Grass	1
		Established Alfalfa	2
		Established Bluegrass	3
		Established Ladino Clover	3
		Established Mixed Grasses	10
		Established Orchardgrass	7
		Established Pasture (with legume)	3
		Established Pasture (without legume)	17
		Established Timothy	2
		Oats	2
		Planting Alfalfa	5
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	2
		Planting Bromegrass	1
		Planting Ladino Clover	11
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover	2
		Renovating Pasture (with legume)	6
		Soybeans	15
		Sunflowers	1
		Wheat	6
		<b>TOTAL:</b>	<hr/> <b>16,964</b>