Agronomic Samples

VOLUME SUMMARY-BY CROP

2005-2006

Crop Code	Crop Name	Count
1079	Brassicas	155
1069	Buckwheat	44
1042	Corn for Grain	2,727
1044	Corn for Grain (No-till)	1,127
1043	Corn for Silage	1,273
1045	Corn for Silage (No-till)	637
1054	CRP Cool Season Grass	1,095
1053	CRP Warm Season Grass	53
1800	Disturbed Lands	134
1001	Established Alfalfa	613
1072	Established Alfalfa Grass	695
1010	Established Bluegrass	8
1016	Established Bromegrass	20
1011	Established Crownvetch	4
1014	Established Ladino Clover	127
1019	Established Mixed Grasses	1,118
1017	Established Orchardgrass	237
1082	Established Pasture (with legume)	224
1081	Established Pasture (without legume)	518
1015	Established Red Clover	37
1074	Established Red Clover-Grass	125
1086	Established Reed Canarygrass	44
1076	Established Tall Fescue	29
1018	Established Timothy	215
1005	Established Trefoil	5
1006	Established Trefoil-grass	36
1078	Established Warm Season Grasses	39
1055	Horticultural Cover Crop	7
1059	Oats	285
1999	Other	1,062
1020	Planting Alfalfa	392
1035	Planting Alfalfa in Oats	189
1032	Planting Alfalfa in Wheat	20
1023	Planting Alfalfa (No Till)	145
1021	Planting Alfalfa-Grass	506
1022	Planting Alfalfa-Trefoil	14
1038	Planting Bluegrass	19
1039	Planting Bromegrass	15
ann State Agricultural Anali	vical Services Lah	

Penn State Agricultural Analytical Services Lab

Agronomic Samples

VOLUME SUMMARY-BY CROP

2005-2006

Crop Code	Crop Name	Count
1030	Planting Crownvetch	6
1031	Planting Crownvetch (no-till)	3
1029	Planting Ladino Clover	557
1062	Planting Mixed Grasses	345
1040	Planting Orchardgrass	110
1027	Planting Red Clover	110
1037	Planting Red Clover in Oats	61
1034	Planting Red Clover in Wheat	8
1028	Planting Red Clover (No-till)	68
1073	Planting Red Clover-Grass	80
1085	Planting Reed Canarygrass	11
1075	Planting Tall Fescue	13
1041	Planting Timothy	124
1024	Planting Trefoil	22
1036	Planting Trefoil in Oats	15
1033	Planting Trefoil in Wheat	5
1026	Planting Trefoil (No-till)	7
1025	Planting Trefoil-Grass	87
1077	Planting Warm Season Grasses	34
1080	Renovating Pasture (with legume)	177
1061	Rye	54
1063	Sorghum for Forage	32
1057	Sorghum for Grain	33
1067	Sorghum-Sudangrass	30
1064	Soybeans	1,342
1068	Spring Barley	28
1066	Sudangrass	3
1071	Sunflowers	36
1065	Tobacco	29
1058	Wheat	333
1060	Winter Barley	83
	TOTAL:	17,839

County	Total Sam	ples Crop	# of Samples
ADAMS	107		
		Brassicas	1
		Corn for Grain	10
		Corn for Grain (No-till)	9
		Corn for Silage	1
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	5
		Established Mixed Grasses	5
		Established Orchardgrass	10
		Established Pasture (with legume)	2
		Established Pasture (without legume)	8
		Established Tall Fescue	1
		Established Timothy	8
		Established Warm Season Grasses	1
		Oats	1
		Other	5
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	3
		Planting Mixed Grasses	6
		Planting Red Clover (No-till)	1
		Planting Tall Fescue	1
		Planting Timothy	6
		Renovating Pasture (with legume)	1
		Sorghum-Sudangrass	4
		Soybeans	11
		Wheat	4
ALLEGHENY	108		
		Brassicas	8
		Buckwheat	1
		Corn for Grain	12
		CRP Cool Season Grass	4
		Disturbed Lands	9
		Established Alfalfa Grass	2
		Established Mixed Grasses	23
		Established Pasture (with legume)	3
		Established Pasture (without legume)	4
		Established Timothy	1
		Other	8
		Planting Alfalfa	3

County	Total Samples	Сгор	# of Samples
	Plantii	ng Alfalfa (No Till)	1
	Plantii	ng Ladino Clover	9
	Plantii	ng Mixed Grasses	3
	Plantii	ng Red Clover	1
	Plantii	ng Red Clover (No-till)	1
	Plantii	ng Red Clover-Grass	2
	Plantii	ng Timothy	1
	Plantii	ng Trefoil-Grass	1
	Renov	ating Pasture (with legume)	8
	Sorgh	um-Sudangrass	1
	Soybe	eans	2
ARMSTRONG	167		
	Corn f	or Grain	15
	Corn f	or Grain (No-till)	9
	Corn f	or Silage	2
	CRP (Cool Season Grass	7
	CRP \	Warm Season Grass	2
	Distur	bed Lands	6
	Estab	lished Alfalfa	1
	Estab	lished Alfalfa Grass	1
	Estab	lished Bromegrass	1
	Estab	lished Mixed Grasses	18
	Estab	lished Orchardgrass	1
	Estab	lished Pasture (with legume)	2
	Estab	lished Pasture (without legume)	7
	Estab	lished Reed Canarygrass	1
	Estab	lished Timothy	3
	Estab	lished Warm Season Grasses	1
	Oats		5
	Other		2
	Plantii	ng Alfalfa	2
	Plantii	ng Alfalfa (No Till)	1
	Plantii	ng Alfalfa-Grass	1
	Plantii	ng Bluegrass	2
	Plantii	ng Ladino Clover	7
	Plantii	ng Mixed Grasses	4
	Plantii	ng Timothy	5
	Plantii	ng Trefoil	8
	Plantii	ng Trefoil-Grass	38
	Sorgh	um for Grain	1

County	Total San	nples	Crop	# of Samples
		Soybeans		12
		Wheat		2
BEAVER	76			
		Brassicas		5
		Corn for Grain		8
		Corn for Silage		2
		Corn for Silage (I	No-till)	6
		CRP Cool Seaso	,	7
		Disturbed Lands		1
		Established Alfali	·a	3
		Established Alfal	a Grass	3
		Established Mixe	d Grasses	7
		Established Past	ure (with legume)	3
		Established Past	ure (without legume)	3
		Oats		2
		Planting Alfalfa		1
		Planting Alfalfa (I	No Till)	1
		Planting Alfalfa-G	Grass	5
		Planting Ladino (Clover	7
		Planting Mixed G	rasses	3
		Planting Red Clo	ver	2
		Planting Red Clo	ver in Oats	1
		Planting Red Clo	ver (No-till)	1
		Planting Timothy		1
		Renovating Past	ure (with legume)	4
BEDFORD	416			
		Brassicas		1
		Corn for Grain		39
		Corn for Grain (N	o-till)	21
		Corn for Silage		73
		Corn for Silage (I	No-till)	90
		Established Alfali	^r a	27
		Established Alfali	a Grass	5
		Established Bron	negrass	4
		Established Mixe	d Grasses	22
		Established Orch	ardgrass	5
		Established Past	ure (with legume)	2
		Established Past	ure (without legume)	8
		Established Red		1
		Established Reed	d Canarygrass	1

County	Total Samp	les Crop	# of Samples
		Established Timothy	1
		Oats	8
		Other	1
		Planting Alfalfa	16
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	5
		Planting Alfalfa-Grass	5
		Planting Bluegrass	1
		Planting Ladino Clover	5
		Planting Mixed Grasses	5
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Renovating Pasture (with legume)	6
		Soybeans	51
		Sunflowers	1
	,	Winter Barley	4
BERKS	469		
		Brassicas	4
		Corn for Grain	108
		Corn for Grain (No-till)	48
		Corn for Silage	27
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	5
		CRP Warm Season Grass	1
		Disturbed Lands	1
		Established Alfalfa	33
		Established Alfalfa Grass	3
		Established Bromegrass	3
		Established Ladino Clover	6
		Established Mixed Grasses	11
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	4
		Established Timothy	5
		Established Warm Season Grasses	1
		Oats	1

County	Total Samp	les Crop	# of Samples
		Other	73
		Planting Alfalfa	6
		Planting Alfalfa in Oats	3
		Planting Alfalfa (No Till)	7
		Planting Alfalfa-Grass	2
		Planting Bluegrass	1
		Planting Ladino Clover	25
		Planting Mixed Grasses	5
		Planting Orchardgrass	1
		Planting Red Clover	8
		Planting Red Clover (No-till)	1
		Planting Reed Canarygrass	1
		Renovating Pasture (with legume)	4
		Rye	1
		Sorghum for Forage	2
		Sorghum-Sudangrass	1
		Soybeans	40
		Sunflowers	2
		Wheat	9
		Winter Barley	6
BLAIR	324		
		Brassicas	1
		Buckwheat	2
		Corn for Grain	21
		Corn for Grain (No-till)	6
		Corn for Silage	16
		Corn for Silage (No-till)	58
		CRP Cool Season Grass	11
		CRP Warm Season Grass	3
		Disturbed Lands	1
		Established Alfalfa	10
		Established Alfalfa Grass	59
		Established Ladino Clover	4
		Established Mixed Grasses	10
		Established Orchardgrass	1
		Established Pasture (without legume)	4
		Oats	1
		Other	1
		Planting Alfalfa	7
		Planting Alfalfa in Oats	3

County	Total Sample	es Crop	# of Samples
	P	lanting Alfalfa (No Till)	11
	P	lanting Alfalfa-Grass	45
	F	lanting Ladino Clover	16
	P	lanting Red Clover	3
	P	lanting Red Clover in Oats	2
	P	lanting Red Clover (No-till)	1
	F	lanting Timothy	11
	F	lanting Warm Season Grasses	1
	F	Renovating Pasture (with legume)	1
	S	oybeans	10
	V	Vheat	2
	V	Vinter Barley	2
BRADFORD	930		
	В	rassicas	6
	C	Corn for Grain	37
	C	Corn for Grain (No-till)	1
	C	Corn for Silage	205
	C	Corn for Silage (No-till)	16
	C	RP Cool Season Grass	169
	C	RP Warm Season Grass	3
	E	stablished Alfalfa	6
	E	stablished Alfalfa Grass	120
	E	stablished Ladino Clover	12
	E	stablished Mixed Grasses	101
	E	stablished Orchardgrass	1
	E	stablished Pasture (without legume)	14
	E	stablished Red Clover-Grass	1
	E	stablished Reed Canarygrass	1
	E	stablished Tall Fescue	12
	E	stablished Timothy	10
	E	stablished Trefoil-grass	1
	E	stablished Warm Season Grasses	1
	C	Pats	4
	F	lanting Alfalfa	3
	F	lanting Alfalfa in Oats	7
	F	lanting Alfalfa-Grass	105
	P	lanting Bluegrass	1
	P	lanting Ladino Clover	13
	P	lanting Mixed Grasses	25
	P	lanting Orchardgrass	1

County	Total Samp	les Crop	# of Samples
	1	Planting Red Clover	1
	J	Planting Red Clover in Oats	5
	J	Planting Red Clover in Wheat	2
	J	Planting Red Clover (No-till)	2
	1	Planting Red Clover-Grass	23
	1	Planting Trefoil-Grass	1
	1	Renovating Pasture (with legume)	2
	;	Sorghum for Forage	1
	;	Sorghum-Sudangrass	9
	;	Soybeans	2
	;	Spring Barley	4
	;	Sudangrass	1
	,	Wheat	1
BUCKS	238		
	I	Brassicas	7
	•	Corn for Grain	20
	•	Corn for Silage	3
		CRP Cool Season Grass	13
	1	Established Alfalfa	3
	I	Established Alfalfa Grass	3
	1	Established Ladino Clover	5
	1	Established Mixed Grasses	17
	ĺ	Established Orchardgrass	3
	ĺ	Established Pasture (with legume)	5
	1	Established Pasture (without legume)	60
	1	Established Red Clover-Grass	3
	ĺ	Established Reed Canarygrass	1
	I	Established Timothy	4
		Oats	1
		Other	10
	I	Planting Alfalfa	2
	I	Planting Alfalfa in Oats	3
	I	Planting Alfalfa (No Till)	1
	I	Planting Alfalfa-Grass	2
	ĺ	Planting Bluegrass	2
	ĺ	Planting Ladino Clover	6
	I	Planting Mixed Grasses	17
	1	Planting Orchardgrass	4
	I	Planting Reed Canarygrass	5
	1	Planting Timothy	3

County	Total Samp	les Crop	# of Samples
	I	Planting Trefoil in Oats	1
	1	Planting Trefoil in Wheat	1
	1	Renovating Pasture (with legume)	9
	I	Rye	1
	;	Sorghum for Grain	4
	;	Sorghum-Sudangrass	1
	;	Soybeans	14
	;	Spring Barley	1
	,	Wheat	3
BUTLER	546		
	1	Brassicas	2
	1	Buckwheat	1
	(Corn for Grain	102
	(Corn for Grain (No-till)	74
		Corn for Silage	12
		Corn for Silage (No-till)	33
		CRP Cool Season Grass	14
		CRP Warm Season Grass	2
	I	Disturbed Lands	2
	I	Established Alfalfa	25
	I	Established Alfalfa Grass	31
	I	Established Bromegrass	1
	I	Established Ladino Clover	10
	I	Established Mixed Grasses	22
	I	Established Pasture (with legume)	1
	I	Established Pasture (without legume)	18
	I	Established Red Clover-Grass	6
	1	Established Tall Fescue	1
	1	Established Timothy	1
		Oats	20
	1	Planting Alfalfa	11
		Planting Alfalfa in Oats	9
		Planting Alfalfa-Grass	16
		Planting Ladino Clover	7
		Planting Mixed Grasses	6
		Planting Red Clover	2
		Planting Red Clover in Oats	4
		Planting Trefoil-Grass	7
		Planting Warm Season Grasses	1
	;	Sorghum for Grain	1

County	Total Samp	oles Crop	# of Samples
		Soybeans	66
		Spring Barley	1
		Tobacco	20
		Wheat	10
		Winter Barley	7
CAMBRIA	177		
		Buckwheat	2
		Corn for Grain	28
		Corn for Grain (No-till)	2
		Corn for Silage	11
		CRP Cool Season Grass	36
		Disturbed Lands	4
		Established Alfalfa	8
		Established Alfalfa Grass	11
		Established Ladino Clover	2
		Established Pasture (without legume)	2
		Established Red Clover-Grass	8
		Established Timothy	7
		Oats	6
		Other	1
		Planting Alfalfa	7
		Planting Alfalfa in Oats	8
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	9
		Planting Ladino Clover	7
		Planting Mixed Grasses	2
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	1
		Soybeans	9
		Sunflowers	1
		Wheat	2
CAMERON	3		
		Corn for Silage	3
CARBON	32		
		Corn for Grain	1
		CRP Cool Season Grass	2
		Established Mixed Grasses	1
		Established Orchardgrass	1
		Established Pasture (with legume)	1

County	Total Samp	les Crop	# of Samples
		Established Pasture (without legume)	1
		Oats	1
		Planting Alfalfa	8
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	4
		Planting Orchardgrass	2
		Planting Timothy	4
		Planting Trefoil-Grass	1
	,	Wheat	1
CENTRE	2,002		
		Brassicas	3
		Buckwheat	1
		Corn for Grain	206
		Corn for Grain (No-till)	133
		Corn for Silage	76
		Corn for Silage (No-till)	65
		CRP Cool Season Grass	15
		CRP Warm Season Grass	3
		Disturbed Lands	20
		Established Alfalfa	120
		Established Alfalfa Grass	45
		Established Bromegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	57
		Established Orchardgrass	6
		Established Pasture (with legume)	8
		Established Pasture (without legume)	74
		Established Red Clover	3
		Established Red Clover-Grass	25
		Established Reed Canarygrass	6
		Established Tall Fescue	1
		Established Timothy	11
		Established Trefoil-grass	1
		Established Warm Season Grasses	11
		Oats	38
		Other	570
		Planting Alfalfa	65
		Planting Alfalfa in Oats	5

County	Total Sam	ples Crop	# of Samples
		Planting Alfalfa (No Till)	26
		Planting Alfalfa-Grass	19
		Planting Alfalfa-Trefoil	1
		Planting Bromegrass	1
		Planting Crownvetch	1
		Planting Ladino Clover	48
		Planting Mixed Grasses	18
		Planting Orchardgrass	4
		Planting Red Clover	3
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	2
		Planting Reed Canarygrass	3
		Planting Tall Fescue	1
		Planting Timothy	3
		Planting Trefoil in Oats	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	2
		Renovating Pasture (with legume)	3
		Sorghum for Forage	2
		Sorghum-Sudangrass	4
		Soybeans	208
		Sudangrass	1
		Tobacco	1
		Wheat	59
		Winter Barley	18
CHESTER	279		
		Brassicas	2
		Corn for Grain	55
		Corn for Grain (No-till)	17
		Corn for Silage	7
		Corn for Silage (No-till)	11
		CRP Cool Season Grass	5
		CRP Warm Season Grass	2
		Established Alfalfa	6
		Established Alfalfa Grass	7
		Established Bluegrass	3
		Established Ladino Clover	1
		Established Mixed Grasses	15
		Established Orchardgrass	10
		Established Pasture (with legume)	12

County	Total Samp	les Crop	# of Samples
		Established Pasture (without legume)	41
		Established Red Clover-Grass	1
		Established Reed Canarygrass	9
		Established Timothy	3
		Other	7
		Planting Alfalfa	9
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	17
		Planting Timothy	3
		Renovating Pasture (with legume)	11
		Soybeans	16
		Tobacco	1
CLARION	121		
		Corn for Grain	7
		Corn for Grain (No-till)	2
		Corn for Silage	3
		CRP Cool Season Grass	15
		Disturbed Lands	8
		Established Alfalfa	2
		Established Alfalfa Grass	1
		Established Ladino Clover	1
		Established Mixed Grasses	9
		Established Pasture (without legume)	1
		Established Red Clover	5
		Established Timothy	2
		Established Trefoil-grass	1
		Oats	2
		Other	29
		Planting Alfalfa in Oats	6
		Planting Alfalfa-Grass	9
		Planting Alfalfa-Trefoil	1
		Planting Mixed Grasses	4
		Planting Red Clover in Oats	2
		Planting Warm Season Grasses	4
		Renovating Pasture (with legume)	4
		Soybeans	2
		Wheat	1
CLEARFIELD	296		

County	Total Samples	Сгор	# of Samples
	Brassicas		4
	Corn for C		31
	Corn for C	Grain (No-till)	9
	Corn for S	, ,	7
		Silage (No-till)	8
		Season Grass	10
	Disturbed	Lands	36
	Establishe	ed Alfalfa	8
	Establishe	ed Alfalfa Grass	24
	Establishe	ed Bluegrass	1
	Establishe	ed Ladino Clover	3
	Establishe	ed Mixed Grasses	7
	Establishe	ed Orchardgrass	5
	Establishe	ed Pasture (with legume)	1
	Establishe	ed Pasture (without legume)	1
	Establishe	ed Red Clover	1
	Establishe	ed Red Clover-Grass	4
	Establishe	ed Tall Fescue	1
	Establishe	ed Timothy	6
	Establishe	ed Trefoil-grass	9
	Oats		7
	Other		6
	Planting A	lfalfa	15
	Planting A	ulfalfa in Oats	10
	Planting A	ulfalfa in Wheat	1
	Planting A	ulfalfa (No Till)	1
	Planting A	lfalfa-Grass	10
	Planting C	Crownvetch	4
	Planting L	adino Clover	17
	Planting N	lixed Grasses	15
	Planting F	Red Clover	3
	Planting F	Red Clover (No-till)	6
	Planting F	Red Clover-Grass	3
	Planting T	all Fescue	1
	Planting T	refoil in Oats	1
	Planting T	refoil in Wheat	4
	Planting T	refoil (No-till)	2
	Planting T	refoil-Grass	6
	Planting V	Varm Season Grasses	2
	Renovatir	ng Pasture (with legume)	1

County	Total Samp	oles Crop	# of Samples
		Sorghum for Forage	1
		Soybeans	4
CLINTON	300		
		Brassicas	2
		Corn for Grain	130
		Corn for Grain (No-till)	15
		Corn for Silage	9
		Corn for Silage (No-till)	25
		CRP Cool Season Grass	7
		CRP Warm Season Grass	4
		Established Alfalfa	16
		Established Alfalfa Grass	5
		Established Mixed Grasses	13
		Established Orchardgrass	4
		Established Pasture (with legume)	1
		Established Pasture (without legume)	2
		Established Timothy	2
		Horticultural Cover Crop	1
		Other	2
		Planting Alfalfa	22
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	1
		Planting Mixed Grasses	4
		Planting Orchardgrass	3
		Planting Tall Fescue	1
		Renovating Pasture (with legume)	1
		Rye	3
		Sorghum-Sudangrass	1
		Soybeans	13
		Tobacco	1
		Wheat	7
COLUMBIA	350		
		Corn for Grain	105
		Corn for Grain (No-till)	14
		Corn for Silage	18
		Corn for Silage (No-till)	8
		CRP Cool Season Grass	21
		Established Alfalfa	8
		Established Alfalfa Grass	12

County	Total Samp	oles Crop	# of Samples
		Established Bluegrass	1
		Established Ladino Clover	3
		Established Mixed Grasses	17
		Established Pasture (with legume)	24
		Established Pasture (without legume)	7
		Established Red Clover	1
		Established Reed Canarygrass	3
		Established Tall Fescue	1
		Established Timothy	2
		Oats	2
		Other	7
		Planting Alfalfa	4
		Planting Alfalfa in Oats	3
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	4
		Planting Red Clover	2
		Planting Red Clover in Wheat	1
		Planting Trefoil	1
		Renovating Pasture (with legume)	6
		Sorghum for Grain	4
		Soybeans	36
		Wheat	29
		Winter Barley	2
CRAWFORD	459		
		Brassicas	5
		Buckwheat	1
		Corn for Grain	78
		Corn for Grain (No-till)	11
		Corn for Silage	16
		Corn for Silage (No-till)	15
		CRP Cool Season Grass	30
		CRP Warm Season Grass	8
		Disturbed Lands	6
		Established Alfalfa	13
		Established Alfalfa Grass	18
		Established Ladino Clover	1
		Established Mixed Grasses	13
		Established Orchardgrass	2
		Established Pasture (with legume)	3

County	Total Samples	Crop	# of Samples
	Establi	shed Pasture (without legume)	12
	Establi	shed Red Clover	1
	Establi	shed Red Clover-Grass	21
	Establi	shed Timothy	7
	Establi	shed Trefoil	3
	Establi	shed Trefoil-grass	7
	Establi	shed Warm Season Grasses	6
	Horticu	ltural Cover Crop	2
	Oats		9
	Other		17
	Plantin	g Alfalfa	5
	Plantin	g Alfalfa in Oats	1
	Plantin	g Alfalfa (No Till)	4
	Plantin	g Alfalfa-Grass	4
	Plantin	g Alfalfa-Trefoil	1
	Plantin	g Ladino Clover	8
	Plantin	g Mixed Grasses	6
	Plantin	g Red Clover in Oats	2
	Plantin	g Red Clover-Grass	1
	Plantin	g Tall Fescue	1
	Plantin	g Trefoil	2
	Plantin	g Trefoil in Oats	2
	Plantin	g Trefoil-Grass	4
	Plantin	g Warm Season Grasses	1
	Renova	ating Pasture (with legume)	8
	Rye		3
	Soybea	ans	98
	Wheat		1
	Winter	Barley	2
CUMBERLAND	312		
	Buckwl	heat	2
	Corn fo	or Grain	72
	Corn fo	or Grain (No-till)	15
	Corn fo	or Silage	7
	CRP C	ool Season Grass	4
	Establi	shed Alfalfa	5
	Establi	shed Alfalfa Grass	4
	Establi	shed Bromegrass	1
	Establi	shed Mixed Grasses	47
	Establi	shed Orchardgrass	2

County	Total Sam	ples Crop	# of Samples
		Established Pasture (with legume)	2
		Established Pasture (without legume)	1
		Established Red Clover-Grass	2
		Established Tall Fescue	2
		Established Warm Season Grasses	1
		Horticultural Cover Crop	2
		Oats	14
		Other	35
		Planting Alfalfa	4
		Planting Alfalfa in Oats	6
		Planting Alfalfa in Wheat	2
		Planting Alfalfa (No Till)	3
		Planting Bluegrass	1
		Planting Bromegrass	1
		Planting Ladino Clover	11
		Planting Mixed Grasses	1
		Planting Orchardgrass	2
		Planting Red Clover	7
		Planting Red Clover in Oats	1
		Planting Timothy	3
		Planting Warm Season Grasses	1
		Soybeans	22
		Wheat	27
		Winter Barley	2
DAUPHIN	326		
		Buckwheat	1
		Corn for Grain	30
		Corn for Grain (No-till)	43
		Corn for Silage	13
		Corn for Silage (No-till)	6
		CRP Cool Season Grass	14
		CRP Warm Season Grass	1
		Disturbed Lands	1
		Established Alfalfa	7
		Established Alfalfa Grass	4
		Established Ladino Clover	8
		Established Mixed Grasses	6
		Established Orchardgrass	14
		Established Pasture (with legume)	1
		Established Pasture (without legume)	2

County	Total Samp	les Crop	# of Samples
		Established Red Clover	1
		Established Timothy	6
		Established Warm Season Grasses	1
		Oats	1
		Other	33
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	4
		Planting Mixed Grasses	7
		Planting Orchardgrass	17
		Planting Red Clover	1
		Planting Red Clover in Oats	3
		Planting Red Clover (No-till)	2
		Planting Timothy	2
		Renovating Pasture (with legume)	11
		Rye	4
		Sorghum for Forage	1
		Soybeans	46
		Wheat	18
		Winter Barley	7
DELAWARE	34		
		Corn for Grain	1
		CRP Cool Season Grass	3
		Established Bromegrass	1
		Established Mixed Grasses	5
		Established Pasture (with legume)	3
		Established Pasture (without legume)	2
		Established Warm Season Grasses	3
		Other	6
		Planting Trefoil	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Sorghum for Grain	4
ELK	56		
		Buckwheat	1
		Corn for Grain	14
		Corn for Grain (No-till)	1
		Corn for Silage	1
		Established Alfalfa Grass	7

County	Total Sampl	es Crop	# of Samples
	E	Established Orchardgrass	1
	E	Established Timothy	2
	(Dats	1
	(Other	1
	F	Planting Alfalfa	1
	F	Planting Alfalfa in Oats	1
	F	Planting Alfalfa-Grass	5
	F	Planting Ladino Clover	12
	F	Planting Mixed Grasses	2
	F	Planting Red Clover	1
	F	Planting Trefoil-Grass	3
	9	Soybeans	1
	5	Sunflowers	1
ERIE	309		
	E	Brassicas	1
	E	Buckwheat	2
	(Corn for Grain	52
	(Corn for Grain (No-till)	18
	(Corn for Silage	23
	(Corn for Silage (No-till)	1
	(CRP Cool Season Grass	58
	E	Established Alfalfa	4
	E	Established Alfalfa Grass	6
	E	Established Ladino Clover	10
	E	Established Mixed Grasses	8
	E	Established Pasture (with legume)	4
	E	Established Pasture (without legume)	3
	E	Established Red Clover-Grass	1
	E	Established Timothy	7
	E	Established Trefoil	1
	(Dats	3
	(Other	6
	F	Planting Alfalfa	2
	F	Planting Alfalfa (No Till)	1
	F	Planting Alfalfa-Grass	5
	F	Planting Alfalfa-Trefoil	3
	F	Planting Ladino Clover	17
	F	Planting Mixed Grasses	5
	F	Planting Orchardgrass	2
	F	Planting Red Clover	4

County	Total Samp	les Crop	# of Samples
	I	Planting Red Clover in Oats	3
	ı	Planting Red Clover (No-till)	1
	1	Planting Red Clover-Grass	5
	1	Planting Timothy	1
	I	Planting Trefoil	3
	I	Planting Trefoil-Grass	6
	I	Renovating Pasture (with legume)	1
	;	Sorghum for Forage	1
	;	Soybeans	34
	;	Spring Barley	4
	,	Wheat	3
FAYETTE	142		
	i	Brassicas	3
	(Corn for Grain	20
	(Corn for Grain (No-till)	2
		Corn for Silage	9
	(CRP Cool Season Grass	24
	ı	Disturbed Lands	2
	I	Established Alfalfa	9
	l	Established Mixed Grasses	9
	I	Established Orchardgrass	2
	I	Established Pasture (with legume)	1
	I	Established Pasture (without legume)	2
	I	Established Red Clover-Grass	1
	(Oats	1
	Ī	Planting Alfalfa	4
	Ī	Planting Alfalfa in Oats	1
	I	Planting Alfalfa (No Till)	1
	I	Planting Alfalfa-Grass	9
	I	Planting Ladino Clover	5
	I	Planting Mixed Grasses	12
	I	Planting Red Clover	2
	I	Planting Red Clover in Oats	1
	ı	Planting Red Clover (No-till)	5
	ı	Planting Red Clover-Grass	1
	I	Planting Timothy	4
	I	Planting Trefoil (No-till)	1
	I	Renovating Pasture (with legume)	3
	1	Rye	1
	;	Sorghum for Forage	2

County	Total Sam	oles Crop	# of Samples
		Soybeans	3
		Winter Barley	2
FOREST	27		
		Corn for Grain	26
		Wheat	1
FRANKLIN	230		
		Corn for Grain	7
		Corn for Grain (No-till)	24
		Corn for Silage	58
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	1
		Established Alfalfa	4
		Established Alfalfa Grass	17
		Established Ladino Clover	3
		Established Mixed Grasses	14
		Established Orchardgrass	14
		Established Pasture (without legume)	10
		Established Timothy	5
		Other	10
		Planting Alfalfa	6
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	6
		Planting Bromegrass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	7
		Planting Orchardgrass	3
		Planting Timothy	3
		Renovating Pasture (with legume)	2
		Sorghum for Forage	2
		Soybeans	12
		Wheat	4
FULTON	128		
		Corn for Grain	6
		Corn for Grain (No-till)	2
		Corn for Silage	1
		Corn for Silage (No-till)	20
		CRP Cool Season Grass	3
		Established Alfalfa	14
		Established Bromegrass	2
		Established Mixed Grasses	12

County	Total Samp	les Crop	# of Samples
	!	Established Orchardgrass	5
	I	Established Pasture (with legume)	3
	1	Established Pasture (without legume)	25
	I	Established Timothy	3
		Oats	1
		Other	2
	1	Planting Alfalfa (No Till)	6
	I	Planting Ladino Clover	2
	I	Planting Mixed Grasses	5
	1	Planting Timothy	2
	1	Planting Warm Season Grasses	1
	1	Renovating Pasture (with legume)	1
	;	Sorghum for Forage	1
	;	Soybeans	11
GREENE	33		
	(Corn for Silage	3
	(CRP Cool Season Grass	1
	1	Established Alfalfa Grass	2
	1	Established Mixed Grasses	11
	1	Established Orchardgrass	2
	1	Established Pasture (with legume)	2
	1	Established Pasture (without legume)	1
	1	Planting Alfalfa	1
	1	Planting Alfalfa in Oats	1
	1	Planting Ladino Clover	2
	1	Planting Mixed Grasses	3
	I	Planting Red Clover	1
	1	Planting Red Clover-Grass	2
	1	Renovating Pasture (with legume)	1
HUNTINGDON	251		
	1	Brassicas	4
		Corn for Grain	22
		Corn for Grain (No-till)	10
		Corn for Silage	9
		Corn for Silage (No-till)	40
	•	CRP Cool Season Grass	23
	(CRP Warm Season Grass	3
		Established Alfalfa	6
		Established Alfalfa Grass	26
		Established Mixed Grasses	10

County	Total Samp	les Crop	# of Samples
		Established Orchardgrass	3
		Established Pasture (with legume)	6
		Established Pasture (without legume)	1
		Established Tall Fescue	4
		Established Timothy	2
		Oats	3
		Other	1
		Planting Alfalfa	4
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	16
		Planting Ladino Clover	15
		Planting Mixed Grasses	17
		Planting Orchardgrass	3
		Planting Red Clover	4
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	1
		Planting Trefoil	1
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	3
		Soybeans	4
	,	Wheat	2
INDIANA	235		
		Corn for Grain	46
		Corn for Grain (No-till)	8
		Corn for Silage	29
		CRP Cool Season Grass	19
		Disturbed Lands	11
		Established Alfalfa	2
		Established Alfalfa Grass	22
		Established Bromegrass	1
		Established Ladino Clover	1
		Established Mixed Grasses	8
		Established Orchardgrass	5
		Established Pasture (with legume)	7
		Established Pasture (without legume)	4
		Established Red Clover-Grass	1
		Established Timothy	6
		Established Trefoil-grass	1
		Oats	19

County	Total Sample	s Crop	# of Samples
	Pl	anting Alfalfa	6
	PI	anting Alfalfa in Oats	3
	Pl	anting Alfalfa-Grass	7
	Pl	anting Ladino Clover	7
	PI	anting Mixed Grasses	1
	PI	anting Red Clover	2
	PI	anting Tall Fescue	1
	PI	anting Timothy	1
	So	pybeans	10
	Sı	oring Barley	1
	Sı	unflowers	2
	W	/heat	4
JEFFERSON	221		
	Ві	rassicas	1
	Ві	uckwheat	2
	C	orn for Grain	56
	C	orn for Silage	25
	С	RP Cool Season Grass	2
	С	RP Warm Season Grass	5
	E	stablished Alfalfa	2
	E	stablished Alfalfa Grass	28
	E	stablished Mixed Grasses	27
	E	stablished Orchardgrass	5
	E	stablished Pasture (without legume)	6
	E	stablished Red Clover	3
	E	stablished Red Clover-Grass	6
	E	stablished Tall Fescue	1
	E	stablished Timothy	5
	E	stablished Trefoil-grass	6
	0	ats	7
	PI	anting Alfalfa	1
	PI	anting Alfalfa in Oats	7
	PI	anting Alfalfa-Grass	3
	PI	anting Ladino Clover	4
	PI	anting Mixed Grasses	2
	PI	anting Orchardgrass	1
	Pl	anting Red Clover	1
	Pl	anting Red Clover (No-till)	1
	Pl	anting Red Clover-Grass	2
	R	ye	2

County	Total Sam	ples Crop	# of Samples
		Soybeans	6
		Wheat	1
		Winter Barley	3
JUNIATA	246		
		Buckwheat	1
		Corn for Grain	62
		Corn for Grain (No-till)	19
		Corn for Silage	20
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	1
		Established Alfalfa	3
		Established Alfalfa Grass	6
		Established Mixed Grasses	6
		Established Orchardgrass	11
		Established Pasture (without legume)	2
		Established Timothy	3
		Established Warm Season Grasses	1
		Oats	1
		Planting Alfalfa	14
		Planting Alfalfa in Oats	23
		Planting Alfalfa in Wheat	7
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	11
		Planting Ladino Clover	2
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	1
		Sorghum for Forage	1
		Soybeans	35
		Wheat	3
LACKAWANNA	158		
		Brassicas	3
		Corn for Grain	54
		Corn for Grain (No-till)	5
		Corn for Silage	1
		Corn for Silage (No-till)	6
		CRP Cool Season Grass	33
		Established Alfalfa Grass	2
		Established Ladino Clover	1
		Established Mixed Grasses	4

County	Total Samp	oles Crop	# of Samples
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Timothy	7
		Oats	1
		Other	1
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Bromegrass	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	5
		Planting Orchardgrass	2
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Timothy	1
		Rye	3
		Sorghum for Forage	3
		Soybeans	2
LANCASTER	626		
		Brassicas	4
		Buckwheat	2
		Corn for Grain	220
		Corn for Grain (No-till)	29
		Corn for Silage	8
		Corn for Silage (No-till)	20
		CRP Cool Season Grass	6
		CRP Warm Season Grass	1
		Established Alfalfa	39
		Established Alfalfa Grass	5
		Established Ladino Clover	12
		Established Mixed Grasses	18
		Established Orchardgrass	13
		Established Pasture (with legume)	12
		Established Pasture (without legume)	14
		Established Red Clover	3
		Established Red Clover-Grass	2
		Established Timothy	1
		Oats	3
		Other	85

County	Total Sampl	es Crop	# of Samples
	F	Planting Alfalfa	13
	F	Planting Alfalfa (No Till)	2
	F	Planting Alfalfa-Grass	5
	F	Planting Alfalfa-Trefoil	1
	F	Planting Bluegrass	1
	F	Planting Ladino Clover	18
	F	Planting Mixed Grasses	5
	F	Planting Orchardgrass	1
	F	Planting Red Clover	7
	F	Planting Red Clover in Oats	1
	F	Planting Red Clover (No-till)	1
	F	Planting Tall Fescue	1
	F	Renovating Pasture (with legume)	4
	F	Rye	3
	5	Sorghum for Grain	3
	5	Soybeans	39
	5	Sunflowers	2
	7	Tobacco	3
	V	Vheat	18
	V	Vinter Barley	1
LAWRENCE	251		
	E	Buckwheat	1
	(Corn for Grain	99
	(Corn for Silage	32
	(CRP Cool Season Grass	6
	E	Established Alfalfa	2
	E	Established Alfalfa Grass	5
	E	Established Mixed Grasses	3
	E	Established Timothy	1
	E	Established Trefoil-grass	1
	(Dats	5
	F	Planting Alfalfa	6
	F	Planting Alfalfa in Oats	1
	F	Planting Alfalfa-Grass	4
	F	Planting Alfalfa-Trefoil	1
	F	Planting Bluegrass	1
	F	Planting Ladino Clover	2
	F	Planting Mixed Grasses	1
	F	Planting Red Clover	1
	F	Planting Red Clover in Wheat	2

County	Total Sample	es Crop	# of Samples
	Р	lanting Trefoil-Grass	7
	R	enovating Pasture (with legume)	2
	S	orghum for Forage	2
	S	oybeans	59
	S	unflowers	1
	V	/heat	6
LEBANON	273		
	В	rassicas	1
	В	uckwheat	1
	C	orn for Grain	57
	C	orn for Grain (No-till)	9
	C	orn for Silage	14
	C	orn for Silage (No-till)	5
	C	RP Cool Season Grass	1
	E	stablished Alfalfa	11
	E	stablished Alfalfa Grass	7
	E	stablished Ladino Clover	2
	E	stablished Mixed Grasses	13
	E	stablished Orchardgrass	3
	E	stablished Pasture (without legume)	2
	E	stablished Reed Canarygrass	1
	E	stablished Timothy	1
	C	pats	1
	C	ther	22
	Р	lanting Alfalfa	5
	Р	lanting Alfalfa-Grass	11
	Р	lanting Bluegrass	1
	Р	lanting Ladino Clover	7
	Р	lanting Mixed Grasses	1
	Р	lanting Red Clover	3
	Р	lanting Red Clover (No-till)	4
	Р	lanting Timothy	3
	Р	lanting Warm Season Grasses	1
	R	enovating Pasture (with legume)	3
	R	ye	5
	S	orghum for Grain	1
	S	orghum-Sudangrass	2
	S	oybeans	45
	S	pring Barley	8
	S	udangrass	1

County	Total San	nples Crop	# of Samples
		Sunflowers	1
		Wheat	12
		Winter Barley	8
LEHIGH	62		
		Brassicas	2
		Corn for Grain	6
		Corn for Grain (No-till)	2
		Corn for Silage	1
		CRP Cool Season Grass	5
		Established Ladino Clover	5
		Established Mixed Grasses	3
		Established Orchardgrass	1
		Established Pasture (without legume)	2
		Established Timothy	1
		Oats	1
		Planting Bluegrass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	5
		Planting Orchardgrass	1
		Planting Red Clover	8
		Planting Red Clover in Oats	1
		Renovating Pasture (with legume)	2
		Soybeans	5
		Wheat	3
LUZERNE	198		
		Brassicas	7
		Corn for Grain	27
		Corn for Grain (No-till)	2
		Corn for Silage	15
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	27
		CRP Warm Season Grass	4
		Disturbed Lands	2
		Established Alfalfa	3
		Established Crownvetch	3
		Established Mixed Grasses	19
		Established Pasture (with legume)	1
		Established Pasture (without legume)	5
		Established Timothy	10
		Established Warm Season Grasses	1

County	Total Samp	les Crop	# of Samples
		Horticultural Cover Crop	1
		Oats	4
		Planting Alfalfa	4
		Planting Alfalfa in Oats	7
		Planting Alfalfa (No Till)	2
		Planting Bluegrass	1
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	3
		Planting Orchardgrass	2
		Planting Red Clover	4
		Planting Red Clover-Grass	7
		Planting Timothy	7
		Planting Warm Season Grasses	2
		Rye	2
		Sorghum-Sudangrass	2
		Soybeans	5
		Sunflowers	3
		Wheat	3
LYCOMING	352		
		Brassicas	16
		Buckwheat	1
		Corn for Grain	40
		Corn for Grain (No-till)	20
		Corn for Silage	25
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	55
		Established Alfalfa	26
		Established Alfalfa Grass	13
		Established Bromegrass	3
		Established Ladino Clover	5
		Established Mixed Grasses	6
		Established Orchardgrass	16
		Established Pasture (with legume)	2
		Established Pasture (without legume)	8
		Established Red Clover	1
		Established Red Clover-Grass	1
		Established Timothy	3
		Oats	3
		Planting Alfalfa	12

County	Total Samp	oles Crop	# of Samples
		Planting Alfalfa in Oats	2
		Planting Alfalfa in Wheat	2
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	23
		Planting Mixed Grasses	2
		Planting Orchardgrass	11
		Planting Red Clover	1
		Planting Red Clover (No-till)	1
		Planting Timothy	5
		Planting Trefoil	1
		Renovating Pasture (with legume)	4
		Soybeans	25
		Spring Barley	1
		Sunflowers	1
		Tobacco	2
	,	Wheat	1
MCKEAN	56		
		Corn for Grain	5
		Corn for Silage	2
		CRP Cool Season Grass	16
		Established Mixed Grasses	6
		Established Orchardgrass	1
		Established Pasture (without legume)	2
		Established Tall Fescue	1
		Planting Alfalfa (No Till)	1
		Planting Bluegrass	1
		Planting Crownvetch (no-till)	1
		Planting Orchardgrass	1
		Planting Red Clover-Grass	1
		Planting Timothy	4
		Planting Trefoil in Oats	1
		Planting Trefoil-Grass	4
		Renovating Pasture (with legume)	9
MERCER	337		
		Corn for Grain	91
		Corn for Grain (No-till)	11
		Corn for Silage	39
		Corn for Silage (No-till)	13
		CRP Cool Season Grass	1
		CRP Warm Season Grass	1

County	Total Sampl	es Crop	# of Samples
	E	Established Alfalfa	7
		Established Alfalfa Grass	6
	[Established Ladino Clover	1
	[Established Mixed Grasses	23
	[Established Orchardgrass	10
	E	Established Pasture (with legume)	4
	E	Established Pasture (without legume)	17
	E	Established Red Clover	1
	E	Established Red Clover-Grass	3
	E	Established Reed Canarygrass	2
	E	Established Tall Fescue	2
	E	Established Timothy	8
	(Dats	10
	F	Planting Alfalfa	3
	i	Planting Alfalfa in Oats	2
	F	Planting Alfalfa in Wheat	1
	i	Planting Alfalfa-Grass	10
	F	Planting Ladino Clover	4
	i	Planting Mixed Grasses	1
	i	Planting Orchardgrass	7
	i	Planting Red Clover	1
	i	Planting Timothy	4
	i	Planting Warm Season Grasses	1
	F	Renovating Pasture (with legume)	3
	5	Sorghum-Sudangrass	1
	5	Soybeans	26
	5	Sunflowers	12
	\	Wheat	11
MIFFLIN	62		
	E	Brassicas	2
	(Corn for Grain (No-till)	4
	(Corn for Silage	2
	(CRP Cool Season Grass	16
	E	Established Alfalfa	1
	E	Established Mixed Grasses	3
	E	Established Orchardgrass	1
	E	Established Pasture (with legume)	14
	E	Established Pasture (without legume)	2
	E	Established Red Clover	1
	F	Planting Alfalfa	1

County	Total Samp	oles Crop	# of Samples
		Planting Alfalfa (No Till)	5
		Planting Ladino Clover	4
		Planting Mixed Grasses	3
		Renovating Pasture (with legume)	2
		Soybeans	_ 1
MONROE	30	,	
MONKOE	30	Corn for Grain	4
		Established Ladino Clover	1
		Established Mixed Grasses	2
		Established Orchardgrass	1
		Established Pasture (without legume)	5
		Established Timothy	2
		Oats	1
		Planting Alfalfa	1
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	10
		Planting Timothy	2
MONTGOMERY	169		
		Brassicas	10
		Buckwheat	1
		Corn for Grain	38
		Corn for Grain (No-till)	4
		Corn for Silage	3
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	4
		Established Alfalfa Grass	2
		Established Crownvetch	1
		Established Ladino Clover	3
		Established Mixed Grasses	7
		Established Orchardgrass	4
		Established Pasture (with legume)	7
		Established Pasture (without legume)	5
		Established Red Clover	1
		Established Red Clover-Grass	2
		Established Tall Fescue	1
		Established Timothy	6
		Oats	4
		Other	4
		Planting Alfalfa	1
		Planting Alfalfa-Grass	1

County	Total Samp	les Crop	# of Samples
		Planting Bluegrass	2
		Planting Ladino Clover	18
		Planting Mixed Grasses	3
		Planting Orchardgrass	9
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Tall Fescue	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	8
	:	Soybeans	2
	,	Wheat	8
MONTOUR	234		
	1	Corn for Grain	21
	1	Corn for Grain (No-till)	36
	1	Corn for Silage	9
	1	Corn for Silage (No-till)	13
	1	CRP Cool Season Grass	4
		Established Alfalfa	19
		Established Alfalfa Grass	5
		Established Mixed Grasses	8
		Established Orchardgrass	1
		Established Pasture (with legume)	5
		Established Pasture (without legume)	1
		Established Timothy	7
		Horticultural Cover Crop	1
		Oats	3
		Planting Alfalfa	6
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	2
		Planting Timothy	9
		Rye	1
		Soybeans	58
	,	Wheat	15
	,	Winter Barley	5
NORTHAMPTON	87		
		Buckwheat	2

County	Total Sam	ples Crop	# of Samples
		Corn for Grain	28
		Corn for Grain (No-till)	8
		Corn for Silage	3
		CRP Cool Season Grass	1
		Established Alfalfa Grass	2
		Established Ladino Clover	1
		Established Mixed Grasses	s 1
		Established Orchardgrass	3
		Established Pasture (with I	egume) 6
		Established Pasture (without	ut legume) 4
		Established Red Clover	1
		Established Timothy	1
		Oats	1
		Planting Alfalfa	2
		Planting Ladino Clover	6
		Planting Mixed Grasses	1
		Planting Red Clover	1
		Planting Red Clover (No-til	1) 2
		Renovating Pasture (with le	egume) 1
		Soybeans	12
NORTHUMBERLAND	410		
		Brassicas	5
		Corn for Grain	47
		Corn for Grain (No-till)	119
		Corn for Silage	4
		CRP Cool Season Grass	8
		Established Alfalfa	9
		Established Alfalfa Grass	6
		Established Mixed Grasses	s 17
		Established Orchardgrass	12
		Established Pasture (with I	egume) 6
		Established Pasture (without	ut legume) 4
		Established Red Clover	5
		Established Red Clover-G	rass 3
		Established Timothy	10
		Established Trefoil-grass	3
		Oats	2
		Planting Alfalfa	14
		Planting Alfalfa (No Till)	4
		Planting Alfalfa-Grass	4

County	Total Sampl	es Crop	# of Samples
	F	Planting Ladino Clover	15
	F	Planting Mixed Grasses	8
	F	Planting Orchardgrass	1
	F	Planting Red Clover in Oats	1
	F	Planting Red Clover-Grass	1
	F	Planting Timothy	1
	F	Planting Warm Season Grasses	1
	F	Renovating Pasture (with legume)	3
	F	Rye	6
	5	Sorghum for Grain	10
	5	Soybeans	70
	V	Vheat	7
	V	Vinter Barley	4
PA	1		
	E	Established Mixed Grasses	1
PERRY	536		
		Brassicas	2
		Corn for Grain	26
		Corn for Grain (No-till)	132
		Corn for Silage	6
		Corn for Silage (No-till)	54
		CRP Cool Season Grass	9
		Established Alfalfa	74
	E	Established Alfalfa Grass	53
	E	Established Bluegrass	1
		Established Bromegrass	2
		Established Mixed Grasses	22
	E	Established Orchardgrass	5
		Established Pasture (with legume)	6
	E	Established Pasture (without legume)	9
	E	Established Red Clover	1
	E	Established Timothy	6
	(Dats	6
	(Other	4
	F	Planting Alfalfa	3
	F	Planting Alfalfa in Oats	2
	F	Planting Alfalfa (No Till)	24
	F	Planting Alfalfa-Grass	15
	F	Planting Ladino Clover	4
	F	Planting Mixed Grasses	5

County	Total Sampl	es Crop	# of Samples
	F	Planting Orchardgrass	3
	F	Planting Red Clover	1
	F	Planting Red Clover in Oats	1
	F	Planting Red Clover (No-till)	2
	F	Planting Timothy	10
	F	Planting Trefoil-Grass	1
	F	Renovating Pasture (with legume)	5
		Sorghum for Forage	1
		Sorghum-Sudangrass	2
	5	Soybeans	36
	٦	Tobacco	1
	1	Vheat	2
PHILADELPHIA	87		
	E	Brassicas	1
	(Other	80
	F	Planting Ladino Clover	6
PIKE	6		
	E	Established Mixed Grasses	2
	F	Planting Ladino Clover	2
		Planting Red Clover-Grass	2
POTTER	285	· ·	
101121		Brassicas	4
		Buckwheat	6
		Corn for Grain	8
		Corn for Grain (No-till)	8
		Corn for Silage	69
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	39
	[Disturbed Lands	3
	E	Established Alfalfa Grass	8
	Ε	Established Ladino Clover	3
	E	Established Mixed Grasses	6
	E	Established Red Clover	4
	E	Established Red Clover-Grass	1
	(Dats	10
	(Other	6
	F	Planting Alfalfa-Grass	43
	F	Planting Ladino Clover	4
	F	Planting Mixed Grasses	32
	F	Planting Red Clover	1

County	Total Sampl	es Crop	# of Samples
	F	Planting Red Clover in Oats	9
	F	Planting Red Clover in Wheat	1
	F	Planting Red Clover (No-till)	7
	F	Planting Red Clover-Grass	5
	F	Planting Trefoil in Oats	4
	5	Spring Barley	3
RESEARCH	5		
	(Corn for Grain	5
SCHUYLKILL	229		
	*	Buckwheat	3
		Corn for Grain	26
	(Corn for Grain (No-till)	33
		Corn for Silage	4
	(CRP Cool Season Grass	9
	Ι	Disturbed Lands	1
	E	Established Alfalfa	12
	E	Established Bluegrass	1
	E	Established Ladino Clover	1
	E	Established Mixed Grasses	5
	E	Established Pasture (with legume)	1
	E	Established Pasture (without legume)	5
	E	Established Red Clover-Grass	1
	E	Established Timothy	3
	(Dats	10
	(Other	13
	F	Planting Alfalfa	8
	F	Planting Alfalfa in Oats	4
	F	Planting Alfalfa-Grass	4
	F	Planting Ladino Clover	3
		Planting Mixed Grasses	5
		Planting Orchardgrass	11
		Planting Red Clover	4
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	3
		Planting Reed Canarygrass	1
		Planting Timothy	2
		Planting Warm Season Grasses	2
		Renovating Pasture (with legume)	2
	5	Soybeans	20

County	Total Sar	nples	Crop	# of Samples
		Sunflowe	rs	1
		Wheat		26
		Winter Ba	arley	1
SNYDER	160		,	
51(1 5 51)	100	Brassicas		3
		Buckwhe		1
		Corn for (24
			Grain (No-till)	20
		Corn for S		7
			Silage (No-till)	5
			l Season Grass	4
		Establish	ed Alfalfa	3
		Establish	ed Alfalfa Grass	4
		Establish	ed Mixed Grasses	12
		Establish	ed Orchardgrass	7
		Establish	ed Pasture (with legume)	6
		Establish	ed Pasture (without legume)	5
		Establish	ed Timothy	2
		Oats		3
		Planting A	Alfalfa	7
		Planting A	Alfalfa in Oats	6
		Planting A	Alfalfa in Wheat	5
		Planting A	Alfalfa-Grass	6
		Planting I	adino Clover	4
		Planting (Orchardgrass	2
		Planting F	Red Clover	2
		Planting F	Red Clover (No-till)	1
		Planting \	Warm Season Grasses	1
		Rye		6
		Soybeans	S	10
		Winter Ba	arley	4
SOMERSET	140			
		Buckwhe	at	3
		Corn for (Grain	7
		Corn for (Grain (No-till)	12
		Corn for S	Silage	14
		CRP Coo	l Season Grass	13
		Disturbed	Lands	3
		Establish	ed Alfalfa	2
		Establish	ed Alfalfa Grass	14

County	Total Sam	oles Crop	# of Samples
		Established Mixed Grasses	16
		Established Orchardgrass	9
		Established Pasture (with legume)	5
		Established Pasture (without legume)	9
		Established Red Clover	1
		Established Red Clover-Grass	1
		Established Tall Fescue	1
		Established Timothy	5
		Established Warm Season Grasses	2
		Oats	2
		Planting Alfalfa in Oats	4
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	1
		Planting Orchardgrass	3
		Planting Red Clover (No-till)	2
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	1
		Rye	1
		Sorghum for Grain	1
		Sorghum-Sudangrass	1
		Sunflowers	2
SULLIVAN	107		
		Corn for Grain	12
		Corn for Grain (No-till)	3
		Corn for Silage	16
		Corn for Silage (No-till)	3
		Established Alfalfa Grass	5
		Established Ladino Clover	1
		Established Mixed Grasses	40
		Established Pasture (without legume)	9
		Established Warm Season Grasses	4
		Oats	5
		Other	1
		Planting Crownvetch	1
		Planting Ladino Clover	4
		Soybeans	3
SUSQUEHANNA	384		
		Brassicas	19

County	Total Samples	Стор	# of Samples
	Bu	ckwheat	1
	Co	rn for Grain	6
	Co	rn for Grain (No-till)	1
	Co	rn for Silage	44
	Co	rn for Silage (No-till)	25
	CF	RP Cool Season Grass	67
	CF	RP Warm Season Grass	4
	Es	tablished Alfalfa	3
	Es	tablished Alfalfa Grass	2
	Es	tablished Mixed Grasses	104
	Es	tablished Pasture (with legume)	6
	Es	tablished Pasture (without legume)	4
	Es	tablished Red Clover-Grass	1
	Es	tablished Reed Canarygrass	8
	Es	tablished Timothy	5
	Oa	its	2
	Pla	anting Alfalfa	4
	Pla	anting Alfalfa (No Till)	1
	Pla	anting Alfalfa-Grass	5
	Pla	anting Ladino Clover	37
	Pla	anting Mixed Grasses	11
	Pla	anting Red Clover in Oats	5
	Pla	anting Red Clover (No-till)	6
	Pla	anting Red Clover-Grass	1
	Pla	anting Timothy	4
	So	rghum for Forage	2
	So	ybeans	3
	Su	nflowers	3
TIOGA	722		
	Bra	assicas	1
	Bu	ckwheat	1
	Co	rn for Grain	115
	Co	rn for Grain (No-till)	12
	Co	rn for Silage	93
	Co	rn for Silage (No-till)	5
	CF	RP Cool Season Grass	133
	CF	RP Warm Season Grass	1
	Dis	sturbed Lands	8
	Es	tablished Alfalfa	8
	Es	tablished Alfalfa Grass	38

County	Total Samp	les Crop	# of Samples
		Established Mixed Grasses	62
		Established Pasture (with legume)	4
		Established Pasture (without legume)	7
		Established Red Clover	1
		Established Red Clover-Grass	16
		Established Timothy	1
		Established Trefoil-grass	3
		Oats	19
		Other	6
		Planting Alfalfa	13
		Planting Alfalfa in Oats	17
		Planting Alfalfa-Grass	50
		Planting Ladino Clover	11
		Planting Mixed Grasses	8
		Planting Red Clover	3
		Planting Red Clover in Oats	8
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	8
		Planting Tall Fescue	1
		Planting Trefoil	1
		Planting Trefoil in Oats	3
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	3
		Renovating Pasture (with legume)	4
		Sorghum for Grain	1
		Soybeans	41
		Spring Barley	5
		Sunflowers	1
		Wheat	4
		Winter Barley	2
UNION	223		
		Corn for Grain	39
		Corn for Grain (No-till)	46
		Corn for Silage	6
		Corn for Silage (No-till)	14
		Established Alfalfa	10
		Established Alfalfa Grass	2
		Established Ladino Clover	2
		Established Mixed Grasses	5
		Established Pasture (without legume)	4

County	Total Sample	es Crop	# of Samples
	E	stablished Timothy	2
	C	Dats	1
	Р	Planting Alfalfa	19
	Р	Planting Alfalfa in Oats	9
	Р	Planting Alfalfa in Wheat	1
	Р	Planting Alfalfa (No Till)	6
	Р	Planting Alfalfa-Grass	2
	Р	Planting Ladino Clover	6
	Р	Planting Orchardgrass	3
	Р	Planting Red Clover (No-till)	1
	Р	Planting Tall Fescue	1
	R	Renovating Pasture (with legume)	6
	R	Rye	1
	S	Sorghum for Forage	3
	S	Soybeans	31
	V	Vheat	3
VENANGO	89		
	C	Corn for Grain	26
	C	Corn for Grain (No-till)	5
		Corn for Silage	3
	C	Corn for Silage (No-till)	6
	C	CRP Cool Season Grass	2
	Е	stablished Alfalfa	1
	Е	stablished Alfalfa Grass	3
	Е	stablished Mixed Grasses	11
	Е	stablished Orchardgrass	5
	Е	stablished Pasture (without legume)	2
	Е	stablished Timothy	1
	C	Dats	1
	Р	Planting Alfalfa in Oats	2
	Р	Planting Alfalfa-Grass	2
	Р	Planting Red Clover	1
	Р	Planting Red Clover in Oats	1
	Р	Planting Red Clover (No-till)	1
	Р	Planting Red Clover-Grass	1
	Р	Planting Timothy	3
	Р	Planting Trefoil in Oats	2
	R	Renovating Pasture (with legume)	2
	R	Rye	1
	S	Soybeans	7

County	Total Sam	ples Crop	# of Samples
WARREN	158		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	5
		Corn for Silage	36
		Established Alfalfa	10
		Established Alfalfa Grass	1
		Established Ladino Clover	14
		Established Mixed Grasses	8
		Established Orchardgrass	9
		Established Pasture (with legume)	4
		Established Pasture (without legume)	17
		Established Red Clover-Grass	6
		Established Timothy	3
		Established Trefoil-grass	2
		Established Warm Season Grasses	2
		Oats	11
		Planting Alfalfa	1
		Planting Alfalfa-Grass	3
		Planting Bromegrass	3
		Planting Ladino Clover	4
		Planting Mixed Grasses	1
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Red Clover in Oats	3
		Planting Timothy	2
		Planting Trefoil (No-till)	3
		Renovating Pasture (with legume)	3
		Sunflowers	1
WASHINGTON	375		
		Brassicas	1
		Buckwheat	2
		Corn for Grain	22
		Corn for Grain (No-till)	3
		Corn for Silage	42
		CRP Cool Season Grass	52
		Disturbed Lands	6
		Established Alfalfa	13
		Established Alfalfa Grass	16
		Established Ladino Clover	3

County Total Sar	mples Crop	# of Samples
	Established Mixed Grasses	63
	Established Orchardgrass	1
	Established Pasture (with legume)	9
	Established Pasture (without legume)	13
	Established Red Clover	1
	Established Red Clover-Grass	4
	Established Reed Canarygrass	8
	Established Timothy	3
	Established Trefoil	1
	Established Warm Season Grasses	3
	Oats	3
	Other	2
	Planting Alfalfa	22
	Planting Alfalfa in Oats	16
	Planting Alfalfa (No Till)	7
	Planting Alfalfa-Grass	14
	Planting Alfalfa-Trefoil	1
	Planting Bromegrass	7
	Planting Ladino Clover	8
	Planting Mixed Grasses	2
	Planting Orchardgrass	4
	Planting Red Clover	3
	Planting Red Clover-Grass	1
	Planting Timothy	3
	Planting Trefoil	2
	Renovating Pasture (with legume)	9
	Sorghum for Grain	3
	Sorghum-Sudangrass	1
	Wheat	1
WAYNE 123		
	Brassicas	2
	Buckwheat	1
	Corn for Grain	4
	Corn for Grain (No-till)	5
	Corn for Silage	8
	Corn for Silage (No-till)	2
	CRP Cool Season Grass	11
	Established Alfalfa	2
	Established Ladino Clover	1
	Established Mixed Grasses	22

County	Total Samples	Crop	# of Samples
	Est	ablished Orchardgrass	1
	Esta	ablished Pasture (with legume)	2
	Esta	ablished Pasture (without legume)	6
	Esta	ablished Timothy	3
	Oat	s	1
	Pla	nting Alfalfa	2
		nting Alfalfa-Grass	1
	Pla	nting Alfalfa-Trefoil	2
	Pla	nting Bluegrass	1
	Pla	nting Ladino Clover	7
	Pla	nting Mixed Grasses	12
	Pla	nting Orchardgrass	2
	Pla	nting Red Clover	3
	Pla	nting Red Clover (No-till)	4
	Pla	nting Red Clover-Grass	3
	Pla	nting Timothy	1
	Pla	nting Trefoil	1
	Rer	novating Pasture (with legume)	1
	Sor	ghum for Forage	5
	Soy	beans	1
	Wh	eat	5
	Win	ter Barley	1
WESTMORELAND	294		
	Bra	ssicas	4
	Cor	n for Grain	43
	Cor	n for Grain (No-till)	3
	Cor	n for Silage	45
	Cor	n for Silage (No-till)	5
	CR	P Cool Season Grass	8
	CR	P Warm Season Grass	4
	Dist	turbed Lands	3
	Esta	ablished Alfalfa	9
	Esta	ablished Alfalfa Grass	17
	Esta	ablished Bluegrass	1
	Esta	ablished Mixed Grasses	14
	Esta	ablished Pasture (with legume)	7
	Esta	ablished Pasture (without legume)	3
	Oat	s	5
	Pla	nting Alfalfa	7
	Pla	nting Alfalfa in Oats	11

County	Total Samp	es Crop	# of Samples
	ı	Planting Alfalfa in Wheat	1
	Planting Alfalfa (No Till)		3
		Planting Alfalfa-Grass	4
		Planting Alfalfa-Trefoil	3
		Planting Bluegrass	1
	ı	Planting Ladino Clover	16
	i	Planting Mixed Grasses	12
	ı	Planting Orchardgrass	1
	ı	Planting Red Clover	4
	i	Planting Red Clover (No-till)	1
	i	Planting Red Clover-Grass	1
	i	Planting Tall Fescue	3
	i	Planting Timothy	3
	i	Planting Warm Season Grasses	11
	i	Renovating Pasture (with legume)	2
	Ī	Rye	5
	;	Sorghum for Forage	2
		Soybeans	27
	\$	Sunflowers	1
	,	Wheat	4
WYOMING	195		
	į.	Brassicas	4
	(Corn for Grain	15
	(Corn for Grain (No-till)	6
	(Corn for Silage	30
	(Corn for Silage (No-till)	22
	(CRP Cool Season Grass	20
	I	Established Alfalfa	3
	I	Established Alfalfa Grass	4
	I	Established Mixed Grasses	37
	I	Established Orchardgrass	6
	I	Established Pasture (with legume)	1
	I	Established Pasture (without legume)	3
	I	Established Red Clover-Grass	3
	I	Established Reed Canarygrass	3
	I	Established Timothy	4
	I	Established Trefoil-grass	1
	(Dats	2
	ı	Planting Alfalfa	2
	I	Planting Alfalfa (No Till)	1

County	Total Sampl	es Crop	# of Samples
	F	Planting Alfalfa-Grass	4
	F	Planting Ladino Clover	4
	F	Planting Mixed Grasses	3
	F	Planting Red Clover	2
	F	Planting Red Clover in Oats	2
	F	Planting Red Clover-Grass	3
	F	Planting Timothy	3
	F	Planting Trefoil	1
	F	Rye	5
	5	Soybeans	1
YORK	465		
	E	Brassicas	2
	(Corn for Grain	180
	(Corn for Grain (No-till)	76
	(Corn for Silage	3
	(CRP Cool Season Grass	16
	(CRP Warm Season Grass	1
	E	Established Alfalfa	1
	E	Established Alfalfa Grass	3
	E	Established Mixed Grasses	24
	E	Established Orchardgrass	9
	E	Established Pasture (with legume)	17
	E	Established Pasture (without legume)	21
	E	Established Red Clover-Grass	1
	E	Established Timothy	7
	(Dats	6
	(Other	5
	F	Planting Alfalfa	1
	F	Planting Bluegrass	1
	F	Planting Bromegrass	1
	F	Planting Ladino Clover	20
	F	Planting Mixed Grasses	11
	F	Planting Red Clover	3
	F	Planting Red Clover (No-till)	2
	F	Planting Reed Canarygrass	1
	F	Planting Timothy	2
	F	Renovating Pasture (with legume)	4
	5	Soybeans	35
	V	Vheat	10
	V	Vinter Barley	2

County	Total Samples	Crop	# of Samples
		TOTAL:	17,839