

**Agronomic Samples**  
**VOLUME SUMMARY-BY CROP**  
**2007-2008**

<b>Crop Code</b>	<b>Crop Name</b>	<b>Count</b>
1046		1
1079	Brassicas	218
1069	Buckwheat	71
1042	Corn for Grain	2,685
1044	Corn for Grain (No-till)	1,824
1043	Corn for Silage	1,124
1045	Corn for Silage (No-till)	583
1054	CRP Cool Season Grass	869
1053	CRP Warm Season Grass	29
1800	Disturbed Lands	99
1001	Established Alfalfa	706
1072	Established Alfalfa Grass	704
1010	Established Bluegrass	6
1016	Established Bromegrass	37
1011	Established Crownvetch	3
1014	Established Ladino Clover	164
1019	Established Mixed Grasses	1,440
1017	Established Orchardgrass	304
1082	Established Pasture (with legume)	279
1081	Established Pasture (without legume)	575
1015	Established Red Clover	58
1074	Established Red Clover-Grass	149
1086	Established Reed Canarygrass	81
1076	Established Tall Fescue	23
1018	Established Timothy	202
1005	Established Trefoil	7
1006	Established Trefoil-grass	53
1078	Established Warm Season Grasses	105
1055	Horticultural Cover Crop	137
1059	Oats	279
1999	Other	1,412
1020	Planting Alfalfa	323
1035	Planting Alfalfa in Oats	172
1032	Planting Alfalfa in Wheat	20
1023	Planting Alfalfa (No Till)	112
1021	Planting Alfalfa-Grass	471
1022	Planting Alfalfa-Trefoil	11
1038	Planting Bluegrass	23

**Agronomic Samples**  
**VOLUME SUMMARY-BY CROP**  
**2007-2008**

<b>Crop Code</b>	<b>Crop Name</b>	<b>Count</b>
1039	Planting Bromegrass	28
1030	Planting Crownvetch	7
1031	Planting Crownvetch (no-till)	1
1083	Planting Grass Pasture	2
1029	Planting Ladino Clover	424
1062	Planting Mixed Grasses	346
1040	Planting Orchardgrass	148
1027	Planting Red Clover	121
1037	Planting Red Clover in Oats	52
1034	Planting Red Clover in Wheat	21
1028	Planting Red Clover (No-till)	63
1073	Planting Red Clover-Grass	72
1085	Planting Reed Canarygrass	8
1075	Planting Tall Fescue	18
1041	Planting Timothy	160
1024	Planting Trefoil	26
1036	Planting Trefoil in Oats	8
1033	Planting Trefoil in Wheat	6
1026	Planting Trefoil (No-till)	3
1025	Planting Trefoil-Grass	47
1077	Planting Warm Season Grasses	49
1080	Renovating Pasture (with legume)	183
1061	Rye	94
1063	Sorghum for Forage	41
1057	Sorghum for Grain	38
1067	Sorghum-Sudangrass	39
1064	Soybeans	1,583
1068	Spring Barley	11
1066	Sudangrass	2
1071	Sunflowers	18
1065	Tobacco	10
1058	Wheat	469
1060	Winter Barley	121
<b>TOTAL:</b>		<b>19,578</b>

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>ADAMS</b>	<b>89</b>		
		Corn for Grain	15
		Corn for Grain (No-till)	3
		Corn for Silage	4
		Established Alfalfa	4
		Established Mixed Grasses	9
		Established Orchardgrass	9
		Established Pasture (without legume)	8
		Established Timothy	5
		Planting Alfalfa	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	9
		Planting Timothy	2
		Planting Trefoil	1
		Renovating Pasture (with legume)	4
		Soybeans	10
		Wheat	3
<b>ALLEGHENY</b>	<b>114</b>		
		Brassicas	1
		Corn for Grain	12
		Corn for Grain (No-till)	2
		CRP Cool Season Grass	5
		Disturbed Lands	9
		Established Mixed Grasses	3
		Established Orchardgrass	4
		Established Pasture (without legume)	7
		Established Red Clover-Grass	1
		Horticultural Cover Crop	13
		Other	5
		Planting Alfalfa	2
		Planting Bluegrass	1
		Planting Ladino Clover	9
		Planting Orchardgrass	4
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	2
		Planting Tall Fescue	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>ARMSTRONG</b>	<b>192</b>	Renovating Pasture (with legume)	6
		Soybeans	7
		Wheat	14
		Brassicas	2
		Corn for Grain	21
		Corn for Grain (No-till)	15
		Corn for Silage	12
		Corn for Silage (No-till)	5
		CRP Warm Season Grass	4
		Established Alfalfa	1
		Established Alfalfa Grass	1
		Established Bromegrass	1
		Established Mixed Grasses	21
		Established Orchardgrass	7
		Established Pasture (with legume)	5
		Established Pasture (without legume)	7
		Established Red Clover	2
		Established Red Clover-Grass	1
		Established Reed Canarygrass	1
		Established Timothy	9
		Established Warm Season Grasses	1
		Horticultural Cover Crop	3
		Oats	1
		Other	4
		Planting Alfalfa	5
		Planting Alfalfa-Grass	8
		Planting Ladino Clover	3
		Planting Mixed Grasses	4
		Planting Orchardgrass	4
		Planting Red Clover	1
Planting Red Clover-Grass	2		
Planting Reed Canarygrass	1		
Planting Tall Fescue	1		
Planting Timothy	3		
Planting Trefoil-Grass	13		
Planting Warm Season Grasses	1		
Renovating Pasture (with legume)	3		
Rye	1		
Soybeans	16		

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>BEAVER</b>	<b>110</b>	Wheat	2
		Corn for Grain	11
		Corn for Grain (No-till)	21
		Corn for Silage	5
		CRP Cool Season Grass	7
		CRP Warm Season Grass	2
		Established Alfalfa Grass	1
		Established Mixed Grasses	8
		Established Orchardgrass	1
		Established Pasture (with legume)	6
		Established Pasture (without legume)	3
		Horticultural Cover Crop	2
		Oats	4
		Planting Alfalfa	7
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	6
		Planting Bromegrass	1
		Planting Ladino Clover	4
		Soybeans	13
		Wheat	6
<b>BEDFORD</b>	<b>349</b>	Buckwheat	1
		Corn for Grain	118
		Corn for Grain (No-till)	29
		Corn for Silage	7
		Corn for Silage (No-till)	10
		Established Alfalfa	13
		Established Alfalfa Grass	15
		Established Bromegrass	6
		Established Mixed Grasses	52
		Established Orchardgrass	4
		Established Pasture (with legume)	3
		Established Pasture (without legume)	19
		Established Red Clover-Grass	3
		Established Timothy	7
		Established Trefoil-grass	1
		Horticultural Cover Crop	2
		Oats	8
		Planting Alfalfa	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	2
		Planting Alfalfa-Trefoil	1
		Planting Bromegrass	3
		Planting Ladino Clover	3
		Planting Mixed Grasses	5
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	3
		Planting Timothy	1
		Rye	2
		Soybeans	9
		Spring Barley	1
		Wheat	3
		Winter Barley	6
<b>BERKS</b>	<b>413</b>		
		Brassicas	1
		Buckwheat	2
		Corn for Grain	61
		Corn for Grain (No-till)	23
		Corn for Silage	4
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	21
		Disturbed Lands	2
		Established Alfalfa	10
		Established Alfalfa Grass	6
		Established Ladino Clover	7
		Established Mixed Grasses	7
		Established Orchardgrass	9
		Established Pasture (with legume)	6
		Established Pasture (without legume)	9
		Established Red Clover	1
		Established Reed Canarygrass	1
		Horticultural Cover Crop	4
		Oats	2
		Other	123
		Planting Alfalfa	2
		Planting Alfalfa in Oats	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	1
		Planting Bluegrass	3
		Planting Ladino Clover	14
		Planting Mixed Grasses	5
		Planting Orchardgrass	8
		Planting Red Clover	2
		Planting Red Clover (No-till)	6
		Planting Timothy	4
		Renovating Pasture (with legume)	5
		Rye	1
		Sorghum for Forage	1
		Sorghum-Sudangrass	2
		Soybeans	47
		Spring Barley	1
		Wheat	5
<b>BLAIR</b>	<b>332</b>		
		Brassicas	1
		Corn for Grain	24
		Corn for Grain (No-till)	8
		Corn for Silage	53
		Corn for Silage (No-till)	33
		CRP Cool Season Grass	4
		CRP Warm Season Grass	2
		Established Alfalfa	22
		Established Alfalfa Grass	14
		Established Ladino Clover	3
		Established Mixed Grasses	4
		Established Pasture (with legume)	7
		Established Pasture (without legume)	6
		Established Red Clover	1
		Established Reed Canarygrass	1
		Established Tall Fescue	3
		Established Timothy	1
		Horticultural Cover Crop	11
		Oats	1
		Other	1
		Planting Alfalfa	12
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	60

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Ladino Clover	13
		Planting Mixed Grasses	2
		Planting Orchardgrass	5
		Planting Red Clover	3
		Planting Red Clover in Oats	2
		Planting Red Clover in Wheat	1
		Planting Timothy	17
		Planting Trefoil-Grass	3
		Rye	1
		Soybeans	7
		Sunflowers	1
		Wheat	4
<b>BRADFORD</b>	<b>1,522</b>		
		Brassicas	6
		Buckwheat	1
		Corn for Grain	142
		Corn for Grain (No-till)	67
		Corn for Silage	220
		Corn for Silage (No-till)	74
		CRP Cool Season Grass	148
		CRP Warm Season Grass	2
		Established Alfalfa	43
		Established Alfalfa Grass	116
		Established Bromegrass	2
		Established Ladino Clover	4
		Established Mixed Grasses	255
		Established Orchardgrass	13
		Established Pasture (with legume)	9
		Established Pasture (without legume)	74
		Established Red Clover	1
		Established Red Clover-Grass	42
		Established Reed Canarygrass	7
		Established Tall Fescue	6
		Established Timothy	32
		Established Warm Season Grasses	7
		Horticultural Cover Crop	2
		Oats	5
		Other	7
		Planting Alfalfa	26
		Planting Alfalfa in Oats	3



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	87
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	14
		Planting Mixed Grasses	31
		Planting Orchardgrass	11
		Planting Red Clover	7
		Planting Red Clover in Oats	4
		Planting Red Clover (No-till)	7
		Planting Red Clover-Grass	9
		Planting Timothy	9
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	3
		Planting Warm Season Grasses	3
		Renovating Pasture (with legume)	5
		Rye	2
		Sorghum for Forage	3
		Sorghum for Grain	1
		Sorghum-Sudangrass	6
		Soybeans	2
<b>BUCKS</b>	<b>166</b>		
		Brassicas	1
		Corn for Grain	31
		Corn for Grain (No-till)	2
		Corn for Silage	1
		CRP Cool Season Grass	6
		CRP Warm Season Grass	1
		Established Alfalfa	1
		Established Mixed Grasses	10
		Established Orchardgrass	3
		Established Pasture (with legume)	8
		Established Pasture (without legume)	22
		Established Timothy	2
		Oats	1
		Other	8
		Planting Alfalfa	2
		Planting Ladino Clover	6
		Planting Mixed Grasses	11
		Planting Orchardgrass	3
		Planting Red Clover-Grass	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Timothy	5
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Rye	8
		Sorghum for Grain	11
		Soybeans	11
		Sunflowers	1
		Wheat	5
<b>BUTLER</b>	<b>402</b>		
		Brassicas	4
		Corn for Grain	48
		Corn for Grain (No-till)	39
		Corn for Silage	10
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	6
		CRP Warm Season Grass	3
		Established Alfalfa	9
		Established Alfalfa Grass	20
		Established Ladino Clover	4
		Established Mixed Grasses	34
		Established Orchardgrass	7
		Established Pasture (with legume)	5
		Established Pasture (without legume)	9
		Established Red Clover	1
		Established Red Clover-Grass	6
		Established Timothy	17
		Established Trefoil-grass	3
		Horticultural Cover Crop	1
		Oats	8
		Other	1
		Planting Alfalfa	6
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	10
		Planting Ladino Clover	2
		Planting Mixed Grasses	6
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Timothy	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Renovating Pasture (with legume)	4
		Soybeans	105
		Sunflowers	1
		Wheat	16
		Winter Barley	1
<b>CAMBRIA</b>	<b>353</b>		
		Brassicas	3
		Corn for Grain	62
		Corn for Grain (No-till)	12
		Corn for Silage	35
		CRP Cool Season Grass	40
		Established Alfalfa	10
		Established Alfalfa Grass	44
		Established Mixed Grasses	3
		Established Pasture (with legume)	1
		Established Pasture (without legume)	6
		Established Red Clover	2
		Established Red Clover-Grass	6
		Established Timothy	8
		Established Trefoil-grass	2
		Oats	16
		Other	2
		Planting Alfalfa	16
		Planting Alfalfa in Oats	6
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	28
		Planting Ladino Clover	4
		Planting Mixed Grasses	5
		Planting Orchardgrass	2
		Planting Red Clover (No-till)	5
		Planting Reed Canarygrass	6
		Planting Tall Fescue	6
		Planting Timothy	1
		Planting Warm Season Grasses	2
		Soybeans	19
<b>CAMERON</b>	<b>7</b>		
		Corn for Grain	2
		Planting Ladino Clover	4
		Wheat	1
<b>CARBON</b>	<b>31</b>		

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Buckwheat	2
		Corn for Grain	1
		Corn for Grain (No-till)	1
		Corn for Silage	1
		Established Alfalfa	2
		Established Alfalfa Grass	3
		Established Mixed Grasses	3
		Established Pasture (with legume)	3
		Established Timothy	1
		Other	1
		Planting Alfalfa	5
		Planting Bromegrass	2
		Planting Ladino Clover	1
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Timothy	2
<b>CENTRE</b>	<b>2,410</b>		
		Brassicas	17
		Buckwheat	9
		Corn for Grain	218
		Corn for Grain (No-till)	172
		Corn for Silage	90
		Corn for Silage (No-till)	58
		CRP Cool Season Grass	5
		Disturbed Lands	13
		Established Alfalfa	143
		Established Alfalfa Grass	28
		Established Bromegrass	1
		Established Crownvetch	1
		Established Ladino Clover	11
		Established Mixed Grasses	61
		Established Orchardgrass	7
		Established Pasture (with legume)	19
		Established Pasture (without legume)	86
		Established Red Clover	28
		Established Red Clover-Grass	30
		Established Reed Canarygrass	9
		Established Tall Fescue	6
		Established Timothy	2
		Established Trefoil-grass	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Warm Season Grasses	7
		Horticultural Cover Crop	17
		Oats	31
		Other	953
		Planting Alfalfa	51
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	14
		Planting Alfalfa-Grass	18
		Planting Alfalfa-Trefoil	2
		Planting Grass Pasture	2
		Planting Ladino Clover	13
		Planting Mixed Grasses	13
		Planting Orchardgrass	4
		Planting Red Clover	5
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Planting Trefoil	1
		Planting Trefoil in Wheat	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	5
		Renovating Pasture (with legume)	6
		Rye	21
		Sorghum for Forage	1
		Sorghum for Grain	2
		Sorghum-Sudangrass	8
		Soybeans	145
		Spring Barley	1
		Tobacco	3
		Wheat	47
		Winter Barley	13
<b>CHESTER</b>	<b>218</b>		
		Brassicas	1
		Corn for Grain	6
		Corn for Grain (No-till)	5
		Corn for Silage (No-till)	10
		CRP Cool Season Grass	14
		Disturbed Lands	2
		Established Alfalfa	5

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa Grass	5
		Established Mixed Grasses	33
		Established Orchardgrass	7
		Established Pasture (with legume)	7
		Established Pasture (without legume)	16
		Established Red Clover-Grass	1
		Established Reed Canarygrass	20
		Horticultural Cover Crop	2
		Other	12
		Planting Alfalfa	5
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	8
		Planting Bluegrass	1
		Planting Ladino Clover	4
		Planting Mixed Grasses	14
		Planting Orchardgrass	5
		Planting Red Clover	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	4
		Sorghum for Forage	10
		Sorghum-Sudangrass	6
		Soybeans	6
		Wheat	4
<b>CLARION</b>	<b>212</b>		
		Corn for Grain	22
		Corn for Silage	5
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	11
		Disturbed Lands	26
		Established Alfalfa	1
		Established Alfalfa Grass	7
		Established Mixed Grasses	19
		Established Orchardgrass	1
		Established Pasture (with legume)	2
		Established Pasture (without legume)	14
		Oats	6
		Other	48
		Planting Alfalfa	3
		Planting Alfalfa in Oats	5

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Bromegrass	4
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Red Clover in Oats	8
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	10
		Soybeans	12
<b>CLEARFIELD</b>	<b>309</b>		
		Brassicas	4
		Buckwheat	3
		Corn for Grain	45
		Corn for Grain (No-till)	6
		Corn for Silage	23
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	20
		Disturbed Lands	21
		Established Alfalfa	8
		Established Alfalfa Grass	33
		Established Ladino Clover	4
		Established Mixed Grasses	4
		Established Orchardgrass	26
		Established Pasture (with legume)	2
		Established Pasture (without legume)	2
		Established Red Clover	1
		Established Reed Canarygrass	4
		Established Tall Fescue	1
		Established Timothy	4
		Established Trefoil-grass	2
		Horticultural Cover Crop	6
		Oats	12
		Other	1
		Planting Alfalfa	3
		Planting Alfalfa in Oats	12
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	11
		Planting Bluegrass	5
		Planting Ladino Clover	12
		Planting Mixed Grasses	4
		Planting Orchardgrass	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Red Clover	6
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	4
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	1
		Rye	3
		Sorghum for Forage	1
		Sorghum for Grain	1
		Soybeans	1
		Sunflowers	2
		Wheat	4
<b>CLINTON</b>	<b>199</b>		
		Brassicas	3
		Corn for Grain	27
		Corn for Grain (No-till)	44
		Corn for Silage	1
		Corn for Silage (No-till)	27
		Established Alfalfa	6
		Established Alfalfa Grass	25
		Established Ladino Clover	1
		Established Mixed Grasses	9
		Established Pasture (with legume)	2
		Established Pasture (without legume)	4
		Established Red Clover	1
		Established Red Clover-Grass	2
		Planting Alfalfa	17
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	7
		Planting Mixed Grasses	3
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	1
		Sorghum-Sudangrass	1
		Soybeans	4
		Tobacco	4
		Wheat	2
<b>COLUMBIA</b>	<b>515</b>		
		Buckwheat	1
		Corn for Grain	80



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain (No-till)	78
		Corn for Silage	24
		Corn for Silage (No-till)	6
		CRP Cool Season Grass	10
		Established Alfalfa	27
		Established Alfalfa Grass	7
		Established Mixed Grasses	23
		Established Orchardgrass	5
		Established Pasture (with legume)	4
		Established Pasture (without legume)	19
		Established Red Clover	4
		Established Timothy	20
		Established Trefoil	1
		Established Trefoil-grass	1
		Established Warm Season Grasses	1
		Horticultural Cover Crop	1
		Oats	7
		Other	2
		Planting Alfalfa	14
		Planting Alfalfa in Oats	8
		Planting Alfalfa (No Till)	4
		Planting Alfalfa-Grass	10
		Planting Bromegrass	1
		Planting Ladino Clover	2
		Planting Mixed Grasses	9
		Planting Red Clover	3
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
		Planting Timothy	5
		Planting Warm Season Grasses	4
		Renovating Pasture (with legume)	3
		Sorghum for Forage	1
		Sorghum for Grain	5
		Soybeans	64
		Wheat	55
		Winter Barley	3
<b>CRAWFORD</b>	<b>404</b>		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	50

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain (No-till)	35
		Corn for Silage	21
		Corn for Silage (No-till)	11
		CRP Cool Season Grass	11
		CRP Warm Season Grass	1
		Disturbed Lands	1
		Established Alfalfa	6
		Established Alfalfa Grass	11
		Established Bromegrass	7
		Established Ladino Clover	2
		Established Mixed Grasses	44
		Established Pasture (with legume)	6
		Established Pasture (without legume)	8
		Established Red Clover	1
		Established Red Clover-Grass	2
		Established Reed Canarygrass	2
		Established Tall Fescue	1
		Established Trefoil-grass	1
		Established Warm Season Grasses	42
		Horticultural Cover Crop	3
		Oats	12
		Other	3
		Planting Alfalfa	11
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	5
		Planting Bluegrass	2
		Planting Mixed Grasses	2
		Planting Orchardgrass	2
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	5
		Planting Timothy	1
		Planting Trefoil	1
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	3
		Planting Warm Season Grasses	7
		Renovating Pasture (with legume)	17
		Rye	3
		Sorghum for Forage	2
		Sorghum for Grain	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Soybeans	48
		Sunflowers	1
		Wheat	1
		Winter Barley	2
<b>CUMBERLAND</b>	<b>392</b>		
		Corn for Grain	60
		Corn for Grain (No-till)	43
		Corn for Silage	4
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	9
		Disturbed Lands	3
		Established Alfalfa	22
		Established Alfalfa Grass	6
		Established Bromegrass	11
		Established Ladino Clover	5
		Established Mixed Grasses	44
		Established Orchardgrass	10
		Established Pasture (without legume)	14
		Established Timothy	2
		Established Warm Season Grasses	4
		Horticultural Cover Crop	2
		Oats	12
		Other	9
		Planting Alfalfa	2
		Planting Bluegrass	1
		Planting Bromegrass	2
		Planting Ladino Clover	10
		Planting Mixed Grasses	4
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover-Grass	1
		Planting Timothy	11
		Renovating Pasture (with legume)	1
		Sorghum for Forage	3
		Soybeans	38
		Wheat	39
		Winter Barley	8
<b>DAUPHIN</b>	<b>392</b>		
		Brassicas	2
		Corn for Grain	29

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Grain (No-till)	44
		Corn for Silage	12
		Corn for Silage (No-till)	4
		CRP Cool Season Grass	1
		CRP Warm Season Grass	1
		Disturbed Lands	1
		Established Alfalfa	5
		Established Alfalfa Grass	3
		Established Bromegrass	1
		Established Mixed Grasses	24
		Established Orchardgrass	13
		Established Pasture (with legume)	45
		Established Pasture (without legume)	5
		Established Tall Fescue	1
		Established Timothy	8
		Established Warm Season Grasses	2
		Oats	5
		Other	42
		Planting Alfalfa	2
		Planting Alfalfa in Oats	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	17
		Planting Mixed Grasses	16
		Planting Orchardgrass	4
		Planting Timothy	2
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2
		Rye	3
		Soybeans	71
		Spring Barley	1
		Sudangrass	2
		Wheat	15
		Winter Barley	3
<b>DELAWARE</b>	<b>366</b>		
		Brassicas	1
		Buckwheat	1
		Corn for Grain	141
		Corn for Grain (No-till)	55
		Corn for Silage	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Silage (No-till)	4
		CRP Cool Season Grass	8
		Established Alfalfa	12
		Established Ladino Clover	4
		Established Mixed Grasses	33
		Established Orchardgrass	12
		Established Pasture (with legume)	1
		Established Pasture (without legume)	4
		Oats	4
		Other	8
		Planting Ladino Clover	2
		Planting Mixed Grasses	2
		Rye	9
		Sorghum for Forage	1
		Soybeans	14
		Wheat	41
		Winter Barley	7
<b>ELK</b>	<b>48</b>		
		Brassicas	1
		Corn for Grain	5
		Corn for Silage	1
		Established Alfalfa Grass	12
		Established Ladino Clover	4
		Established Mixed Grasses	1
		Established Orchardgrass	2
		Established Pasture (with legume)	1
		Established Timothy	2
		Oats	2
		Other	1
		Planting Alfalfa	1
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	1
		Planting Mixed Grasses	5
		Planting Orchardgrass	3
		Planting Red Clover (No-till)	1
		Planting Timothy	1
<b>ERIE</b>	<b>306</b>		
		Brassicas	2
		Corn for Grain	77
		Corn for Grain (No-till)	31

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Corn for Silage	13
		Corn for Silage (No-till)	12
		CRP Cool Season Grass	39
		CRP Warm Season Grass	2
		Established Alfalfa	12
		Established Ladino Clover	14
		Established Mixed Grasses	5
		Established Orchardgrass	11
		Established Pasture (with legume)	4
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Red Clover-Grass	5
		Established Reed Canarygrass	2
		Established Trefoil	1
		Established Trefoil-grass	1
		Oats	2
		Other	2
		Planting Alfalfa (No Till)	2
		Planting Bluegrass	2
		Planting Ladino Clover	8
		Planting Mixed Grasses	5
		Planting Orchardgrass	3
		Planting Red Clover	1
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	2
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	4
		Soybeans	32
		Sunflowers	3
		Wheat	3
<b>FAYETTE</b>	<b>221</b>		
		Brassicas	1
		Buckwheat	1
		Corn for Grain	28
		Corn for Grain (No-till)	31
		Corn for Silage	23
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	14
		Disturbed Lands	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa	6
		Established Alfalfa Grass	9
		Established Ladino Clover	1
		Established Mixed Grasses	13
		Established Pasture (with legume)	3
		Established Pasture (without legume)	8
		Established Tall Fescue	1
		Established Timothy	1
		Horticultural Cover Crop	4
		Oats	3
		Planting Alfalfa	9
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	6
		Planting Mixed Grasses	14
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	3
		Planting Timothy	2
		Renovating Pasture (with legume)	9
		Rye	3
		Soybeans	15
		Wheat	2
		Winter Barley	1
<b>FOREST</b>	<b>22</b>		
		Corn for Grain	5
		Corn for Grain (No-till)	1
		Corn for Silage	2
		Established Mixed Grasses	1
		Established Pasture (with legume)	1
		Established Pasture (without legume)	2
		Oats	7
		Other	1
		Soybeans	2
<b>FRANKLIN</b>	<b>262</b>		
		Brassicas	2
		Corn for Grain	45
		Corn for Grain (No-till)	54
		Corn for Silage	3
		CRP Cool Season Grass	3
		Established Alfalfa	41

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa Grass	1
		Established Bluegrass	1
		Established Bromegrass	2
		Established Ladino Clover	2
		Established Mixed Grasses	17
		Established Orchardgrass	4
		Established Pasture (without legume)	10
		Horticultural Cover Crop	1
		Oats	1
		Other	4
		Planting Alfalfa	7
		Planting Alfalfa in Oats	5
		Planting Bromegrass	2
		Planting Ladino Clover	8
		Planting Mixed Grasses	3
		Planting Orchardgrass	8
		Renovating Pasture (with legume)	4
		Soybeans	4
		Wheat	20
		Winter Barley	10
<b>FULTON</b>	<b>111</b>		
		Brassicas	1
		Corn for Grain	6
		Corn for Silage	20
		CRP Cool Season Grass	1
		Established Alfalfa	13
		Established Mixed Grasses	29
		Established Orchardgrass	3
		Established Pasture (with legume)	2
		Established Pasture (without legume)	4
		Established Red Clover-Grass	1
		Oats	3
		Other	3
		Planting Alfalfa	1
		Planting Ladino Clover	5
		Planting Mixed Grasses	5
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Tall Fescue	1
		Planting Timothy	5



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Sorghum-Sudangrass	2
		Sunflowers	1
		Wheat	1
		Winter Barley	2
<b>GREENE</b>	<b>79</b>		
		Corn for Grain (No-till)	1
		Corn for Silage	2
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	1
		Established Alfalfa	1
		Established Alfalfa Grass	2
		Established Mixed Grasses	21
		Established Orchardgrass	1
		Established Pasture (with legume)	1
		Established Pasture (without legume)	13
		Established Timothy	1
		Established Trefoil-grass	1
		Other	1
		Planting Alfalfa	2
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Trefoil	2
		Planting Ladino Clover	5
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Timothy	1
		Planting Trefoil	1
		Renovating Pasture (with legume)	1
		Soybeans	9
<b>HUNTINGDON</b>	<b>146</b>		
		Brassicas	2
		Corn for Grain	15
		Corn for Grain (No-till)	15
		Corn for Silage (No-till)	17
		CRP Cool Season Grass	14
		Established Alfalfa	5
		Established Alfalfa Grass	3
		Established Crownvetch	2
		Established Ladino Clover	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Mixed Grasses	9
		Established Orchardgrass	6
		Established Pasture (with legume)	4
		Established Pasture (without legume)	5
		Established Red Clover-Grass	2
		Established Timothy	1
		Horticultural Cover Crop	1
		Other	1
		Planting Alfalfa	1
		Planting Alfalfa in Oats	2
		Planting Alfalfa in Wheat	2
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	10
		Planting Ladino Clover	4
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Timothy	3
		Renovating Pasture (with legume)	5
		Sorghum-Sudangrass	1
		Soybeans	7
		Wheat	3
<b>INDIANA</b>	<b>286</b>		
		Corn for Grain	79
		Corn for Grain (No-till)	14
		Corn for Silage	12
		Corn for Silage (No-till)	18
		CRP Cool Season Grass	10
		Disturbed Lands	3
		Established Alfalfa	2
		Established Alfalfa Grass	12
		Established Ladino Clover	1
		Established Mixed Grasses	6
		Established Orchardgrass	6
		Established Pasture (with legume)	4
		Established Pasture (without legume)	7
		Established Red Clover	1
		Established Red Clover-Grass	1
		Established Timothy	5
		Established Trefoil-grass	8

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Horticultural Cover Crop	3
		Oats	7
		Planting Alfalfa	1
		Planting Alfalfa in Oats	7
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	4
		Planting Alfalfa-Trefoil	1
		Planting Bromegrass	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	14
		Planting Orchardgrass	3
		Planting Red Clover	4
		Planting Red Clover in Wheat	2
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	1
		Planting Trefoil	2
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	3
		Soybeans	21
		Wheat	4
		Winter Barley	1
<b>JEFFERSON</b>	<b>315</b>		
		Brassicas	5
		Corn for Grain	63
		Corn for Silage	40
		CRP Cool Season Grass	22
		Established Alfalfa	4
		Established Alfalfa Grass	59
		Established Bromegrass	1
		Established Ladino Clover	2
		Established Mixed Grasses	1
		Established Orchardgrass	9
		Established Pasture (without legume)	1
		Established Red Clover	1
		Established Reed Canarygrass	4
		Established Timothy	1
		Established Trefoil	3
		Established Trefoil-grass	6
		Oats	6
		Planting Alfalfa	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa in Oats	4
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	12
		Planting Ladino Clover	10
		Planting Mixed Grasses	1
		Planting Red Clover	4
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	1
		Planting Trefoil	2
		Planting Trefoil in Oats	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	1
		Sorghum for Forage	1
		Soybeans	27
		Spring Barley	3
		Wheat	9
		Winter Barley	2
<b>JUNIATA</b>	<b>348</b>		
		Brassicas	1
		Buckwheat	1
		Corn for Grain	82
		Corn for Grain (No-till)	39
		Corn for Silage	18
		Corn for Silage (No-till)	22
		CRP Warm Season Grass	1
		Established Alfalfa	33
		Established Alfalfa Grass	11
		Established Mixed Grasses	32
		Established Orchardgrass	4
		Established Pasture (with legume)	2
		Established Pasture (without legume)	12
		Established Timothy	2
		Horticultural Cover Crop	2
		Oats	1
		Other	3
		Planting Alfalfa	7
		Planting Alfalfa in Oats	11
		Planting Alfalfa in Wheat	7
		Planting Alfalfa (No Till)	4
		Planting Alfalfa-Grass	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Ladino Clover	1
		Planting Mixed Grasses	2
		Planting Orchardgrass	3
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Soybeans	35
		Wheat	4
		Winter Barley	2
<b>LACKAWANNA</b>	<b>238</b>		
		Brassicas	9
		Corn for Grain	125
		Corn for Grain (No-till)	6
		Corn for Silage	1
		Corn for Silage (No-till)	10
		CRP Cool Season Grass	8
		Disturbed Lands	1
		Established Alfalfa Grass	2
		Established Ladino Clover	1
		Established Mixed Grasses	16
		Established Pasture (without legume)	2
		Established Red Clover-Grass	1
		Established Timothy	2
		Established Trefoil	1
		Horticultural Cover Crop	2
		Oats	1
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Trefoil	2
		Planting Crownvetch	6
		Planting Ladino Clover	8
		Planting Mixed Grasses	8
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	1
		Planting Timothy	4
		Renovating Pasture (with legume)	1
		Rye	3
		Sorghum for Forage	1
		Sorghum-Sudangrass	2
		Soybeans	9

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>LANCASTER</b>	<b>388</b>		
		Brassicas	7
		Buckwheat	2
		Corn for Grain	89
		Corn for Grain (No-till)	29
		Corn for Silage	13
		Corn for Silage (No-till)	12
		Established Alfalfa	15
		Established Alfalfa Grass	1
		Established Ladino Clover	2
		Established Mixed Grasses	19
		Established Orchardgrass	4
		Established Pasture (with legume)	7
		Established Pasture (without legume)	11
		Established Red Clover	2
		Established Red Clover-Grass	1
		Established Timothy	1
		Horticultural Cover Crop	12
		Oats	1
		Other	23
		Planting Alfalfa	6
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	2
		Planting Bromegrass	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	9
		Planting Orchardgrass	4
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover (No-till)	4
		Planting Reed Canarygrass	1
		Planting Tall Fescue	7
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	12
		Rye	5
		Soybeans	41
		Sunflowers	1
		Tobacco	1
		Wheat	16

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>LAWRENCE</b>	<b>165</b>	Winter Barley	11
			1
		Brassicas	2
		Buckwheat	1
		Corn for Grain	38
		Corn for Grain (No-till)	1
		Corn for Silage	22
		CRP Cool Season Grass	5
		Disturbed Lands	2
		Established Alfalfa	4
		Established Alfalfa Grass	6
		Established Mixed Grasses	15
		Established Pasture (without legume)	2
		Oats	8
		Planting Alfalfa	5
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	9
		Planting Mixed Grasses	1
		Planting Trefoil in Oats	3
		Planting Trefoil-Grass	1
		Sorghum for Grain	2
		Soybeans	21
		Sunflowers	2
Wheat	10		
Winter Barley	3		
<b>LEBANON</b>	<b>539</b>	Brassicas	1
		Buckwheat	1
		Corn for Grain	58
		Corn for Grain (No-till)	95
		Corn for Silage	5
		Corn for Silage (No-till)	24
		Established Alfalfa	40
		Established Alfalfa Grass	17
		Established Bluegrass	1
		Established Ladino Clover	5
		Established Mixed Grasses	19
		Established Orchardgrass	25
		Established Pasture (with legume)	7

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Pasture (without legume)	10
		Established Reed Canarygrass	2
		Established Timothy	3
		Established Trefoil-grass	1
		Established Warm Season Grasses	3
		Horticultural Cover Crop	2
		Other	58
		Planting Alfalfa (No Till)	10
		Planting Alfalfa-Grass	5
		Planting Ladino Clover	1
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	1
		Planting Trefoil-Grass	1
		Renovating Pasture (with legume)	1
		Rye	5
		Sorghum for Forage	1
		Sorghum for Grain	3
		Soybeans	107
		Wheat	12
		Winter Barley	9
<b>LEHIGH</b>	<b>156</b>		
		Brassicas	9
		Buckwheat	5
		Corn for Grain	14
		Corn for Grain (No-till)	11
		CRP Cool Season Grass	10
		Established Alfalfa	6
		Established Ladino Clover	8
		Established Mixed Grasses	6
		Established Orchardgrass	1
		Established Pasture (without legume)	4
		Established Red Clover	2
		Established Red Clover-Grass	1
		Established Timothy	4
		Horticultural Cover Crop	1
		Oats	2
		Other	11



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa	2
		Planting Alfalfa (No Till)	2
		Planting Bluegrass	1
		Planting Ladino Clover	9
		Planting Mixed Grasses	9
		Planting Orchardgrass	5
		Planting Red Clover	3
		Planting Red Clover in Wheat	2
		Planting Red Clover (No-till)	1
		Planting Timothy	1
		Renovating Pasture (with legume)	1
		Sorghum for Forage	1
		Soybeans	16
		Wheat	8
<b>LUZERNE</b>	<b>162</b>		
		Brassicas	3
		Buckwheat	2
		Corn for Grain	22
		Corn for Grain (No-till)	12
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	12
		CRP Warm Season Grass	1
		Established Alfalfa Grass	1
		Established Ladino Clover	4
		Established Mixed Grasses	3
		Established Orchardgrass	5
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3
		Established Reed Canarygrass	1
		Established Timothy	1
		Established Warm Season Grasses	21
		Horticultural Cover Crop	2
		Oats	1
		Planting Alfalfa	3
		Planting Alfalfa in Oats	14
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	7
		Planting Crownvetch	1
		Planting Ladino Clover	10
		Planting Mixed Grasses	6

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Orchardgrass	7
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	2
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	1
		Planting Timothy	2
		Planting Warm Season Grasses	3
		Renovating Pasture (with legume)	2
		Rye	1
		Soybeans	1
<b>LYCOMING</b>	<b>484</b>		
		Brassicas	17
		Buckwheat	5
		Corn for Grain	52
		Corn for Grain (No-till)	42
		Corn for Silage	7
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	129
		Established Alfalfa	5
		Established Alfalfa Grass	15
		Established Ladino Clover	4
		Established Mixed Grasses	27
		Established Orchardgrass	10
		Established Pasture (with legume)	6
		Established Pasture (without legume)	5
		Established Red Clover	1
		Horticultural Cover Crop	3
		Oats	9
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	7
		Planting Alfalfa-Grass	3
		Planting Bromegrass	1
		Planting Ladino Clover	22
		Planting Mixed Grasses	6
		Planting Orchardgrass	5
		Planting Red Clover	13
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Timothy	5
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	4
		Renovating Pasture (with legume)	10
		Rye	5
		Sorghum for Forage	3
		Sorghum-Sudangrass	1
		Soybeans	40
		Spring Barley	1
		Tobacco	1
		Wheat	6
		Winter Barley	1
<b>MCKEAN</b>	<b>46</b>		
		Corn for Grain	1
		CRP Cool Season Grass	4
		Established Mixed Grasses	2
		Established Pasture (with legume)	9
		Established Pasture (without legume)	1
		Established Timothy	1
		Horticultural Cover Crop	1
		Oats	1
		Planting Alfalfa-Grass	2
		Planting Red Clover	3
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Trefoil-Grass	5
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	12
		Wheat	1
<b>MERCER</b>	<b>380</b>		
		Corn for Grain	113
		Corn for Grain (No-till)	46
		Corn for Silage	16
		CRP Cool Season Grass	2
		Disturbed Lands	3
		Established Alfalfa	4
		Established Alfalfa Grass	9
		Established Mixed Grasses	20
		Established Pasture (with legume)	2
		Established Red Clover-Grass	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Timothy	5
		Established Warm Season Grasses	1
		Oats	4
		Planting Alfalfa	3
		Planting Alfalfa in Oats	7
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	5
		Planting Mixed Grasses	8
		Planting Orchardgrass	1
		Planting Red Clover	2
		Planting Red Clover in Oats	1
		Planting Timothy	2
		Planting Trefoil	2
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	1
		Sorghum for Forage	1
		Sorghum-Sudangrass	2
		Soybeans	95
		Wheat	12
<b>MIFFLIN</b>	<b>47</b>		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	1
		Corn for Grain (No-till)	5
		Corn for Silage	7
		CRP Cool Season Grass	4
		Established Alfalfa	4
		Established Mixed Grasses	5
		Established Timothy	1
		Established Warm Season Grasses	1
		Oats	1
		Planting Alfalfa (No Till)	5
		Planting Alfalfa-Grass	1
		Planting Alfalfa-Trefoil	1
		Planting Ladino Clover	2
		Planting Orchardgrass	1
		Planting Trefoil	2
		Renovating Pasture (with legume)	1
		Soybeans	1
		Wheat	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>MONROE</b>	<b>36</b>		
		Buckwheat	3
		Corn for Grain (No-till)	2
		Established Alfalfa	1
		Established Ladino Clover	6
		Established Mixed Grasses	4
		Established Orchardgrass	2
		Established Pasture (without legume)	3
		Established Timothy	2
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover	4
		Planting Red Clover-Grass	4
		Renovating Pasture (with legume)	1
<b>MONTGOMERY</b>	<b>162</b>		
		Brassicas	11
		Buckwheat	2
		Corn for Grain	4
		Corn for Grain (No-till)	11
		Corn for Silage	3
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	6
		Established Alfalfa Grass	1
		Established Ladino Clover	15
		Established Mixed Grasses	4
		Established Orchardgrass	1
		Established Pasture (with legume)	6
		Established Pasture (without legume)	9
		Established Red Clover	1
		Established Timothy	3
		Horticultural Cover Crop	4
		Other	27
		Planting Alfalfa	2
		Planting Alfalfa-Grass	1
		Planting Bluegrass	3
		Planting Crownvetch (no-till)	1
		Planting Ladino Clover	13
		Planting Mixed Grasses	4
		Planting Red Clover	1
		Planting Red Clover in Oats	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Red Clover (No-till)	2
		Planting Timothy	2
		Planting Trefoil	1
		Renovating Pasture (with legume)	3
		Rye	2
		Soybeans	10
		Wheat	5
<b>MONTOUR</b>	<b>111</b>		
		Brassicas	1
		Corn for Grain	6
		Corn for Grain (No-till)	13
		Corn for Silage	2
		Corn for Silage (No-till)	2
		Established Alfalfa	8
		Established Alfalfa Grass	3
		Established Mixed Grasses	1
		Established Pasture (without legume)	1
		Established Timothy	5
		Horticultural Cover Crop	1
		Oats	1
		Other	1
		Planting Alfalfa	1
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	4
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Timothy	7
		Renovating Pasture (with legume)	1
		Soybeans	35
		Wheat	8
		Winter Barley	5
<b>NORTHAMPTON</b>	<b>96</b>		
		Brassicas	1
		Corn for Grain	14
		Corn for Grain (No-till)	2
		Corn for Silage	1
		CRP Cool Season Grass	1
		Established Alfalfa	1
		Established Alfalfa Grass	2
		Established Ladino Clover	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Mixed Grasses	5
		Established Orchardgrass	3
		Established Pasture (with legume)	2
		Established Pasture (without legume)	7
		Established Tall Fescue	1
		Other	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	4
		Planting Orchardgrass	2
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	2
		Renovating Pasture (with legume)	2
		Rye	3
		Soybeans	32
<b>NORTHUMBERLAND</b>	<b>445</b>		
		Brassicas	1
		Buckwheat	3
		Corn for Grain	70
		Corn for Grain (No-till)	130
		Corn for Silage	5
		CRP Cool Season Grass	7
		CRP Warm Season Grass	2
		Established Alfalfa	4
		Established Alfalfa Grass	10
		Established Ladino Clover	1
		Established Mixed Grasses	8
		Established Orchardgrass	1
		Established Pasture (with legume)	3
		Established Pasture (without legume)	4
		Established Tall Fescue	1
		Established Timothy	4
		Horticultural Cover Crop	5
		Other	3
		Planting Alfalfa	3
		Planting Alfalfa in Oats	4
		Planting Alfalfa in Wheat	4
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	4
		Planting Mixed Grasses	10

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Orchardgrass	2
		Planting Red Clover in Oats	2
		Planting Red Clover (No-till)	1
		Planting Timothy	4
		Renovating Pasture (with legume)	1
		Sorghum for Grain	6
		Soybeans	111
		Tobacco	1
		Wheat	11
		Winter Barley	15
<b>PERRY</b>	<b>773</b>		
		Brassicas	1
		Corn for Grain	68
		Corn for Grain (No-till)	138
		Corn for Silage	26
		Corn for Silage (No-till)	124
		CRP Cool Season Grass	1
		Established Alfalfa	69
		Established Alfalfa Grass	104
		Established Bluegrass	1
		Established Bromegrass	2
		Established Mixed Grasses	31
		Established Orchardgrass	19
		Established Pasture (with legume)	2
		Established Pasture (without legume)	6
		Established Timothy	1
		Oats	1
		Planting Alfalfa	17
		Planting Alfalfa in Wheat	1
		Planting Alfalfa (No Till)	19
		Planting Alfalfa-Grass	24
		Planting Bluegrass	1
		Planting Bromegrass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	9
		Planting Orchardgrass	6
		Planting Red Clover	2
		Planting Red Clover-Grass	1
		Planting Timothy	2
		Planting Warm Season Grasses	2



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Renovating Pasture (with legume)	5
		Sorghum for Forage	3
		Soybeans	50
		Sunflowers	3
		Wheat	24
		Winter Barley	2
<b>PHILADELPHIA</b>	<b>8</b>		
		Brassicas	2
		Buckwheat	1
		Established Bluegrass	2
		Established Mixed Grasses	1
		Established Pasture (with legume)	1
		Soybeans	1
<b>PIKE</b>	<b>15</b>		
		Corn for Grain (No-till)	1
		Established Pasture (without legume)	2
		Horticultural Cover Crop	1
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	4
		Planting Ladino Clover	3
		Planting Red Clover	3
<b>POTTER</b>	<b>178</b>		
		Brassicas	5
		Buckwheat	8
		Corn for Grain	2
		Corn for Grain (No-till)	5
		Corn for Silage	33
		CRP Cool Season Grass	15
		Established Alfalfa	2
		Established Alfalfa Grass	14
		Established Bromegrass	1
		Established Mixed Grasses	28
		Established Orchardgrass	2
		Established Pasture (without legume)	8
		Established Red Clover-Grass	11
		Established Reed Canarygrass	7
		Established Trefoil	1
		Established Trefoil-grass	1
		Oats	2
		Planting Alfalfa in Oats	4

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Alfalfa-Grass	12
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	1
		Planting Red Clover-Grass	2
		Planting Trefoil in Oats	2
		Renovating Pasture (with legume)	1
		Rye	2
		Sorghum-Sudangrass	2
		Soybeans	4
<b>SCHUYLKILL</b>	<b>295</b>		
		Brassicas	2
		Buckwheat	7
		Corn for Grain	56
		Corn for Grain (No-till)	51
		Corn for Silage	8
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	3
		Disturbed Lands	1
		Established Alfalfa	6
		Established Alfalfa Grass	4
		Established Bluegrass	1
		Established Ladino Clover	2
		Established Mixed Grasses	5
		Established Orchardgrass	5
		Established Pasture (with legume)	2
		Established Pasture (without legume)	6
		Established Timothy	9
		Established Warm Season Grasses	10
		Horticultural Cover Crop	1
		Oats	9
		Other	13
		Planting Alfalfa	2
		Planting Alfalfa-Grass	13
		Planting Alfalfa-Trefoil	1
		Planting Bluegrass	1
		Planting Bromegrass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Orchardgrass	6
		Planting Red Clover	3
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Planting Trefoil in Oats	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	3
		Rye	2
		Soybeans	29
		Wheat	13
		Winter Barley	5
<b>SNYDER</b>	<b>198</b>		
		Brassicas	1
		Corn for Grain	26
		Corn for Grain (No-till)	28
		Corn for Silage	12
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	3
		Established Alfalfa	3
		Established Alfalfa Grass	13
		Established Ladino Clover	1
		Established Mixed Grasses	17
		Established Orchardgrass	8
		Established Pasture (with legume)	4
		Established Pasture (without legume)	11
		Established Red Clover-Grass	1
		Established Timothy	5
		Horticultural Cover Crop	1
		Oats	2
		Other	2
		Planting Alfalfa in Oats	4
		Planting Alfalfa in Wheat	2
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	6
		Planting Ladino Clover	3
		Planting Mixed Grasses	6
		Planting Red Clover in Wheat	1
		Planting Timothy	2
		Planting Trefoil in Wheat	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Renovating Pasture (with legume)	1
		Rye	1
		Soybeans	26
		Spring Barley	1
		Wheat	3
		Winter Barley	1
<b>SOMERSET</b>	<b>204</b>		
		Corn for Grain	16
		Corn for Grain (No-till)	19
		Corn for Silage	12
		Corn for Silage (No-till)	6
		CRP Cool Season Grass	4
		CRP Warm Season Grass	3
		Disturbed Lands	1
		Established Alfalfa	8
		Established Alfalfa Grass	5
		Established Mixed Grasses	31
		Established Orchardgrass	2
		Established Pasture (with legume)	8
		Established Pasture (without legume)	12
		Established Red Clover-Grass	3
		Established Timothy	3
		Established Trefoil-grass	13
		Oats	8
		Planting Alfalfa in Oats	10
		Planting Alfalfa in Wheat	1
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	6
		Planting Bromegrass	1
		Planting Ladino Clover	4
		Planting Mixed Grasses	4
		Planting Red Clover	2
		Planting Red Clover in Oats	3
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	1
		Planting Tall Fescue	1
		Planting Timothy	3
		Renovating Pasture (with legume)	4
		Rye	1
		Soybeans	3

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>SULLIVAN</b>	<b>62</b>	Wheat	3
		Brassicas	8
		Buckwheat	1
		Corn for Grain	13
		Corn for Silage	1
		CRP Cool Season Grass	5
		Established Alfalfa	3
		Established Ladino Clover	9
		Oats	1
		Planting Alfalfa	1
		Planting Alfalfa in Wheat	1
		Planting Ladino Clover	9
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	2
		Sorghum for Forage	1
		Sorghum for Grain	1
		Soybeans	4
		<b>SUSQUEHANNA</b>	<b>294</b>
Buckwheat	2		
Corn for Grain	3		
Corn for Grain (No-till)	3		
Corn for Silage	24		
Corn for Silage (No-till)	19		
CRP Cool Season Grass	34		
Established Alfalfa	12		
Established Alfalfa Grass	2		
Established Ladino Clover	6		
Established Mixed Grasses	57		
Established Pasture (without legume)	1		
Established Red Clover-Grass	4		
Established Tall Fescue	1		
Established Timothy	4		
Oats	2		
Planting Alfalfa	3		
Planting Alfalfa in Oats	3		
Planting Alfalfa-Grass	3		
Planting Ladino Clover	37		

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Mixed Grasses	1
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	9
		Planting Timothy	2
		Planting Trefoil	2
		Planting Trefoil-Grass	3
		Rye	1
		Sorghum for Forage	3
		Soybeans	2
		Spring Barley	1
<b>TIOGA</b>	<b>436</b>		
		Brassicas	5
		Buckwheat	3
		Corn for Grain	45
		Corn for Grain (No-till)	13
		Corn for Silage	66
		Corn for Silage (No-till)	5
		CRP Cool Season Grass	71
		Established Alfalfa	4
		Established Alfalfa Grass	6
		Established Ladino Clover	1
		Established Mixed Grasses	52
		Established Orchardgrass	4
		Established Pasture (with legume)	4
		Established Pasture (without legume)	8
		Established Red Clover	5
		Established Red Clover-Grass	2
		Established Reed Canarygrass	2
		Established Tall Fescue	1
		Established Trefoil-grass	5
		Established Warm Season Grasses	2
		Horticultural Cover Crop	2
		Oats	7
		Planting Alfalfa	11
		Planting Alfalfa in Oats	5
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	25
		Planting Bromegrass	2

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Ladino Clover	13
		Planting Mixed Grasses	5
		Planting Orchardgrass	1
		Planting Red Clover	8
		Planting Red Clover in Oats	4
		Planting Red Clover (No-till)	4
		Planting Red Clover-Grass	3
		Planting Timothy	3
		Planting Trefoil in Oats	1
		Rye	1
		Sorghum for Grain	1
		Sorghum-Sudangrass	4
		Soybeans	25
		Wheat	6
<b>UNION</b>	<b>219</b>		
		Corn for Grain	28
		Corn for Grain (No-till)	59
		Corn for Silage	4
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	3
		CRP Warm Season Grass	4
		Established Alfalfa	17
		Established Alfalfa Grass	6
		Established Ladino Clover	1
		Established Mixed Grasses	8
		Established Pasture (with legume)	2
		Established Pasture (without legume)	3
		Established Reed Canarygrass	7
		Horticultural Cover Crop	3
		Oats	1
		Planting Alfalfa in Oats	5
		Planting Alfalfa in Wheat	2
		Planting Alfalfa-Grass	7
		Planting Ladino Clover	4
		Planting Mixed Grasses	3
		Planting Red Clover	2
		Planting Red Clover-Grass	2
		Rye	1
		Soybeans	38
		Wheat	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>VENANGO</b>	<b>71</b>	Winter Barley	1
		Corn for Grain	23
		Corn for Grain (No-till)	1
		CRP Cool Season Grass	1
		Established Alfalfa Grass	1
		Established Mixed Grasses	8
		Established Orchardgrass	1
		Established Pasture (without legume)	5
		Established Red Clover	1
		Established Reed Canarygrass	1
		Established Warm Season Grasses	1
		Oats	1
		Other	1
		Planting Alfalfa in Oats	2
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	6
		Planting Mixed Grasses	5
		Planting Orchardgrass	4
		Planting Red Clover (No-till)	1
		Planting Red Clover-Grass	2
Planting Timothy	1		
Sorghum-Sudangrass	1		
Spring Barley	1		
<b>WARREN</b>	<b>128</b>	Brassicas	1
		Corn for Grain	21
		Corn for Grain (No-till)	4
		Corn for Silage	20
		CRP Cool Season Grass	11
		Established Alfalfa	1
		Established Ladino Clover	11
		Established Mixed Grasses	4
		Established Orchardgrass	1
		Established Pasture (with legume)	1
		Established Pasture (without legume)	1
		Established Trefoil-grass	3
		Established Warm Season Grasses	1
		Horticultural Cover Crop	1
		Oats	8



**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Other	11
		Planting Alfalfa in Oats	5
		Planting Alfalfa-Grass	3
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Planting Orchardgrass	3
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover in Wheat	1
		Planting Timothy	1
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Sorghum for Forage	1
		Sorghum-Sudangrass	1
		Soybeans	1
		Sunflowers	1
		Wheat	5
<b>WASHINGTON</b>	<b>362</b>		
		Brassicas	1
		Corn for Grain	38
		Corn for Grain (No-till)	3
		Corn for Silage	45
		CRP Cool Season Grass	55
		Disturbed Lands	3
		Established Alfalfa	11
		Established Alfalfa Grass	2
		Established Bromegrass	2
		Established Mixed Grasses	42
		Established Orchardgrass	6
		Established Pasture (with legume)	5
		Established Pasture (without legume)	9
		Established Red Clover-Grass	1
		Established Timothy	5
		Horticultural Cover Crop	12
		Oats	4
		Other	1
		Planting Alfalfa	21
		Planting Alfalfa in Oats	4
		Planting Alfalfa (No Till)	4
		Planting Alfalfa-Grass	14

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Planting Bromegrass	5
		Planting Ladino Clover	7
		Planting Mixed Grasses	16
		Planting Orchardgrass	3
		Planting Red Clover in Oats	3
		Planting Red Clover (No-till)	3
		Planting Red Clover-Grass	6
		Planting Timothy	3
		Planting Trefoil-Grass	1
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	5
		Sorghum for Forage	2
		Soybeans	19
<b>WAYNE</b>	<b>141</b>		
		Brassicas	9
		Corn for Grain	2
		Corn for Grain (No-till)	2
		Corn for Silage	6
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	4
		Established Alfalfa	1
		Established Alfalfa Grass	1
		Established Mixed Grasses	48
		Established Orchardgrass	5
		Established Pasture (without legume)	7
		Established Red Clover-Grass	12
		Established Timothy	2
		Established Trefoil-grass	1
		Horticultural Cover Crop	1
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	12
		Planting Mixed Grasses	2
		Planting Red Clover-Grass	1
		Planting Timothy	5
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2
		Rye	1
		Soybeans	1

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>WESTMORELAND</b>	<b>389</b>		
		Brassicas	3
		Buckwheat	1
		Corn for Grain	34
		Corn for Grain (No-till)	46
		Corn for Silage	66
		Corn for Silage (No-till)	10
		CRP Cool Season Grass	13
		Disturbed Lands	4
		Established Alfalfa	2
		Established Alfalfa Grass	14
		Established Ladino Clover	1
		Established Mixed Grasses	23
		Established Orchardgrass	4
		Established Pasture (with legume)	23
		Established Pasture (without legume)	9
		Established Red Clover-Grass	3
		Established Reed Canarygrass	10
		Established Trefoil-grass	2
		Established Warm Season Grasses	1
		Horticultural Cover Crop	2
		Oats	12
		Other	13
		Planting Alfalfa	6
		Planting Alfalfa in Oats	6
		Planting Alfalfa (No Till)	1
		Planting Ladino Clover	6
		Planting Mixed Grasses	10
		Planting Orchardgrass	3
		Planting Red Clover	6
		Planting Red Clover in Oats	1
		Planting Tall Fescue	1
		Planting Timothy	3
		Planting Trefoil	10
		Planting Trefoil in Wheat	4
		Renovating Pasture (with legume)	5
		Rye	3
		Sorghum for Grain	3
		Soybeans	19
		Wheat	6

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
<b>WYOMING</b>	<b>397</b>		
		Brassicas	5
		Corn for Grain	9
		Corn for Grain (No-till)	98
		Corn for Silage	48
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	23
		Established Alfalfa	5
		Established Alfalfa Grass	10
		Established Ladino Clover	11
		Established Mixed Grasses	69
		Established Orchardgrass	2
		Established Pasture (with legume)	5
		Established Pasture (without legume)	2
		Established Red Clover-Grass	2
		Established Timothy	4
		Oats	20
		Planting Alfalfa	5
		Planting Alfalfa in Oats	4
		Planting Alfalfa (No Till)	1
		Planting Alfalfa-Grass	5
		Planting Ladino Clover	4
		Planting Mixed Grasses	12
		Planting Orchardgrass	1
		Planting Red Clover	4
		Planting Red Clover in Oats	4
		Planting Red Clover-Grass	3
		Planting Timothy	23
		Planting Trefoil	1
		Planting Trefoil-Grass	1
		Sorghum for Grain	1
		Soybeans	5
		Wheat	1
<b>YORK</b>	<b>312</b>		
		Brassicas	1
		Corn for Grain	63
		Corn for Grain (No-till)	58
		Corn for Silage	3
		Corn for Silage (No-till)	3
		CRP Cool Season Grass	5

**SUMMARY REPORT- Crop**

**Agronomic Samples**

**2007-2008**

<b>County</b>	<b>Total Samples</b>	<b>Crop</b>	<b># of Samples</b>
		Established Alfalfa	3
		Established Alfalfa Grass	1
		Established Ladino Clover	4
		Established Mixed Grasses	24
		Established Orchardgrass	9
		Established Pasture (with legume)	16
		Established Pasture (without legume)	18
		Established Timothy	6
		Oats	5
		Other	1
		Planting Alfalfa	1
		Planting Alfalfa-Grass	3
		Planting Bluegrass	2
		Planting Ladino Clover	9
		Planting Mixed Grasses	3
		Planting Orchardgrass	6
		Planting Red Clover	3
		Planting Red Clover in Wheat	1
		Planting Red Clover (No-till)	1
		Planting Timothy	3
		Planting Warm Season Grasses	7
		Renovating Pasture (with legume)	5
		Soybeans	36
		Sunflowers	1
		Wheat	4
		Winter Barley	7
		<b>TOTAL:</b>	<b>19,578</b>