Agronomic Samples

VOLUME SUMMARY-BY CROP

Crop Code	Crop Name	Count
1050	Barley/Soybean Double Crop	11
1079	Brassicas	176
1069	Buckwheat	31
1012	Canola	11
1042	Corn for Grain	2,592
1044	Corn for Grain (No-till)	1,977
1043	Corn for Silage	618
1045	Corn for Silage (No-till)	593
1054	CRP Cool Season Grass	1,236
1053	CRP Warm Season Grass	29
1800	Disturbed Lands	80
1010	Established Bluegrass	5
1011	Established Crownvetch	3
1014	Established Ladino Clover	99
1015	Established Red Clover	30
1074	Established Red Clover-Grass	83
1005	Established Trefoil	7
1006	Established Trefoil-grass	73
1078	Established Warm Season Grasses	171
1001	Established Alfalfa	641
1072	Established Alfalfa Grass	657
1016	Established Bromegrass	60
1019	Established Mixed Grasses	1,014
1017	Established Orchardgrass	289
1082	Established Pasture (with legume)	185
1081	Established Pasture (without legume)	500
1086	Established Reed Canarygrass	42
1076	Established Tall Fescue	9
1018	Established Timothy	166
1052	Hops	13
1055	Horticultural Cover Crop	103
1049	Millet for Forage	1
1059	Oats	286
1999	Other	1,141
1020	Planting Alfalfa	243
1023	Planting Alfalfa (No Till)	112
1035	Planting Alfalfa in Oats	139
1032	Planting Alfalfa in Wheat	25

Penn State Agricultural Analytical Services Lab

Agronomic Samples

VOLUME SUMMARY-BY CROP

Crop Code	Crop Name	Count
1021	Planting Alfalfa-Grass	289
1022	Planting Alfalfa-Trefoil	6
1038	Planting Bluegrass	13
1039	Planting Bromegrass	15
1030	Planting Crownvetch	6
1031	Planting Crownvetch (no-till)	1
1083	Planting Grass Pasture	19
1029	Planting Ladino Clover	238
1062	Planting Mixed Grasses	363
1040	Planting Orchardgrass	73
1027	Planting Red Clover	79
1028	Planting Red Clover (No-till)	34
1037	Planting Red Clover in Oats	23
1034	Planting Red Clover in Wheat	7
1073	Planting Red Clover-Grass	42
1085	Planting Reed Canarygrass	3
1075	Planting Tall Fescue	20
1041	Planting Timothy	78
1024	Planting Trefoil	7
1026	Planting Trefoil (No-till)	5
1036	Planting Trefoil in Oats	6
1025	Planting Trefoil-Grass	43
1077	Planting Warm Season Grasses	47
1080	Renovating Pasture (with legume)	126
1061	Rye	107
1046	Sm Grain Sil/Corn Grain Dbl Crp	9
1047	Sm Grain Sil/Corn Sil Dbl Crop	3
1051	Small Grain Silage	2
1063	Sorghum for Forage	18
1057	Sorghum for Grain	22
1067	Sorghum-Sudangrass	21
1064	Soybeans	1,838
1013	Spelt	8
1068	Spring Barley	10
1066	Sudangrass	7
1071	Sunflowers	17
1065	Tobacco	9
1058	Wheat	502

Penn State Agricultural Analytical Services Lab

Agronomic Samples

VOLUME SUMMARY-BY CROP

Crop Code	Crop Name		Count
1056	Wildlife Food Plot		371
1060	Winter Barley		86
		TOTAL:	18,024

County	Total Samples	Сгор	# of Samples
	445		
ADAMS	145	rn for Grain	23
		rn for Grain (No-till)	4
		rn for Silage	4 11
		rn for Silage (No-till)	8
		P Cool Season Grass	11
		tablished Red Clover-Grass	1
		tablished Alfalfa	2
		tablished Mixed Grasses	19
		tablished Orchardgrass	4
		tablished Pasture (with legume)	4
		tablished Pasture (without legume)	10
		tablished Timothy	4
	Oth		3
		anting Alfalfa-Grass	1
		anting Mixed Grasses	3
		anting Orchardgrass	3
		anting Timothy	4
		n Grain Sil/Corn Grain Dbl Crp	1
		rghum for Forage	1
		rghum-Sudangrass	1
		ybeans	14
		neat	5
		Idlife Food Plot	4
		nter Barley	4
ALLEGHENY	100		
		assicas	1
	Co	rn for Grain	12
	CR	P Cool Season Grass	8
	CR	P Warm Season Grass	1
	Dis	sturbed Lands	8
	Est	tablished Red Clover-Grass	1
	Est	tablished Pasture (with legume)	9
	Est	tablished Pasture (without legume)	1
		tablished Tall Fescue	1
	Но	rticultural Cover Crop	3
	Oa		2
	Oth	ner	4
	Pla	anting Bluegrass	1
		anting Crownvetch (no-till)	1

County	Total Sample	es Crop	# of Samples
	Р	lanting Ladino Clover	1
		lanting Mixed Grasses	22
		lanting Orchardgrass	1
		lanting Red Clover	2
		lanting Red Clover (No-till)	1
		lanting Tall Fescue	2
	Р	lanting Trefoil-Grass	4
	R	enovating Pasture (with legume)	2
		ye	2
	S	oybeans	2
	V	/ildlife Food Plot	8
ARMSTRONG	166		
	В	uckwheat	1
	С	orn for Grain	15
	С	orn for Grain (No-till)	22
	С	orn for Silage (No-till)	1
	С	RP Cool Season Grass	11
	С	RP Warm Season Grass	2
	D	isturbed Lands	3
	E	stablished Trefoil	1
	E	stablished Alfalfa	1
	E	stablished Alfalfa Grass	1
	E	stablished Bromegrass	1
	E	stablished Mixed Grasses	20
	E	stablished Orchardgrass	5
	E	stablished Pasture (with legume)	1
	E	stablished Timothy	4
	0	ats	4
	0	ther	6
	Р	lanting Alfalfa	3
	Р	lanting Alfalfa (No Till)	1
	Р	lanting Alfalfa-Grass	6
	Р	lanting Bromegrass	3
	Р	lanting Mixed Grasses	11
	Р	lanting Orchardgrass	1
	Р	lanting Red Clover	1
	Р	lanting Trefoil-Grass	19
	Р	lanting Warm Season Grasses	1
	R	enovating Pasture (with legume)	1
	R	уе	4

County	Total Sar	nples	Сгор	# of Samples
		0		
		Soybeans		11
		Wheat	d Diat	3
		Wildlife Foo	a Plot	2
BEAVER	79			
		Corn for Gra		12
		Corn for Gra	ain (No-till)	9
		Corn for Sila	age	2
		CRP Cool S	eason Grass	7
		Established	Alfalfa	1
		Established	Mixed Grasses	13
		Established	Pasture (with legume)	2
		Established	Pasture (without legume)	3
		Oats		2
		Planting Alfa	alfa	1
		Planting Alfa	alfa in Oats	1
		Planting Alfa	alfa-Grass	7
		Planting Mix	ed Grasses	1
		Planting Tim		2
		-	Pasture (with legume)	2
		Soybeans		11
		Wildlife Foo	d Plot	2
		Winter Barle		1
BEDFORD	276			
DEDITORD	210	Brassicas		2
		Corn for Gra	ain	27
		Corn for Gra		29
		Corn for Sila		23
		Corn for Sila	-	11
		Established		1
			Ladino Clover	4
			Red Clover	4
			Red Clover-Grass	
		Established		2
				8
			Alfalfa Grass	15
			Bromegrass	4
			Mixed Grasses	37
			Orchardgrass	6
			Pasture (with legume)	6
			Pasture (without legume)	7
		Established	Timothy	1

County	Total Sample	es Crop	# of Samples
			0
	-	ats	6
		lanting Alfalfa	5
		lanting Alfalfa (No Till)	8
		lanting Alfalfa in Oats	4
		lanting Alfalfa in Wheat	1
		lanting Alfalfa-Grass	8
		lanting Ladino Clover	17
	Р	lanting Mixed Grasses	4
	Р	lanting Orchardgrass	2
	Р	lanting Red Clover	1
	Р	lanting Red Clover in Wheat	1
	Р	lanting Red Clover-Grass	5
	Р	lanting Timothy	3
	R	enovating Pasture (with legume)	6
	S	orghum for Forage	3
	S	oybeans	3
	S	pring Barley	2
	V	/heat	6
	V	/ildlife Food Plot	4
	M	/inter Barley	2
BERKS	423		
	С	orn for Grain	64
	С	orn for Grain (No-till)	27
		orn for Silage	3
		orn for Silage (No-till)	7
		RP Cool Season Grass	5
		isturbed Lands	2
		stablished Ladino Clover	6
		stablished Red Clover	3
		stablished Red Clover-Grass	5
		stablished Warm Season Grasses	1
		stablished Alfalfa	11
		stablished Alfalfa Grass	10
		stablished Mixed Grasses	22
		stablished Orchardgrass	12
		-	7
		stablished Pasture (with legume)	, 11
		stablished Pasture (without legume)	
		stablished Timothy	2
		ats	2
	C	ther	114

County	Total Samp	les Crop	# of Samples
		Planting Alfalfa	2
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	5
		Planting Mixed Grasses	9
		Planting Orchardgrass	1
		Planting Red Clover	3
		Planting Red Clover (No-till)	1
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	3
		Rye	2
		Sorghum-Sudangrass	6
		Soybeans	32
		Wheat	23
		Wildlife Food Plot	6
		Winter Barley	12
		White Darley	12
BLAIR	353		
		Brassicas	4
		Corn for Grain	50
		Corn for Grain (No-till)	25
		Corn for Silage	8
		Corn for Silage (No-till)	41
		CRP Cool Season Grass	25
		Established Red Clover	2
		Established Alfalfa	50
		Established Alfalfa Grass	14
		Established Bromegrass	1
		Established Mixed Grasses	8
		Established Orchardgrass	3
		Established Pasture (with legume)	3
		Established Pasture (without legume)	7
		Established Timothy	13
		Dats	2
		Other	2
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	3
		Planting Alfalfa-Grass	42
		Planting Bromegrass	1
		Planting Ladino Clover	3
		Planting Mixed Grasses	10

County	Total Samp	les Crop	# of Samples
		Planting Timothy	1
		Rye	1
		Sorghum-Sudangrass	1
		Soybeans	14
		Sunflowers	2
		Wheat	1
		Wildlife Food Plot	13
BRADFORD	510		
		Brassicas	6
		Corn for Grain	22
		Corn for Grain (No-till)	13
		Corn for Silage	31
		Corn for Silage (No-till)	19
		CRP Cool Season Grass	191
		CRP Warm Season Grass	3
		Established Ladino Clover	4
		Established Red Clover	1
		Established Trefoil-grass	1
		Established Alfalfa	3
		Established Alfalfa Grass	35
		Established Mixed Grasses	44
		Established Orchardgrass	14
		Established Pasture (with legume)	3
		Established Pasture (without legume)	10
		Oats	2
		Other	37
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa in Oats	3
		Planting Alfalfa-Grass	17
		Planting Ladino Clover	2
		Planting Mixed Grasses	11
		Planting Orchardgrass	1
		Planting Red Clover	5
		Planting Red Clover-Grass	1
		Planting Timothy	5
		Planting Trefoil-Grass	3
		Renovating Pasture (with legume)	1
		Rye	1
		Soybeans	15

County	Total Sam	ples Crop	# of Samples
		Wildlife Food Plot	2
BUCKS	197		
beens	101	Brassicas	2
		Buckwheat	2
		Corn for Grain	- 16
		Corn for Grain (No-till)	3
		CRP Cool Season Grass	7
		Established Red Clover-Grass	1
		Established Warm Season Grasses	1
		Established Mixed Grasses	12
		Established Orchardgrass	22
		Established Pasture (with legume)	2
		Established Pasture (without legume)	49
		Established Timothy	7
		Hops	1
		Oats	4
		Other	2
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	7
		Planting Mixed Grasses	14
		Planting Orchardgrass	6
		Planting Red Clover	3
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	6
		Rye	2
		Sorghum for Grain	5
		Soybeans	5
		Wheat	9
		Wildlife Food Plot	2
BUTLER	619		
		Brassicas	1
		Corn for Grain	163
		Corn for Grain (No-till)	144
		Corn for Silage	3
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	34
		Disturbed Lands	3
		Established Ladino Clover	1

County	Total Sam	bles	Сгор	# of Samples
		Established Alfalf	a	5
		Established Alfalf		6
		Established Brom		1
		Established Mixe	-	17
		Established Orch		1
		Established Past	0	3
			ure (without legume)	8
		Established Timo		2
		Oats		10
		Other		2
		Planting Alfalfa		6
		Planting Alfalfa in	Oats	10
		Planting Alfalfa-T		1
		Planting Bluegras		1
		Planting Ladino C		4
		Planting Mixed G		3
		Planting Orcharde		4
		Planting Red Clov	-	2
		Planting Red Clov		1
		Planting Tall Feso		1
		Planting Timothy		3
		Renovating Pastu	ire (with legume)	5
		Sorghum for Fora		1
		Soybeans	0	150
		Sunflowers		2
		Wheat		2
		Wildlife Food Plot		18
CAMBRIA	244			
		Corn for Grain		49
		Corn for Grain (N	o-till)	3
		Corn for Silage		32
		CRP Cool Seaso	n Grass	31
		Established Ladi	no Clover	6
		Established Red	Clover-Grass	6
		Established Alfalf	а	16
		Established Alfalf	a Grass	13
		Established Mixe	d Grasses	5
		Established Orch	ardgrass	1
		Established Pastu	ure (without legume)	4
		Established Reed	l Canarygrass	5

County	Total Sam	oles Crop	# of Samples
		Established Timothy	2
		Oats	15
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	2
		Planting Alfalfa-Grass	5
		Planting Ladino Clover	6
		Planting Mixed Grasses	3
		Planting Orchardgrass	3
		Planting Red Clover (No-till)	1
		Planting Red Clover in Oats	2
		Planting Red Clover-Grass	1
		Planting Tall Fescue	2
		Planting Timothy	1
		Renovating Pasture (with legume)	3
		Sorghum for Grain	1
		Soybeans	16
		Wheat	5
		Wildlife Food Plot	4
CAMERON	12		
		Corn for Grain	1
		Established Mixed Grasses	2
		Established Orchardgrass	1
		Planting Alfalfa in Oats	1
		Planting Red Clover	1
		Soybeans	2
		Wildlife Food Plot	4
CARBON	24		
		Corn for Grain	3
		Corn for Silage	1
		CRP Cool Season Grass	2
		Oats	5
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	4
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2
		Sorghum for Forage	1
		Wildlife Food Plot	3
		Winter Barley	1
CENTRE	2,099		
		Brassicas	15

County	Total Samples	Сгор	# of Samples
	Buckwhea	t	1
	Canola		9
	Corn for G	rain	167
	Corn for G	rain (No-till)	242
	Corn for Si	, , ,	26
		lage (No-till)	104
	CRP Cool	Season Grass	17
	CRP Warn	n Season Grass	2
	Establishe	d Ladino Clover	3
	Establishe	d Red Clover-Grass	1
	Establishe	d Warm Season Grasses	6
	Establishe	d Alfalfa	100
	Establishe	d Alfalfa Grass	73
	Establishe	d Mixed Grasses	71
	Establishe	d Orchardgrass	12
	Establishe	d Pasture (with legume)	9
	Establishe	d Pasture (without legume)	80
	Establishe	d Reed Canarygrass	8
	Establishe	d Timothy	1
	Hops		5
	Horticultura	al Cover Crop	4
	Oats		16
	Other		586
	Planting Al	falfa	10
	Planting Al	falfa (No Till)	14
	Planting Al	falfa in Oats	19
	Planting Al	falfa-Grass	43
	Planting Bl	uegrass	1
	Planting G	rass Pasture	9
	Planting La	adino Clover	3
	Planting M	ixed Grasses	64
	Planting O	rchardgrass	5
	Planting R	ed Clover	8
	Planting R	ed Clover (No-till)	4
	Planting R	ed Clover-Grass	3
	Planting Ta	all Fescue	3
	Planting W	arm Season Grasses	3
	Renovating	g Pasture (with legume)	4
	Rye		26
	Sm Grain S	Sil/Corn Grain Dbl Crp	3

Agronomic Samples

County	Total Samp	les Crop	# of Samples
		Sorghum for Forage	1
		Soybeans	204
		Sunflowers	2
		Tobacco	2
		Wheat	74
		Wildlife Food Plot	30
	,	Winter Barley	6
CHESTER	195		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	21
		Corn for Grain (No-till)	21
		Corn for Silage (No-till)	9
		CRP Cool Season Grass	6
		CRP Warm Season Grass	1
		Disturbed Lands	4
		Established Trefoil	4
		Established Alfalfa	18
		Established Alfalfa Grass	1
		Established Mixed Grasses	4
		Established Orchardgrass	5
		Established Pasture (with legume)	6
		Established Pasture (without legume)	21
		Oats	1
		Other	15
		Planting Alfalfa	2
		Planting Alfalfa-Grass	2
		Planting Bromegrass	1
		Planting Grass Pasture	2
		Planting Ladino Clover	7
		Planting Mixed Grasses	5
		Planting Orchardgrass	3
		Planting Red Clover in Oats	2
		Planting Timothy	3
		Planting Trefoil-Grass	2
		Renovating Pasture (with legume)	9
		Rye	1
		Soybeans	15
		Wildlife Food Plot	1

209

County	Total Samp	les Crop	# of Samples
		Brassicas	2
		Corn for Grain	48
		Corn for Grain (No-till)	17
		Corn for Silage	5
		Corn for Silage (No-till)	1
		CRP Cool Season Grass	16
		Disturbed Lands	14
		Established Red Clover-Grass	1
		Established Alfalfa	3
		Established Alfalfa Grass	18
		Established Bromegrass	2
		Established Mixed Grasses	15
		Established Orchardgrass	4
		Established Pasture (with legume)	12
		Established Reed Canarygrass	1
		Established Tall Fescue	2
		Established Timothy	4
		Oats	5
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	2
		Planting Ladino Clover	5
		Planting Mixed Grasses	13
		Planting Red Clover-Grass	1
		Planting Timothy	1
		Renovating Pasture (with legume)	2
		Soybeans	8
		Wildlife Food Plot	5
CLEARFIELD	267		
		Brassicas	2
		Corn for Grain	45
		Corn for Grain (No-till)	8
		Corn for Silage	16
		Corn for Silage (No-till)	13
		CRP Cool Season Grass	7
		CRP Warm Season Grass	1
		Disturbed Lands	13
		Established Red Clover	1
		Established Trefoil-grass	1
		Established Alfalfa	6
		Established Alfalfa Grass	39

County	Total Sample	s Crop	# of Samples
	-	stabilize and Missard Occasion	45
		stablished Mixed Grasses	15
		stablished Orchardgrass	8
		stablished Pasture (with legume)	2
		stablished Pasture (without legume)	11
		stablished Reed Canarygrass	3
		stablished Timothy	6
		ats	7
		anting Alfalfa	2
		anting Alfalfa (No Till)	3
	PI	anting Alfalfa in Oats	9
	PI	anting Alfalfa-Grass	14
	PI	anting Grass Pasture	1
	PI	anting Ladino Clover	4
	PI	anting Mixed Grasses	1
	PI	anting Orchardgrass	1
	PI	anting Red Clover	3
	PI	anting Red Clover (No-till)	1
	PI	anting Timothy	1
	R	enovating Pasture (with legume)	1
	S	orghum for Grain	1
	S	bybeans	9
	S	pring Barley	1
	-	'heat	1
	W	'ildlife Food Plot	10
CLINTON	300		
	Bi	rassicas	1
		orn for Grain	3
	C	orn for Grain (No-till)	54
		orn for Silage (No-till)	38
		RP Cool Season Grass	2
		stablished Ladino Clover	-
		stablished Red Clover	1
		stablished Red Clover-Grass	4
		stablished Alfalfa	24
		stablished Alfalfa Grass	14
		stablished Mixed Grasses	8
		stablished Pasture (with legume)	8
		stablished Pasture (without legume)	8 5
		· · · · ·	5 4
		stablished Timothy	
	0	ats	1

County	Total Sample	s Crop	# of Samples
	Р	lanting Alfalfa	5
		lanting Alfalfa (No Till)	22
		lanting Alfalfa-Grass	2
		lanting Ladino Clover	6
	Р	lanting Orchardgrass	2
	R	enovating Pasture (with legume)	2
	R	ye	1
	S	orghum-Sudangrass	1
	S	oybeans	37
	Т	obacco	4
	W	/heat	42
	W	/ildlife Food Plot	8
COLUMBIA	434		
	В	uckwheat	1
	С	orn for Grain	106
	С	orn for Grain (No-till)	41
	С	orn for Silage	7
	С	orn for Silage (No-till)	2
	С	RP Cool Season Grass	34
	С	RP Warm Season Grass	1
	E	stablished Ladino Clover	1
	E	stablished Red Clover	1
	E	stablished Red Clover-Grass	1
	E	stablished Alfalfa	2
	E	stablished Alfalfa Grass	11
	E	stablished Bromegrass	1
	E	stablished Mixed Grasses	9
	E	stablished Orchardgrass	7
	E	stablished Pasture (with legume)	9
	E	stablished Pasture (without legume)	6
	E	stablished Timothy	8
	Н	orticultural Cover Crop	1
	0	ats	9
	0	ther	1
	Р	lanting Alfalfa	4
	Р	lanting Alfalfa (No Till)	1
	Р	lanting Alfalfa in Oats	1
	Р	lanting Ladino Clover	1
	Р	lanting Mixed Grasses	2
	Р	anting Red Clover	1

County	Total Samples	Сгор	# of Samples
	Planting	g Red Clover (No-till)	2
		g Timothy	4
		g Trefoil-Grass	1
	Rye	-	6
	Soybea	ans	86
	Wheat		54
	Wildlife	Food Plot	8
	Winter	Barley	4
CRAWFORD	466	-	
0111110112	Brassic	as	1
	Buckwł		6
	Canola		2
	Corn fo	or Grain	68
	Corn fo	or Grain (No-till)	7
		or Silage	4
		or Silage (No-till)	5
		ool Season Grass	9
	Establis	shed Red Clover	4
	Establis	shed Red Clover-Grass	5
	Establis	shed Trefoil	2
	Establis	shed Trefoil-grass	6
	Establis	shed Warm Season Grasses	127
	Establis	shed Alfalfa Grass	1
	Establis	shed Mixed Grasses	32
	Establis	shed Orchardgrass	5
	Establis	shed Pasture (with legume)	4
	Establis	shed Pasture (without legume)	6
	Establis	shed Timothy	3
	Horticu	Itural Cover Crop	6
	Millet fo	or Forage	1
	Oats		3
	Other		36
	Planting	g Alfalfa in Oats	2
	Planting	g Alfalfa in Wheat	1
	Planting	g Mixed Grasses	3
	Planting	g Orchardgrass	3
	Planting	g Red Clover in Wheat	1
	Planting	g Red Clover-Grass	1
	Planting	g Tall Fescue	1
	Planting	g Timothy	1

County	Total Samples	s Crop	# of Samples
	Pla	anting Trefoil-Grass	3
	Ry	/e	13
	Sc	bybeans	79
	Su	Inflowers	6
	W	heat	1
	W	ildlife Food Plot	8
CUMBERLAND	193		
	Co	orn for Grain	42
	Co	orn for Grain (No-till)	8
	Co	orn for Silage	5
	Co	orn for Silage (No-till)	4
	CF	RP Cool Season Grass	6
	Di	sturbed Lands	1
	Es	stablished Warm Season Grasses	1
	Es	stablished Alfalfa	3
	Es	stablished Alfalfa Grass	2
	Es	stablished Bromegrass	13
	Es	stablished Mixed Grasses	14
	Es	stablished Orchardgrass	6
	Es	stablished Pasture (with legume)	4
	Es	tablished Pasture (without legume)	5
	Es	stablished Timothy	2
	Ho	orticultural Cover Crop	4
	Oa	ats	4
	Ot	her	7
	Pla	anting Alfalfa	1
	Pla	anting Alfalfa (No Till)	1
	Pla	anting Alfalfa-Grass	3
	Pla	anting Bluegrass	1
	Pla	anting Bromegrass	3
	Pla	anting Mixed Grasses	4
	Pla	anting Orchardgrass	1
	Pla	anting Red Clover in Oats	1
	Pla	anting Red Clover in Wheat	1
	Pla	anting Red Clover-Grass	1
	Re	enovating Pasture (with legume)	7
	Ry	/e	3
	Sc	orghum-Sudangrass	3
	Sc	bybeans	19
	W	heat	10

County	Total Samp	oles	Сгор	# of Samples
		Wildlife Food F	Plot	1
		Winter Barley		2
DAUPHIN	223			
		Brassicas		4
		Buckwheat		3
		Corn for Grain		32
		Corn for Grain	(No-till)	43
		Corn for Silage	e (No-till)	1
		Established La	adino Clover	1
		Established R	ed Clover-Grass	1
		Established W	/arm Season Grasses	1
		Established Al	falfa	13
		Established Al	falfa Grass	2
		Established Br	omegrass	1
		Established M	xed Grasses	4
		Established Or	chardgrass	4
		Established Pa	asture (with legume)	3
		Established Pa	asture (without legume)	1
		Established Ti	mothy	2
		Oats		1
		Planting Alfalfa	à	2
		Planting Alfalfa	a (No Till)	1
		Planting Ladin	o Clover	13
		Planting Mixed	Grasses	17
		Planting Orcha	urdgrass	5
		Planting Red 0	Clover	2
		Planting Timot	hy	1
		Rye		2
		Sm Grain Sil/C	Corn Grain Dbl Crp	1
		Sorghum for G	rain	3
		Soybeans		31
		Spelt		1
		Wheat		12
		Wildlife Food F	Plot	7
		Winter Barley		8
DELAWARE	23			
		Corn for Grain		1
		Corn for Silage	9	2
		CRP Cool Sea	son Grass	4
		Established Pa	asture (with legume)	1

County	Total Samples	Сгор	# of Samples
	Other		2
	Planting	Ladino Clover	1
	Renovati	ing Pasture (with legume)	2
	Wheat		9
	Wildlife F	Food Plot	1
ELK	74		
	Corn for	Grain	14
	Corn for	Grain (No-till)	1
	Corn for	Silage	1
	Corn for	Silage (No-till)	4
	Establish	ned Ladino Clover	1
	Establish	ned Red Clover-Grass	1
	Establish	ned Trefoil-grass	3
	Establish	ned Alfalfa Grass	9
	Establish	ned Orchardgrass	3
	Establish	ned Timothy	1
	Oats		6
	Planting	Alfalfa	5
	Planting	Alfalfa (No Till)	2
	Planting	Alfalfa-Grass	6
	Planting	Ladino Clover	1
	Planting	Red Clover	1
	Planting	Red Clover in Oats	2
	-	Red Clover-Grass	1
	Planting		2
	Soybean	-	6
	Wheat		1
	Wildlife F	Food Plot	3
ERIE	248		
	Brassica	S	2
	Corn for	Grain	76
	Corn for	Grain (No-till)	15
	Corn for	. ,	2
		Silage (No-till)	6
		ol Season Grass	35
		ned Ladino Clover	1
		ned Red Clover-Grass	6
		ned Trefoil-grass	1
		hed Warm Season Grasses	1
		ned Alfalfa	3

County T	otal Samples	Сгор	# of Samples
		Vived Creeses	47
		Mixed Grasses	17
		Drchardgrass	2
		Pasture (without legume)	1
		Reed Canarygrass	3
	Established 7	Imothy	1
	Oats	,	6
	Planting Alfal		2
	Planting Alfal		1
	Planting Ladi		2
	Planting Mixe		2
	Planting Red		2
	-	Clover (No-till)	1
	Planting Time	-	3
	Planting Tref	oil-Grass	2
	Soybeans		46
	Wheat		1
	Wildlife Food	Plot	8
FAYETTE	329		
	Corn for Grai	'n	70
	Corn for Grai	n (No-till)	18
	Corn for Sila	ge	13
	CRP Cool Se	eason Grass	44
	Established	Red Clover	5
	Established	Warm Season Grasses	1
	Established A	Alfalfa	9
	Established A	Alfalfa Grass	4
	Established N	Vixed Grasses	33
	Established (Drchardgrass	2
	Established F	Pasture (without legume)	1
	Oats		8
	Other		1
	Planting Alfal	lfa	15
	Planting Alfal	lfa in Oats	2
	Planting Crov		1
	Planting Ladi		2
	Planting Mixe		29
	Planting Orch		4
	Planting Red	-	1
	-	Clover (No-till)	7
		Clover-Grass	2

County	Total Samp	les Crop	# of Samples
		Planting Trefoil (No-till)	1
		Planting Trefoil-Grass	2
		Rye	17
		Sorghum-Sudangrass	1
		Soybeans	32
		Wildlife Food Plot	4
FOREST	50		
		Buckwheat	1
		Corn for Grain	22
		Corn for Grain (No-till)	3
		Corn for Silage	2
		Established Bromegrass	1
		Established Mixed Grasses	1
		Oats	5
		Other	2
		Planting Alfalfa in Oats	2
		Planting Alfalfa-Grass	2
		Planting Mixed Grasses	1
		Planting Red Clover	1
		Planting Timothy	5
		Renovating Pasture (with legume)	1
		Soybeans	1
FRANKLIN	258		
		Brassicas	1
		Buckwheat	1
		Corn for Grain	20
		Corn for Grain (No-till)	44
		Corn for Silage	9
		Corn for Silage (No-till)	12
		CRP Cool Season Grass	36
		Established Alfalfa	5
		Established Alfalfa Grass	17
		Established Bromegrass	16
		Established Mixed Grasses	5
		Established Orchardgrass	17
		Established Pasture (with legume)	7
		Established Pasture (without legume)	7
		Established Tall Fescue	2
		Established Timothy	1
		Other	11

County	Total Samples	Сгор	# of Samples
	Plan	ting Alfalfa	7
		ting Alfalfa (No Till)	2
		ting Alfalfa in Oats	2
		ting Alfalfa in Wheat	3
		ting Bromegrass	3
		ting Mixed Grasses	3
		ting Orchardgrass	1
		ting Timothy	
			1
		Grain Sil/Corn Grain Dbl Crp	1
	-	hum for Grain	2
	•	beans	9
	Whe		11
	Wild	life Food Plot	2
FULTON	140		
	Corr	n for Grain	2
	Corr	n for Grain (No-till)	10
	Corr	n for Silage	1
	Corr	n for Silage (No-till)	10
	Dist	urbed Lands	1
	Esta	blished Alfalfa	3
	Esta	blished Alfalfa Grass	18
	Esta	blished Bromegrass	5
	Esta	blished Mixed Grasses	36
	Esta	blished Orchardgrass	4
	Esta	blished Pasture (with legume)	6
	Esta	blished Timothy	2
	Oats	3	2
	Plan	ting Alfalfa (No Till)	1
	Plan	ting Alfalfa-Grass	2
	Plan	ting Bromegrass	1
		ting Ladino Clover	2
		ting Mixed Grasses	4
		ting Orchardgrass	1
		ting Red Clover in Wheat	1
		ting Red Clover-Grass	2
		ting Timothy	5
		ting Trefoil-Grass	1
		ovating Pasture (with legume)	1
		jhum-Sudangrass	4
	-	peans	9
	00yi		0

County	Total Samp	les Crop	# of Samples
		Wheat	1
		Wildlife Food Plot	3
		Winter Barley	2
GREENE	64		
		Brassicas	1
		Corn for Grain	6
		Corn for Grain (No-till)	2
		CRP Cool Season Grass	2
		Established Red Clover	2
		Established Alfalfa Grass	7
		Established Mixed Grasses	15
		Established Orchardgrass	3
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3
		Planting Alfalfa	2
		Planting Alfalfa in Oats	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	8
		Planting Red Clover	1
		Planting Red Clover-Grass	1
		Renovating Pasture (with legume)	3
		Wildlife Food Plot	5
HUNTINGDON	385		
		Brassicas	3
		Corn for Grain	22
		Corn for Grain (No-till)	66
		Corn for Silage	18
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	67
		Disturbed Lands	1
		Established Crownvetch	2
		Established Red Clover-Grass	2
		Established Alfalfa	36
		Established Alfalfa Grass	20
		Established Bromegrass	2
		Established Mixed Grasses	31
		Established Orchardgrass	11
		Established Pasture (with legume)	4
		Established Pasture (without legume)	15
		Hops	3

County	Total Samples	Сгор	# of Samples
	Oats		1
	Other		1
	Planting /	Alfalfa	10
	Planting /	Alfalfa (No Till)	4
	Planting /	Alfalfa in Oats	1
	Planting /	Alfalfa-Grass	9
	Planting (Crownvetch	3
	Planting	Grass Pasture	1
	Planting I	Mixed Grasses	7
	Planting (Orchardgrass	3
	Planting I	Red Clover-Grass	1
	Renovati	ng Pasture (with legume)	5
	Rye		1
	Sorghum	for Forage	3
	Sorghum	-Sudangrass	2
	Soybean	S	17
	Wheat		1
	Wildlife F	ood Plot	5
INDIANA	363		
	Brassicas	8	2
	Corn for	Grain	107
	Corn for (Grain (No-till)	19
	Corn for S	Silage	22
	Corn for S	Silage (No-till)	7
	CRP Coo	l Season Grass	39
	CRP Wa	rm Season Grass	6
	Disturbed	Lands	8
	Establish	ed Red Clover	1
	Establish	ed Trefoil-grass	1
	Establish	ed Alfalfa	1
	Establish	ed Alfalfa Grass	25
	Establish	ed Bromegrass	1
	Establish	ed Mixed Grasses	2
	Establish	ed Orchardgrass	4
	Establish	ed Pasture (with legume)	1
	Establish	ed Pasture (without legume)	4
	Establish	ed Reed Canarygrass	5
	Establish	ed Timothy	4
	Oats		29
	Other		1

County	Total Sample	es Crop	# of Samples
	-		4
		Planting Alfalfa (No Till)	1
		lanting Alfalfa in Oats	9
		Planting Alfalfa-Grass	2
		lanting Ladino Clover	3
		lanting Mixed Grasses	5
		lanting Red Clover	1
		lanting Red Clover (No-till)	1
		Ianting Red Clover in Oats	1
		lanting Red Clover-Grass	1
		lanting Timothy	1
		enovating Pasture (with legume)	2
		Rye	1
		oybeans	32
		pelt	1
		Vheat	8
	V	Vildlife Food Plot	5
JEFFERSON	263		
	E	rassicas	5
	C	Corn for Grain	81
	C	corn for Grain (No-till)	13
	C	corn for Silage	23
	C	corn for Silage (No-till)	1
	C	RP Cool Season Grass	6
	C	RP Warm Season Grass	2
	C	Disturbed Lands	4
	E	stablished Ladino Clover	6
	E	stablished Trefoil-grass	7
	E	stablished Alfalfa	8
	E	stablished Alfalfa Grass	29
	E	stablished Mixed Grasses	4
	E	stablished Pasture (without legume)	3
	E	stablished Reed Canarygrass	1
	E	stablished Timothy	3
	C	Dats	3
	F	Planting Alfalfa	3
	F	Planting Alfalfa in Oats	6
	F	Planting Alfalfa-Grass	17
	F	lanting Ladino Clover	12
	F	lanting Mixed Grasses	1
		lanting Red Clover	1

County	Total Samples	Сгор	# of Samples
	Planti	ng Red Clover in Wheat	1
		ng Red Clover-Grass	1
		ng Tall Fescue	1
		ng Trefoil in Oats	2
		ng Trefoil-Grass	2
		ium for Forage	- 1
	Soybe	-	10
	Whea		3
		r Barley	3
JUNIATA	472		
	Barley	γ∕Soybean Double Crop	4
	Brass	icas	1
	Corn	for Grain	38
	Corn	for Grain (No-till)	88
	Corn	for Silage	12
	Corn	for Silage (No-till)	42
	CRP	Cool Season Grass	1
	Estab	lished Red Clover-Grass	1
	Estab	lished Warm Season Grasses	6
	Estab	lished Alfalfa	49
	Estab	lished Alfalfa Grass	11
	Estab	lished Mixed Grasses	30
	Estab	lished Orchardgrass	5
	Estab	lished Pasture (with legume)	3
	Estab	lished Pasture (without legume)	21
	Estab	lished Tall Fescue	1
	Estab	lished Timothy	5
	Oats		12
	Other		1
	Planti	ng Alfalfa	12
	Planti	ng Alfalfa in Oats	6
	Planti	ng Alfalfa in Wheat	3
	Planti	ng Alfalfa-Grass	3
	Planti	ng Ladino Clover	1
	Planti	ng Orchardgrass	1
	Planti	ng Red Clover	6
	Planti	ng Red Clover (No-till)	1
	Planti	ng Red Clover-Grass	1
	Planti	ng Warm Season Grasses	1
	Renov	vating Pasture (with legume)	2

County	Total San	nples	Сгор	# of Samples
		Rye		2
			Sil/Corn Grain Dbl Crp	1
		Small Gra		2
			for Forage	1
		-	Sudangrass	1
		Soybeans	-	82
		Sudangra		3
		Wheat		6
		Wildlife F	ood Plot	2
		Winter Ba		4
LACKAWANNA	96			
		Brassicas		3
		Corn for (Grain (No-till)	1
			I Season Grass	8
		Establish	ed Ladino Clover	8
		Establish	ed Mixed Grasses	20
		Establish	ed Orchardgrass	2
			ed Pasture (with legume)	1
			ed Pasture (without legume)	3
			Alfalfa in Oats	2
		Planting L	adino Clover	10
		-	Aixed Grasses	1
		-	Red Clover (No-till)	2
		Planting 7	Tall Fescue	1
		Renovatir	ng Pasture (with legume)	1
		Soybeans	3	2
		Wheat		19
		Wildlife F	ood Plot	12
LANCASTER	357			
		Brassicas		14
		Buckwhe	at	1
		Corn for (Grain	48
		Corn for (Grain (No-till)	61
		Corn for S	Silage	2
		Corn for S	Silage (No-till)	10
		CRP Coo	l Season Grass	10
		Establish	ed Red Clover	1
		Establish	ed Red Clover-Grass	1
		Establish	ed Warm Season Grasses	1
		Establish	ed Alfalfa	14

County	Total Sam	ples	Сгор	# of Samples
		Established A	Ifalfa Grass	1
			lixed Grasses	16
		Established C		2
			Pasture (without legume)	11
		Oats	asture (without leguine)	2
		Other		60
			fo	4
		Planting Alfal		
		Planting Alfal		2 4
		Planting Blue	-	-
		Planting Ladi		7
		Planting Mixe		9
		Planting Red		4
		-	Clover (No-till)	1
		•	Clover in Oats	2
		-	Clover-Grass	1
		Planting Tall		4
		•	m Season Grasses	1
		Renovating P	asture (with legume)	3
		Rye		3
		Soybeans		23
		Tobacco		2
		Wheat		8
		Wildlife Food	Plot	14
		Winter Barley		10
LAWRENCE	120			
		Corn for Grai	า	34
		Corn for Grain	n (No-till)	16
		Corn for Silag	je	1
		Corn for Silag	je (No-till)	6
		Established I	_adino Clover	2
		Established A	Ifalfa Grass	4
		Established N	lixed Grasses	6
		Established F	Pasture (with legume)	2
		Oats		4
		Planting Alfal	fa	7
		Planting Alfal	fa-Grass	2
		Planting Blue	grass	1
		Planting Crov	vnvetch	2
		Planting Red	Clover in Oats	1
		Renovating P	asture (with legume)	2

County	Total Sam	ples	Сгор	# of Samples
		Soybeans		26
		Wheat		3
		Wildlife Foo	d Plot	1
LEBANON	350			
		Barley/Soyb	ean Double Crop	1
		Corn for Gra		42
		Corn for Gra	in (No-till)	69
		Corn for Sila	ige	7
		Corn for Sila	•	14
		CRP Cool S	eason Grass	4
		Established	Red Clover-Grass	3
		Established	Warm Season Grasses	1
		Established	Alfalfa	13
		Established	Alfalfa Grass	10
		Established	Mixed Grasses	6
		Established	Orchardgrass	6
		Established	Pasture (without legume)	12
		Established	Reed Canarygrass	1
		Established	Timothy	5
		Planting Alfa	alfa	2
		Planting Alfa	alfa (No Till)	9
		Planting Lac	lino Clover	1
		Planting Mix	ed Grasses	1
		Planting Orc	hardgrass	2
		Planting Ree	ed Canarygrass	2
		Planting Tal	Fescue	1
		Planting Tim	othy	1
		Renovating	Pasture (with legume)	1
		Rye		5
		Soybeans		71
		Sudangrass		3
		Wheat		50
		Wildlife Foo	d Plot	2
		Winter Barle	ey .	5
LEHIGH	94			
		Brassicas		2
		Corn for Gra	iin	17
		Corn for Gra	in (No-till)	13
		CRP Cool S	eason Grass	1
		Established	Ladino Clover	8

County	Total Samp	les Crop	# of Samples
		Established Alfalfa	7
		Established Mixed Grasses	3
		Established Orchardgrass	1
		Established Pasture (without legume)	2
		Established Timothy	2
		Hops	1
		Horticultural Cover Crop	4
		Planting Alfalfa (No Till)	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	1
		Planting Orchardgrass	2
		Planting Tall Fescue	- 1
		Renovating Pasture (with legume)	2
		Rye	2
		Soybeans	15
		Wheat	6
		Wildlife Food Plot	2
			E.
LUZERNE	291	Prossiege	7
		Brassicas	7
		Buckwheat	1
		Corn for Grain	66
		Corn for Grain (No-till)	13
		Corn for Silage	7
		Corn for Silage (No-till)	4
		CRP Cool Season Grass	42
		CRP Warm Season Grass	2
		Established Warm Season Grasses	22
		Established Alfalfa	11
		Established Alfalfa Grass	2
		Established Bromegrass	1
		Established Mixed Grasses	21
		Established Orchardgrass	7
		Established Pasture (with legume)	1
		Established Pasture (without legume)	6
		Established Timothy	3
		Hops	2
		Dats	3
		Other	2
		Planting Alfalfa	7
		Planting Alfalfa in Oats	8

Planting Alfalfa-Grass Planting Grass Pasture	1 1 10
Planting Grass Pasture	-
	10
Planting Ladino Clover	
Planting Mixed Grasses	4
Planting Orchardgrass	2
Planting Red Clover	1
Planting Red Clover-Grass	2
Planting Tall Fescue	3
Planting Timothy	2
Rye	2
Sorghum for Forage	1
Soybeans	10
Wheat	4
Wildlife Food Plot	10
LYCOMING 429	
Brassicas	3
Corn for Grain	70
Corn for Grain (No-till)	75
Corn for Silage	4
Corn for Silage (No-till)	5
CRP Cool Season Grass	53
CRP Warm Season Grass	1
Established Red Clover-Grass	9
Established Trefoil-grass	1
Established Alfalfa	8
Established Alfalfa Grass	19
Established Bromegrass	1
Established Mixed Grasses	14
Established Pasture (with legume)	2
Established Pasture (without legume)	13
Established Timothy	12
Oats	5
Planting Alfalfa	12
Planting Alfalfa (No Till)	1
Planting Alfalfa in Oats	1
Planting Alfalfa in Wheat	7
Planting Alfalfa-Grass	7
Planting Alfalfa-Trefoil	4
Planting Bromegrass	1
Planting Ladino Clover	14

County	Total Samp	les Crop	# of Samples
		Planting Mixed Grasses	5
		Planting Orchardgrass	1
		Planting Red Clover	1
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	2
		-	1
		Planting Trefoil (No-till)	· · · · · ·
		Planting Warm Season Grasses	1
		Renovating Pasture (with legume)	2 3
		Rye	
		Soybeans	55
		Wheat	9
		Wildlife Food Plot	6
MCKEAN	55		
		Corn for Grain	1
		CRP Cool Season Grass	28
		Established Trefoil-grass	9
		Established Mixed Grasses	1
		Established Orchardgrass	2
		Established Pasture (without legume)	1
		Hops	1
		Planting Alfalfa	1
		Planting Alfalfa-Grass	2
		Planting Red Clover in Wheat	1
		Planting Timothy	1
		Wildlife Food Plot	7
MERCER	438		
		Brassicas	2
		Corn for Grain	153
		Corn for Grain (No-till)	17
		Corn for Silage	6
		Corn for Silage (No-till)	1
		Disturbed Lands	7
		Established Red Clover-Grass	6
		Established Alfalfa	5
		Established Alfalfa Grass	10
		Established Mixed Grasses	2
		Established Orchardgrass	3
		Established Pasture (with legume)	4
		Established Pasture (without legume)	3
		Established Timothy	5

County	Total Samples	сгор	# of Samples
	Oa		6
		her	42
		anting Alfalfa	1
		anting Alfalfa (No Till)	1
		anting Alfalfa in Oats	7
		anting Alfalfa-Grass	2
		anting Ladino Clover	3
	Pla	anting Mixed Grasses	2
	Pla	anting Orchardgrass	1
	Pla	anting Red Clover in Oats	1
	Pla	anting Red Clover-Grass	1
	Pla	anting Timothy	1
	Pla	anting Warm Season Grasses	29
	Re	enovating Pasture (with legume)	2
	Sn	n Grain Sil/Corn Grain Dbl Crp	1
	Sn	n Grain Sil/Corn Sil Dbl Crop	1
	Sc	rghum for Grain	1
	Sc	ybeans	103
	WI	neat	3
	Wi	Idlife Food Plot	6
MIFFLIN	78		
	Bra	assicas	9
	Co	orn for Grain	8
	Co	orn for Silage	2
	Co	orn for Silage (No-till)	8
	CF	RP Cool Season Grass	9
	Es	tablished Alfalfa	2
	Es	tablished Alfalfa Grass	3
	Es	tablished Mixed Grasses	5
	Es	tablished Orchardgrass	9
	Es	tablished Pasture (with legume)	2
	Es	tablished Pasture (without legume)	9
		anting Bluegrass	1
		anting Ladino Clover	1
		anting Red Clover	1
		enovating Pasture (with legume)	2
		Idlife Food Plot	7
MONROE	39		
MOMOL		assicas	2
		orn for Grain	2
	00		<u> </u>

County	Total Sample	es Crop	# of Samples
	С	orn for Grain (No-till)	2
		orn for Silage	2
		stablished Mixed Grasses	1
	E	stablished Orchardgrass	1
		stablished Pasture (with legume)	1
		stablished Pasture (without legume)	1
		orticultural Cover Crop	3
	С	ther	1
	Р	lanting Ladino Clover	8
	Р	lanting Mixed Grasses	3
	Р	lanting Red Clover	4
	Р	lanting Timothy	2
	S	oybeans	3
	V	/heat	1
	V	/ildlife Food Plot	2
MONTGOMERY	342		
		rassicas	5
		Forn for Grain	21
		corn for Grain (No-till)	5
		RP Cool Season Grass	7
		stablished Bluegrass	3
		stablished Ladino Clover	6
	E	stablished Alfalfa	2
	E	stablished Mixed Grasses	8
	E	stablished Orchardgrass	7
		stablished Pasture (with legume)	5
	E	stablished Pasture (without legume)	9
	E	stablished Timothy	3
	Н	orticultural Cover Crop	76
	C	Pats	1
	C	ther	143
	Р	lanting Alfalfa	2
	Р	lanting Bromegrass	1
	Р	lanting Grass Pasture	1
	Р	lanting Ladino Clover	8
	Р	lanting Mixed Grasses	1
	Р	lanting Orchardgrass	3
	Р	lanting Timothy	2
	Р	lanting Trefoil in Oats	1
	R	enovating Pasture (with legume)	6

County	Total Samp	les Crop	# of Samples
		Rye	1
		Sorghum-Sudangrass	1
		Soybeans	6
		Spring Barley	2
		Wheat	1
	,	Wildlife Food Plot	5
MONTOUR	202		
		Brassicas	1
		Corn for Grain	41
		Corn for Grain (No-till)	17
		Corn for Silage (No-till)	7
		CRP Cool Season Grass	14
		Established Alfalfa	14
		Established Alfalfa Grass	1
		Established Mixed Grasses	15
		Established Orchardgrass	3
		Established Pasture (with legume)	5
		Established Pasture (without legume)	11
		Established Timothy	5
		Planting Alfalfa	9
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	2
		Planting Mixed Grasses	1
		Planting Red Clover	1
		Soybeans	34
		Spring Barley	3
		Sunflowers	1
		Wheat	14
		Wildlife Food Plot	2
NORTHAMPTON	107		
		Corn for Grain	40
		Corn for Grain (No-till)	2
		Corn for Silage	3
		CRP Cool Season Grass	1
		Established Ladino Clover	1
		Established Red Clover-Grass	2
		Established Alfalfa Grass	2
		Established Mixed Grasses	2
		Established Orchardgrass	2
		Established Pasture (with legume)	1

County	Total Samples	Сгор	# of Samples
	Fatablia	had Daatura (without laguraa)	2
	Oats	hed Pasture (without legume)	2
	Planting	Alfalfa	8
	-	Alfalfa-Grass	2
	-	Ladino Clover	2
	-		2
	-) Orchardgrass	4
	-	Red Clover (No-till)	
		ting Pasture (with legume)	2
	Soybea	ns	24
	Wheat		4
		Food Plot	3
NORTHUMBERLAND	375		
	Brassica		1
	Buckwh		1
	Corn for	Grain	34
	Corn for	⁻ Grain (No-till)	115
	Corn for	Silage	15
	Corn for	⁻ Silage (No-till)	6
	CRP Co	ool Season Grass	1
	Establis	hed Alfalfa	10
	Establis	hed Alfalfa Grass	17
	Establis	hed Mixed Grasses	4
	Establis	hed Orchardgrass	12
	Establis	hed Pasture (with legume)	1
	Establis	hed Pasture (without legume)	12
	Establis	hed Tall Fescue	1
	Establis	hed Timothy	10
	Oats		10
	Other		4
	Planting	I Alfalfa	11
	Planting) Alfalfa (No Till)	2
	Planting	Grass Pasture	1
	Planting	Ladino Clover	4
	Planting	Mixed Grasses	1
	Planting	Reed Canarygrass	1
	Planting	rrefoil (No-till)	1
	Planting	Warm Season Grasses	1
	Renova	ting Pasture (with legume)	4
	Soybea		73
	Tobacco	0	1

County	Total Samples	Сгор	# of Samples
	Wheat		13
	Wildlife	Food Plot	6
	Winter	Barley	2
PERRY	780		
		Soybean Double Crop	6
	Buckwl	, ,	1
	Corn fo	or Grain	99
	Corn fo	or Grain (No-till)	150
		or Silage	21
		or Silage (No-till)	68
		ool Season Grass	1
	Establi	shed Bluegrass	1
	Establi	shed Red Clover-Grass	1
	Establi	shed Alfalfa	90
	Establi	shed Alfalfa Grass	55
	Establi	shed Mixed Grasses	43
	Establi	shed Orchardgrass	8
	Establi	shed Pasture (with legume)	1
	Establi	shed Pasture (without legume)	12
	Establi	shed Tall Fescue	2
	Establi	shed Timothy	2
	Oats		9
	Other		20
	Plantin	g Alfalfa	14
	Plantin	g Alfalfa (No Till)	11
	Plantin	g Alfalfa-Grass	21
	Plantin	g Bromegrass	1
	Plantin	g Ladino Clover	2
	Plantin	g Mixed Grasses	1
	Plantin	g Red Clover	1
	Plantin	g Red Clover-Grass	1
	Plantin	g Timothy	1
	Plantin	g Trefoil	1
	Plantin	g Trefoil (No-till)	1
	Renova	ating Pasture (with legume)	4
	Rye		1
	Sorghu	im for Forage	1
	Sorghu	im for Grain	3
	Soybea	ans	102
	Wheat		13

County	Total Samp	les Crop	# of Samples
	,	Wildlife Food Plot	6
		Winter Barley	5
		White Balley	5
PHILADELPHIA	17		2
		Brassicas	3
		CRP Cool Season Grass	4
		Established Ladino Clover	1
		Other	3
		Planting Alfalfa	1
		Planting Ladino Clover	2
		Soybeans	2
		Wildlife Food Plot	1
PIKE	15		
		Brassicas	1
		Corn for Silage	4
		Planting Ladino Clover	3
		Planting Red Clover	3
		Planting Warm Season Grasses	2
	:	Soybeans	2
POTTER	165		
	I	Brassicas	8
	I	Buckwheat	2
		Corn for Grain	2
		Corn for Grain (No-till)	2
		Corn for Silage	49
		CRP Cool Season Grass	27
	I	Established Ladino Clover	11
	I	Established Alfalfa	1
	l	Established Mixed Grasses	3
	l	Established Orchardgrass	6
	l	Established Pasture (without legume)	2
		Dats	12
	I	Planting Alfalfa	2
	I	Planting Alfalfa in Oats	2
	I	Planting Alfalfa-Grass	2
	I	Planting Ladino Clover	7
		Planting Orchardgrass	2
	[Planting Red Clover	4
		Planting Timothy	1
		Planting Trefoil-Grass	1
	:	Soybeans	11

County	Total Samples	Сгор	# of Samples
	Sprin	g Barley	1
	-	owers	2
	Whea	at	1
	Wildli	fe Food Plot	4
SCHUYLKILL	273		
	Buck	wheat	2
	Corn	for Grain	73
	Corn	for Grain (No-till)	58
	Corn	for Silage	4
	CRP	Cool Season Grass	1
	Estab	blished Crownvetch	1
	Estab	blished Ladino Clover	7
	Estab	blished Alfalfa	5
	Estab	blished Alfalfa Grass	8
	Estab	blished Mixed Grasses	6
	Estab	blished Orchardgrass	1
	Estab	blished Pasture (with legume)	2
	Estab	blished Pasture (without legume)	10
	Estab	blished Timothy	7
	Oats		1
	Other	r	5
	Plant	ing Alfalfa	3
	Plant	ing Alfalfa-Grass	4
	Plant	ing Alfalfa-Trefoil	1
	Plant	ing Bluegrass	2
	Plant	ing Ladino Clover	2
	Plant	ing Trefoil	1
	Reno	vating Pasture (with legume)	3
	Sorgh	num for Grain	1
	Soyb	eans	44
	Whea	at	10
	Wildli	fe Food Plot	9
	Winte	er Barley	2
SNYDER	237		
	Corn	for Grain	66
	Corn	for Grain (No-till)	24
	Corn	for Silage	2
	Corn	for Silage (No-till)	5
	CRP	Cool Season Grass	9
	Estab	olished Alfalfa	5

County	Total Samp	les Crop	# of Samples
			10
		Established Alfalfa Grass	10
		Established Mixed Grasses	5
		Established Orchardgrass	5
		Established Pasture (with legume)	2
		Established Pasture (without legume)	2
		Established Timothy	1
		Oats	12
		Other	3
		Planting Alfalfa	6
		Planting Alfalfa (No Till)	2
		Planting Alfalfa in Oats	4
		Planting Alfalfa-Grass	4
		Planting Ladino Clover	1
		Planting Mixed Grasses	8
		Renovating Pasture (with legume)	1
		Soybeans	36
		Wheat	8
		Wildlife Food Plot	8
		Winter Barley	8
SOMERSET	292		
		Brassicas	2
		Buckwheat	1
		Corn for Grain	30
		Corn for Grain (No-till)	11
		Corn for Silage	10
		Corn for Silage (No-till)	17
		CRP Cool Season Grass	4
		Disturbed Lands	4
		Established Ladino Clover	1
		Established Red Clover-Grass	9
		Established Trefoil-grass	35
		Established Alfalfa	5
		Established Alfalfa Grass	4
		Established Bromegrass	7
		Established Mixed Grasses	33
		Established Orchardgrass	16
		Established Pasture (with legume)	10
		Established Pasture (without legume)	13
		Established Reed Canarygrass	2
		Established Timothy	6

County	Total San	nples	Сгор	# of Samples
				_
		Oats		7
		-	alfa (No Till)	2
			alfa in Oats	3
		-	dino Clover	2
		-	xed Grasses	1
		-	d Clover in Wheat	1
		Planting Tir	-	5
		-	Pasture (with legume)	3
		Rye		2
		Soybeans		25
		Spelt		1
		Wheat		5
		Wildlife Foo	od Plot	8
SULLIVAN	17			
		Corn for Gr	ain	4
		CRP Cool S	Season Grass	4
		Established	Mixed Grasses	2
		Established	l Orchardgrass	3
		Planting Alf	alfa	1
		Planting Mi	xed Grasses	1
		Planting Re	d Clover	1
		Wildlife Foo	od Plot	1
SUSQUEHANNA	247			
		Brassicas		25
		Buckwheat		1
		Corn for Gr		7
		Corn for Gr		1
		Corn for Sil	, ,	23
			age (No-till)	13
			Season Grass	52
			Ladino Clover	7
			Red Clover-Grass	1
			I Alfalfa Grass	6
			I Mixed Grasses	24
			l Orchardgrass	3
			Pasture (with legume)	1
			Pasture (without legume)	3
		Oats		9
		Other		9 10
			alfa	9
		Planting Alf	alla	9

County	Total Samp	les Crop	# of Samples
		Planting Alfalfa in Oats	1
		Planting Alfalfa-Grass	1
		Planting Ladino Clover	20
		Planting Mixed Grasses	3
		Planting Red Clover	1
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	8
		Planting Trefoil-Grass	1
		Soybeans	12
		Sunflowers	1
		Wildlife Food Plot	3
TIOGA	466		
		Brassicas	5
		Buckwheat	2
		Corn for Grain	27
		Corn for Grain (No-till)	23
		Corn for Silage	26
		Corn for Silage (No-till)	24
		CRP Cool Season Grass	163
		Established Ladino Clover	1
		Established Red Clover	1
		Established Red Clover-Grass	2
		Established Trefoil-grass	7
		Established Alfalfa	13
		Established Alfalfa Grass	47
		Established Mixed Grasses	33
		Established Pasture (without legume)	19
		Established Timothy	3
		Oats	1
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	3
		Planting Alfalfa in Oats	13
		Planting Alfalfa-Grass	7
		Planting Bluegrass	1
		Planting Ladino Clover	3
		Planting Mixed Grasses	5
		Planting Red Clover	1
		Planting Red Clover (No-till)	2
		Planting Red Clover-Grass	1
		Planting Trefoil in Oats	1

County	Total Sample	es Crop	# of Samples
	F	lanting Trefoil-Grass	1
		enovating Pasture (with legume)	1
		m Grain Sil/Corn Sil Dbl Crop	2
	S	orghum for Forage	1
	S	Soybeans	17
	S	pelt	1
	S	Sudangrass	1
	V	Vheat	2
	V	Vildlife Food Plot	1
	V	Vinter Barley	2
UNION	294		
	В	rassicas	1
	C	Corn for Grain	54
	C	corn for Grain (No-till)	68
		corn for Silage	5
	C	corn for Silage (No-till)	22
	E	stablished Red Clover-Grass	1
	E	stablished Alfalfa	13
	E	stablished Alfalfa Grass	25
	E	stablished Mixed Grasses	6
	E	stablished Orchardgrass	5
	E	stablished Pasture (with legume)	1
	E	stablished Pasture (without legume)	4
	E	stablished Reed Canarygrass	2
	E	stablished Timothy	1
	C	Dats	9
	F	lanting Alfalfa (No Till)	6
	F	lanting Alfalfa in Oats	3
	P	lanting Alfalfa in Wheat	2
	F	lanting Alfalfa-Grass	5
	F	lanting Grass Pasture	1
	F	lanting Ladino Clover	1
	F	lanting Mixed Grasses	2
	F	lanting Red Clover (No-till)	1
	F	enovating Pasture (with legume)	4
	S	orghum for Forage	2
	S	oybeans	38
	S	pelt	4
	V	Vheat	6
	V	Vildlife Food Plot	1

County	Total Sam	oles Crop	# of Samples
		Winter Barley	1
VENANGO	46		
		Brassicas	2
		Corn for Grain	16
		Established Warm Season Grasses	2
		Established Alfalfa Grass	6
		Established Mixed Grasses	3
		Established Orchardgrass	1
		Established Pasture (without legume)	1
		Established Timothy	1
		Oats	1
		Planting Alfalfa	2
		Planting Alfalfa in Oats	1
		Planting Mixed Grasses	2
		Planting Orchardgrass	1
		Planting Red Clover	1
		Renovating Pasture (with legume)	2
		Soybeans	1
		Wheat	1
		Wildlife Food Plot	2
WARREN	104		
		Corn for Grain	27
		Corn for Silage	6
		CRP Cool Season Grass	8
		CRP Warm Season Grass	2
		Established Red Clover	5
		Established Red Clover-Grass	6
		Established Alfalfa	2
		Established Mixed Grasses	9
		Established Orchardgrass	1
		Established Pasture (without legume)	4
		Oats	1
		Planting Alfalfa	3
		Planting Alfalfa (No Till)	1
		Planting Alfalfa in Oats	1
		Planting Mixed Grasses	16
		Planting Red Clover	1
		Planting Trefoil	1
		Planting Trefoil in Oats	2
		Soybeans	3

County	Total Samples	Сгор	# of Samples
	Whe	at	3
	Wildl	ife Food Plot	2
WASHINGTON	332		
	Bras	sicas	8
	Corn	for Grain	56
	Corn	for Grain (No-till)	10
	Corn	for Silage	27
	CRP	Cool Season Grass	47
	CRP	Warm Season Grass	5
	Distu	Irbed Lands	1
	Estal	blished Red Clover	1
	Estal	blished Red Clover-Grass	2
	Estal	blished Alfalfa	13
	Estal	blished Alfalfa Grass	16
	Estal	blished Bromegrass	2
	Estal	blished Mixed Grasses	17
	Estal	blished Orchardgrass	2
	Estal	blished Pasture (with legume)	8
	Estal	blished Pasture (without legume)	6
	Estal	blished Timothy	1
	Horti	cultural Cover Crop	1
	Oats		5
	Othe	r	1
	Plant	ting Alfalfa	16
	Plant	ting Alfalfa (No Till)	2
	Plant	ting Alfalfa in Oats	6
	Plant	ting Alfalfa in Wheat	5
	Plant	ting Alfalfa-Grass	13
	Plant	ting Ladino Clover	5
	Plant	ting Mixed Grasses	16
	Plant	ting Orchardgrass	1
	Plant	ting Trefoil (No-till)	1
	Plant	ting Warm Season Grasses	2
	Reno	ovating Pasture (with legume)	4
	Rye		2
	Sm (Grain Sil/Corn Grain Dbl Crp	1
	Sorg	hum for Forage	1
	Soyb	peans	16
	Sprir	ng Barley	1
	Whe	at	1

County	Total Sam	ples Crop	# of Samples
		Wildlife Food Plot	9
		Winter Barley	1
WAYNE	87		
	-	Brassicas	3
		Buckwheat	1
		Corn for Grain	8
		Corn for Grain (No-till)	1
		Corn for Silage	2
		Corn for Silage (No-till)	2
		CRP Cool Season Grass	7
		Established Ladino Clover	2
		Established Red Clover-Grass	1
		Established Alfalfa	1
		Established Mixed Grasses	18
		Established Pasture (with legume)	1
		Established Pasture (without legume)	4
		Established Timothy	1
		Horticultural Cover Crop	1
		Oats	2
		Planting Alfalfa	1
		Planting Alfalfa (No Till)	1
		Planting Alfalfa in Oats	1
		Planting Ladino Clover	1
		Planting Mixed Grasses	3
		Planting Orchardgrass	1
		Planting Red Clover	3
		Planting Red Clover in Oats	1
		Planting Red Clover-Grass	1
		Planting Trefoil	4
		Rye	1
		Soybeans	9
		Wheat	1
		Wildlife Food Plot	4
WESTMORELAND	458		
		Brassicas	3
		Buckwheat	1
		Corn for Grain	50
		Corn for Grain (No-till)	33
		Corn for Silage	78
		Corn for Silage (No-till)	16

County	Total Samp	oles Crop	# of Samples
		CRP Cool Season Grass	27
		Disturbed Lands	6
		Established Ladino Clover	1
		Established Alfalfa	25
		Established Alfalfa Grass	10
		Established Mixed Grasses	35
		Established Pasture (with legume)	3
		Established Pasture (without legume)	18
		Established Reed Canarygrass	9
		Established Timothy	3
		Oats	3
		Other	1
		Planting Alfalfa	14
		Planting Alfalfa (No Till)	1
		Planting Alfalfa in Oats	2
		Planting Alfalfa in Wheat	3
		Planting Alfalfa-Grass	9
		Planting Grass Pasture	2
		Planting Ladino Clover	7
		Planting Mixed Grasses	9
		Planting Orchardgrass	2
		Planting Red Clover	1
		Planting Red Clover (No-till)	1
		Planting Red Clover in Oats	4
		Planting Timothy	6
		Renovating Pasture (with legume)	1
		Soybeans	35
		Wheat	9
		Wildlife Food Plot	30
WYOMING	327		
		Brassicas	5
		Corn for Grain	6
		Corn for Grain (No-till)	127
		Corn for Silage	25
		Corn for Silage (No-till)	11
		CRP Cool Season Grass	36
		Established Mixed Grasses	92
		Established Orchardgrass	1
		Established Pasture (with legume)	1
		Established Pasture (without legume)	3

County	Total Sample	es Crop	# of Samples
	F	stablished Reed Canarygrass	1
		stablished Timothy	1
		other	1
	Р	lanting Alfalfa	1
		lanting Ladino Clover	1
		lanting Mixed Grasses	3
	Р	lanting Red Clover in Oats	2
	Р	lanting Red Clover-Grass	2
	Р	lanting Timothy	5
	W	/ildlife Food Plot	3
YORK	291		
	В	rassicas	3
	С	orn for Grain	42
	С	orn for Grain (No-till)	64
	С	orn for Silage	4
	С	RP Cool Season Grass	5
	E	stablished Ladino Clover	8
	E	stablished Trefoil-grass	1
	E	stablished Alfalfa	2
	E	stablished Alfalfa Grass	6
	E	stablished Mixed Grasses	16
	E	stablished Orchardgrass	9
	E	stablished Pasture (with legume)	3
	E	stablished Pasture (without legume)	4
	E	stablished Reed Canarygrass	1
	E	stablished Timothy	12
	0	Pats	4
	0	other	11
	P	lanting Alfalfa	1
	Р	lanting Alfalfa-Grass	3
	Р	lanting Ladino Clover	4
	Р	lanting Mixed Grasses	4
	Р	lanting Orchardgrass	2
	P	lanting Red Clover	4
	P	lanting Red Clover (No-till)	1
	Р	lanting Timothy	4
	Р	lanting Trefoil-Grass	1
	Р	lanting Warm Season Grasses	4
	R	enovating Pasture (with legume)	4
	S	orghum for Grain	5

County	Total Samples Crop		# of Samples	
	Soybeans		33	
	Sunflowers		1	
	Wheat		18	
	Wildlife Food	Wildlife Food Plot		
	Winter Barley	/	1	
		TOTAL:	18,024	